



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

LANE MEDICAL LIBRARY STANFORD  
X621 .L97 1916 STOR  
Reperory of the symptoms of diseases of



24503372728

**LANE**


**MEDICAL**



**LIBRARY**

GIFT  
SHRINERS' HOSPITAL

AMERICAN BANK NOTE CO. LITHO.









# REPERTORY

of the Symptoms of

## DISEASES OF THE RESPIRATORY ORGANS

By

**F. H. LUTZE, M.D.**

Author of "The Therapeutics of Facial and Sciatic Neuralgia."

---

Member of the International Hahnemannian  
Association, American Institute of Homœo-  
pathy, N.Y. State Hom. Med. Society, Kings  
Co. Hom. Med. Society, Brooklyn Hahn-  
emannian Union

"The physician's high and only mission is: To restore the sick to  
health, to cure as it is called."

*Dr. Samuel Hahnemann*

"When we have to do with an art, whose end is the saving of human life,  
any neglect to make ourselves thorough masters of it becomes a  
crime."

*Dr. Samuel Hahnemann*

✓

LANE LIBRARY



**COPYRIGHT, 1916**  
**BY THE JOURNAL PUBLISHING CLUB, LTD.**

YRABILL 1916

L97  
1916

## PREFACE

---

In the first year of my practice, friendly counsel saved for me two patients who would otherwise have succumbed to pneumonia.

The first case was a girl, æt. 10 years, who was practically cured in one day by sanguinaria; the second case was a man, æt. 73 years, who was promptly cured by phosphorus. Neither of these families had ever had homœopathic treatment before, hence neither was able to give symptoms of any real value to guide me in the selection of the homœopathic remedy, and it was the discoloration of the face—circumscribed bright redness of the cheeks in the child, and dusky, suffused redness of the face in the old gentleman,—which gave the first guide to the selection of the proper homœopathic remedy.

When I saw the rapid and, to me, marvelous action of these remedies, I resolved that if I ever could do anything to help the beginner in homœopathy to cure such cases in like manner, I would do so, and the work herewith offered to the medical profession is the result of that resolution. It includes not only the treatment of pneumonia, but of bronchitis, pleuritis, phthisis and tuberculosis as well, and will also be found very helpful in the treatment of ordinary colds and coughs, too often the precursors of the graver diseases, especially when not properly treated.

The Repertory is preceded by a few special hints in prescribing some of the remedies, from masters in homœopathy. Then follows:

- 1st. Repertory of General Symptoms.
- 2d. Repertory of Coughs.
- 3d. Repertory of Expectorations.
- 4th. Repertory of General Aggravations and Ameliorations.
- 5th. Clinical Cases.

I trust that it will be found very helpful not only to the beginner in the practice of homœopathy, but to the experienced physician as well, and prove to be the means of saving the lives of very many patients, young and old, so that they may continue to live in perfect health and happiness to a well-rounded-out old age.

F. H. LUTZE, M.D.

403 Jefferson Avenue, Brooklyn, New York City.

**LIST OF ABBREVIATIONS**  
**OF NAMES OF REMEDIES USED IN THE TEXT**

---

ABROT.	ABROTANUM
ACAL.	ACALYPHA INDICA
ACET. AC.	ACETIC ACID
ACON.	ACONITUM NAPELLUS
ALOE	ALOE SOCOTRINA
ALUMEN	ALUMEN
ALUM.	ALUMINA
AMM. C.	AMMONIUM CARBONICUM
ANT. IOD.	ANTIMONIUM IODATUM
ANT. TART.	ANTIMONIUM TARTARICUM
APIS	APIS MELLIFICA
ARAN.	ARANEA DIADEMA
ARGENT. NIT.	ARGENTUM NITRICUM
ARN.	ARNICA MONTANA
ARS.	ARSENICUM ALBUM
ARS. IOD.	ARSENICUM IODATUM
ARUM TRI.	ARUM TRIPHYLLUM
BAD.	BADIAGA
BAPT.	BAPTISIA
BARYT. C.	BARYTA CARBONICUM
BELL.	BELLADONNA
BENZ. AC.	BENZOIC ACID
BORAX	BORAX
BROM.	BROMIUM
BRY.	BRYONIA ALBA
CACT.	CACTUS GRANDIFLORUS
CALC. C.	CALCAREA CARBONICA
CALC. PHOS.	CALCAREA PHOSPHORICA
CAMPH.	CAMPHORA
CANN. IND.	CANNABIS INDICA
CAPS.	CAPSICUM
CARBO AN.	CARBO ANIMALIS
CARBO VEG.	CARBO VEGETABILIS
CAUL.	CAULOPHYLLUM
CAUST.	CAUSTICUM
CEPA	CEPA
CHAM.	CHAMOMILLA
CHEL.	CHELIDONIUM
CHINA	CHINA
CHIN. SULPH.	CHININUM SULPHURICUM
CINA	CINA
COCCUL.	COCCULUS

# LIST OF ABBREVIATIONS

v

CON.	CONIUM
CROT. H.	CROTALUS HORRIDUS
CORALOR.	CORALORHIZA
CUP. M.	CUPRUM METALLICUM
DIGIT.	DIGITALIS
DROS.	DROSERA
DULC.	DULCAMARA
ELAPS	ELAPS
EUPH.	EUPHRASIA
FERR.	FERRUM METALLICUM
FERR. IOD.	FERRUM IODATUM
FERR. PHOS.	FERRUM PHOSPHORICUM
GELS.	GELSEMIUM
GRIND.	GRINDELIA ROBUSTA
HAM.	HAMAMELIS VIRGINICA
HELL.	HELLEBORUS NIGER
HELIX	HELIX TOSTA
HEP. S.	HEPAR SULPHURICUM
HYDRAS.	HYDRASTIS CANADENSIS
HYOS.	HYOSCYAMUS NIGER
IGN.	IGNATIA AMARA
IOD.	IODIUM
IPEC.	IPECACUANHA
KALI ARS.	KALI ARSENICOSUM
KALI BI.	KALI BICHROMICUM
KALI BROM.	KALI BROMATUM
KALI C.	KALI CARBONICUM
KALI IOD.	KALI IODATUM
KALI N.	KALI NITRICUM
KALI S.	KALI SULPHURICUM
KRFOS.	KREOSOTUM
LACH.	LACHESIS
LACHN.	LACHNANTES
LAUR.	LAUROCERASUS
LED.	LEDUM PALUSTRE
LOB.	LOBELIA INFLATA
LYC.	LYCOPodium
LYCOPUS	LYCOPUS VIRGINICUS
MAG. C.	MAGNESIUM CARBONICUM
MANG.	MANGANUM
MED.	MEDORRHINUM
MELILOT.	MELILOTUS
MERC. I. F.	MERCURIUS IODATUS FLAVUS
MERC. V.	MERCURIUS VIVUS
MILL.	MILLEFOLIUM
MYRTUS	MYRTUS COMMUNIS
NATR. M.	NATRUM MURIATICUM

NATR. S.	NATRUM SULPHURICUM
NITR. AC.	NITRIC ACID
NUX V.	NUX VOMICA
OP.	OPIUM
PETROL.	PETROLEUM
PHOS.	PHOSPHORUS
PHOS. AC.	PHOSPHORIC ACID
PINUS	PINUS PALUSTRIS
PLB. M.	PLUMBUM METALLICUM
PODO.	PODOPHYLLUM PELTATUM
PSOR.	PSORINUM
PULS.	PULSATILLA
RAN. B.	RANUNCULUS BULBOSUS
RHUS T.	RHUS TOXICODENDRON
RUMEX	RUMEX CRISPUS
SAB.	SABADILLA
SAMB.	SAMBUCUS NIGRA
SANG.	SANGUINARIA
SECALE	SECALE CORNUTUM
SENEGA	SENEGA
SEPIA	SEPIA
SILICA	SILICA
SILPH.	SILPHIUM LACINIATUM
SPIG.	SPIGELIA
SPONG.	SPONGIA TOSTA
SQUIL.	SQUILLA MARITIMA
STANN.	STANNUM METALLICUM
STAPH.	STAPHISAGRIA
STICTA	STICTA PULMONARIA
STRAM.	STRAMONIUM
SULPH.	SULPHUR
SULPH. AC.	SULPHURIC ACID
SYPH.	SYPHILINUM
TARANT.	TARANTULA CUBENSIS
TEREB.	TEREBINTHINA
THUJA	THUJA
TUB.	TUBERCULINUM
VERAT. A.	VERATRUM ALBUM
VERAT. V.	VERATRUM VIRIDE
ZINC. M.	ZINCUM METALLICUM

## SPECIAL HINTS

FROM MASTERS IN HOMOEOPATHY IN PRESCRIBING SOME OF THE REMEDIES

---

**ACALYPHA INDICA:** The hemorrhage is aggravated in the morning and bright red; but dark and lumpy in the evening.

**ACETIC ACID:** should be given in the higher potencies and in the single dose; repetitions are dangerous, as they may cause profuse and even fatal hemorrhages. (Ferr.)

**ACONITUM:** should never be given in typhoid fever or tuberculosis, unless anxiety, mental restlessness and fear are present. Faint on rising from lying, with tendency to fall over, and loss of vision. (Everything turns black before the eyes.) Tuberculous patients are easily shocked and then have their menses suppressed, especially in young girls, for which aconite may be the remedy.

**ALUMINA** is often the remedy in the beginning of consumption, when the mucous membranes are deranged, digestion weak and assimilation imperfect. The cough is dry, as a rule, and the sputum not characteristic.

**ANTIMONIUM TART.** is most suitable to the extremes of life, youth and old age.

**ARANEA:** Bad effects of exposure and privations, causing anemia. Dyspeptic, impoverished, scorbutic persons, whose complaints are aggravated by living in damp places, near the water or working in cellars, and from cold, damp weather.

**ARSENICUM** will give brilliant results in all stages of tuberculosis (and pneumonia) from the incipient symptoms of rapid emaciation with or without the suspicious persistent cough, to fully developed phthisis; but to obtain that end, the remedy must not be repeated too often, which might produce fatal results. Its action is not only intense, but extensive, affecting every organ of the body, every nerve filament, from the slightest sensation to actual destruction of the organs. Its constitutional symptoms are of far greater value in prescribing, than the local.

Arsenic is usually not called for in the beginning of a disease. The tendency of this remedy is deathward. If given too early in a disease which tends to a fatal ending, we may precipitate the result we are so anxious to avoid. We must be certain that the mental state of the patient is positively that of arsenic, or harm will be done instead of good. These mental symptoms are as follows:

1. Depressed, melancholic, despair, indifference.
2. Fearful, restless, anxious, full of anguish.
3. Irritable, sensitive, peevish, easily vexed.
4. Fear of being alone, with dread of dying, when alone, or when going to bed. Fear of death.

Bellows murmur, either from thinness of the blood or from thickening of the aortic valves, especially if accompanied by wheezing breathing or frothy sputum, in the early stages of tuberculosis.

Like all the great antipsorics, it must be prescribed on the constitutional symptoms rather than on the local, like: *calcareo carb.*, *graphites*, *lycopodium*, *nux vom.*, *phosphorus*, *psorinum*, *silica*, *sulphur*.

**BADIAGA** has a marked influence on the process of assimilation and herein are seen the early symptoms of tuberculosis.

**BAPTISIA** is suitable in all stages; it will soothe the suffering of the incurable patient better than any narcotic. (See *Euthanasia* at the end of these hints.) The mental and general symptoms chiefly indicate *baptisia*.

**BELLADONNA**: Fullness in center of forehead, which is well rounded both above and laterally; with precocious and brilliant mental development, often the first indication of the tubercular diathesis.

Chronic laryngitis or in the early stage of laryngeal, bronchial or pulmonary tuberculosis. Dry, hollow cough.

**BORAX**: Impaired nutrition from defective assimilation as shown in the aphthous condition of the mouth, aggravated from downward motion.

**BROMIUM**: Quick mental comprehension. Pains in the chest, stitches, cutting and weakness on right side run upward, glands enlarged and indurated, sensation of cobwebs on or fuzziness of the face.

**BRYONIA**: A very large proportion of cases of pleuritis, improperly treated, develop later into pneumonia and fibroid phthisis, leaving interpleural plastic exudations, and tubercular nodules and sacculated cavities soon follow. *Bryonia* will absorb this exudate and remove or prevent this condition. Cutting knife-like pains in chest and abdomen, aggravated by motion.

**CALCAREA CARB.** Improper digestion and assimilation; stools formed containing undigested food. A history of open fontanelles, difficult dentition, head sweats profusely during sleep, abdomen large, rapid growth in youths of both sexes, epistaxis frequent and profuse in boys, frequent and profuse menses in girls; very erect in any position; fat, fair and flabby.

Consumptives of a calcareous diathesis, when abscesses form in the lungs; sputum of a putrid smelling pus. Useful in both extremes of life.

**CALCAREA PHOS.** Imperfect digestion and assimilation. The history of childhood and adolescence gives often the indications for the employment of this remedy. Chest affections, anal fissure and fistula. It is more frequently indicated in acute than chronic affections of the lungs.

**CAMPHOR.** More often useful in the later stages of pneumonia.

**CANNABIS INDICA**: Dullness on percussion, oppressed breathing and fever, will all disappear in a few hours or days after the giving of this remedy, in the third stage of pneumonia, that of absorption, when the deposit is limited to the lower portion of either or both lungs; expectoration difficult, greenish, delirium during fever, and vomiting of greenish

bilious matter; cough frequent, teasing, dry at times, and hard, even incessant, oppressed breathing.

**CARBO VEG.:** Persons who have suffered from exhausting diseases, diarrhea, hemorrhages, profuse sweats, or suppurations. Give carbo veg. till reaction is established.

**CAUSTICUM:** Laryngeal phthisis of catarrhal origin, beginning in the larynx and trachea, descending into the bronchi and terminating in tubercular cheesy degeneration of the apices. Patients are cold, have cold (not clammy) feet and sweat on walking in the open air. Chilliness and sweat often alternate.

**CHINA:** Exhaustion after loss of vital fluids, (ferrum, phosphor.) It is useful in all stages.

**CORALORHIZA** odontorhiza of Nickell's Botanical Ready Reference: Chicken toes, dragon's toes, coral root, scaly dragon's claw, fever root, turkey claw, Crawley root.

This remedy has not been proved, the symptoms are clinical; it was introduced by Dr. Waddel of Wauson, Ohio; the author received the following symptoms from the late Dr. H. C. Allen of Chicago: coralorhiza (Crawley): Hectic fever, coming on at 9 to 10 A. M. and lasting till midnight. Intensely nervous and restless, burning of the palms and soles, no thirst, no chill or perspiration. Can bear only the slightest covering, while the fever is on, even in winter; but after midnight he can be covered and sleep well. The fever is promptly relieved, without leaving any prostration after it.

**DROSERA:** It is a specific for laryngeal phthisis, the only remedy needed, providing there is no specific base, such as syphilis or sycosis. For whooping cough, give but one dose—a cure will follow in from one to eight days.

**DULCAMARA:** Phlegmatic, scrofulous constitutions, restless, irritable, subject to catarrhal, rheumatic or skin affections induced by cold, damp, rainy weather, or by sudden changes in hot weather, as hot days followed by cold nights; hemorrhages, blood watery, bright red; epistaxis, hot clear blood, worse after getting wet.

**FERRUM:** Like acetic acid, predisposes to serious and often fatal hemorrhages; weakness, amounting almost to paralysis of the entire body or of single parts, violent pains in the limbs, abdominal affections, vomiting of food by day or night, phthisical affections, with spitting of blood, suppression of menses, sterility of both sexes, impotence, jaundice, etc.

**FERRUM PHOS.:** Purring sound (as of cats) in the chest. Hemorrhage preceded by a bubbling sensation in the chest, with nausea, chills and oppressed breathing.

**IODIUM:** Rapidly growing youths of both sexes, emaciating though eating well (calc. carb., phos.); cough, with tickling in every part of the lungs, desire to uncover the head (lycopod.).

**KALI CARB.:** Persons suffering from ulceration of the lungs, can hardly get well without this great antipsoric remedy. This has often



been verified in neglected or improperly treated pneumonias, where the rapid degeneration threatens to terminate into acute phthisis; darting, stitching pains in the chest in the later stages of phthisis, where nodules of tubercles and sacculated cavities are first detected. Here kali carb. will often become indispensable, and, like lycopodium, cut short what seems to be a well marked case of tuberculosis and restore the patient to perfect health.

**LACHESIS:** Tuberculosis after an attack of pneumonia or typhoid fever.

**LYCOPODIUM:** Deep seated affections of the lungs and pleura (bryonia, acute affections of lungs and pleura) and it vies with kali carb. in ulcerations of the lungs. Gradually increasing chronic or subacute affections of the lungs, pneumonia in the stage of hepatization, or the suppurative stage of hepatization, tubercular affections accompanying or following improperly treated pneumonia or pleuritis, attended with hemoptysis and purulent expectoration, or pneumonia and pleuritis with effusion occurring during tuberculosis, lycopodium, if properly administered, may produce a perfect cure.

Boys mentally active, but body feeble and emaciated.

**MYRTUS** has relieved the distressing chest pains even in advanced stages of tuberculosis, where acetic acid, ferrum, phosphorus and sulphur would be dangerous.

**NATRUM SULPH.**: Gonorrheal, sycotic constitutions, worse in wet weather; asthma from every change from dry to damp weather, which may finally turn into bronchial or pulmonary phthisis. The sycotic diathesis must first be corrected, ere the pulmonary affection can be cured, which may require natrum sulph. or thuja. These hold the same relation to sycosis as the antipsorics due to syphilis.

**PHOSPHORUS:** This is one of our greatest remedies in pneumonia, (acon., arsen., bryonia,). In tuberculosis it is best suited to the early stage to correct the diathesis, before the tubercles have deposited. In the late stage of pneumonia, the face often becomes of a suffused, dusky red color.

**PSORINUM:** This is about the only remedy that will eradicate the psoric diathesis, upon which hay-fever depends, but it must be prescribed upon the totality of the symptoms, and not upon the diagnosis of hay-fever.

**PULSATILLA:** Girls who date their illness to the beginning of menstruation, have never been well since; delayed or scanty menses; hemoptysis or hemorrhages of dark blood. Anemia and chlorosis occurring at puberty.

**SAMBUCUS:** Signs of a cure: profuse urination, itching and exfoliating of the skin.

**SANGUINARIA:** Fever and hectic of bronchitis, pneumonia or consumption. Fever at 2 or 3 P. M. daily, with bright circumscribed redness of the cheeks; sputum and breath very offensive, even to the patient himself. Gastric symptoms predominate.

**SILICA:** Like calcarea, is more frequently called for in infancy and adolescence than in middle life and old age, for those who suffer from imperfect assimilation; the head is very large, fontanelles, especially the anterior, open; abdomen hot and swollen; body emaciated. Profuse, offensive, sour sweat on head, neck and face; delicate skin, pale, waxen, earthy-yellow skin of the face; child had difficulty in learning to walk on account of poorly developed muscles and bones. If such a history of childhood is obtained, then silica will prove to be the remedy in most all chronic diseases of adult life. Silica is the chronic of pulsatilla.

**SILPHIUM:** Humid asthma, chronic catarrh of the entire respiratory tract; chronic, loose cough, sputum albuminous, glairy, watery, tough, ropy, stringy, tasteless, profuse mucus, floating in a thin, watery mass. Exhausting night sweats, and profuse mucous discharge in the last stages of phthisis, where acetic acid, ferrum, phosphor., stannum and sulphur might cause dangerous and even fatal aggravations.

**SPONGIA:** Enlarged glands; a history of croup in childhood, (brom., calcarea carb., hepar, kali bi., sambucus).

**STANNUM:** Sad, low spirited condition, and weeping, like pulsatilla. Catarrhal, scrofulous consumption, with the above mentality.

**SULPHUR:** Hot flushes, empty, gone, hungry feeling in the stomach at 11 A.M., vertex hot, cold feet with burning soles at night, must expose them from under the covers; sudden, imperative diarrhea at 5 A.M. A history of psora or repelled eruptions; defective reaction. An eruption is repelled or dried up by external applications; years after, another disease (not necessarily a skin disease) perhaps pneumonia, due to exposure or a cold, is contracted. The eruption suppressed years before, so modifies the pneumonia, that it is incurable until the same has been re-established in the skin. For this purpose give sulphur, and then the remedy which was indicated before, but failed to act, will produce a prompt and perfect cure.

"If pneumonia is not complicated with other diseases, then generally there comes a period when the febrile symptoms subside, the pains and dyspnea cease, in short the patient himself feels greatly relieved as soon as infiltration becomes complete. At this period art can have no other problem than to support nature, when she, for the sake of removing the exudation, increases the activity of the process of absorption; or on the other hand, to oppose nature, in case she shows a disposition to get rid of the pneumonic infiltration by a purulent degeneration. Now no remedy yet proved, corresponds so well to these indications as sulphur, none compares with it in point of certainty and celerity of action. Sulphur penetrates the entire organism in its finest and most remote portions, it increases the activity of vegetative life generally and the process of secretion and absorption in particular, accelerates the interchange of elements and makes it more pervading; in a word: it fulfills all these demands upon which the removal of an abnormal product is conditional. Upon these grounds we apply sulphur for the removal of

pneumonic infiltration and of serous exudation of old as well as of recent deposits in the skin, parenchyma, the joints and bones."

Tuberculosis frequently supervenes upon pneumonia and pneumonia often occurs during the progress of tuberculosis, and frequent attacks of pneumonia almost invariably terminate in tuberculosis.

---

## EUTHANASIA

---

**BAPTISIA:** Will soothe the suffering of the incurable patient better than any narcotic can do.

**PHOSPHORUS CM** (one dose only) Hectic fever in full blast, skin hot in the afternoon; night sweat; constant burning thirst; red spot on cheek, diarrhea, stool escapes on coughing; intense fever in the afternoon, constriction of the chest, suffocation. An aggravation will follow, but this soon will pass off, leaving the patient free of fever and more comfortable generally.

**LACHESIS:** Distress in the stomach and chest, suffocation, streaming perspiration, great sinking sensation, must have neck free of clothing, as also chest and abdomen, ghastly countenance. (Give the 200 or higher as often as necessary.)

**CARBO VEG.:** Covered with cold sweat, must be fanned hard, abdomen distended, with flatus, breath cold. (Give carbo veg. in aqua, every hour for six hours, then stop.)

**SENEGA:** The tough, stringy mucus is difficult to expectorate, gags with it; throat very dry, in last stage of phthisis.

**ARSENIO and SECALE:** Death pains, dying cells, mortification in abdomen.

**TARENTULA CUB., 30,** much later, in the last stage of consumption; it helps to throw the mucus out.

**COLOCYNTH:** Child cries all day, especially from 4 to 8 or 9 P.M., draws knees up to abdomen, relieved somewhat by lying or pressing on abdomen, but sleeps good all night; straining at stool, which is hard and infrequent, every second or third day.

---

## REPERTORY OF THE SYMPTOMS OF DISEASES OF THE RESPIRATORY ORGANS

---

- Abdomen distended: crot. h., caust. painful; kali c., lyc.
- drum-belly: tub.
- pain in: lach., lachn., iod., phos.
- — — inguinal region, on breathing deep, coughing or yawning: borax.
- soreness in, with cough: carb. an., con., hyos., nux v., puls.
- spots, brown, on: tub.
- stitches in, to right side of chest: con.
- — — from right side to mamma and inner border of right scapula to point of shoulder and through lung: ars., bell., bry.
- — — from left side to chest, worse stooping: alum.
- sunken: iod., must support with hands, on account of pain: con.
- tearing stitches as of needles in middle, calc. c.
- touch, tender to: bell., lachn., lyc.
- Absorption, to aid: phos. then sulph.; also apis, bad., cann. ind.
- Air, open, desire for, and amelioration from: calc. c., gels., lyc., natr. m.
- — cold, very sensitive to: iod.
- moist, warm, aggravation from: ham., euph., ipec.
- passages dry: phos.; seem full of smoke or sulphur fumes: brom.
- — catarrhal inflammation with fever and thirst: bad., spong.
- — ulceration of: calc. c.
- Anemia: mang., sang., tub. Illness begins with: sang.
- with profuse sweat: calc. phos.
- Anasarca, ascites: apis, ars., bell., bry., cact., calc. c., chel., china., hepar, hyos., iod., kali c., kali iod., lach., merc. v., phos., senega., sepia, squil., sulph.
- Anorexia complete: sepia.
- Answers quick, tremulous: lyc.
- Anus stands open: phos.
- Appetite lost: ant. iod., hep. s., iod., kali bi., kreos., led., lyc., nit. ac.; with great thirst: op.; no thirst: rumex, samb., saug., sepia, sulph., tub., zinc. m.
- Arms, throws about the: ant. t., kali brom.
- twitch and hands move convulsively: ant. t., kali c.,
- Arterial excitement, but no anxiety, no restlessness: cact.
- Arteries, throbbing in all: bell.
- Ascend, cannot: acetic ac., ars., baryta c., borax, bry., calc. c., caust., cupr. m., hep. s., kali c., kali iod., merc. v., natr. m., nux v., senega, sepia, spig., spong., tub.
- Asleep, on falling, aroused by a sense of suffocation: grind., iod., lach.
- Assimilation imperfect: alum., calc. c., kreos.
- Asthma every two or three hours alternating with diarrhea: kali c., natr. s.

**Asthma** 4 to 5 A.M., gradually increasing and decreasing: stann.

- humid: silph.
- weather, every change of: ars., — hot damp: bell.
- measles after: brom.
- mountains, aggravated on: med., ameliorated on: natr. m., syph.
- nervous: kreos.
- night, at, must sit up to breathe: ars. iod.
- sailors on land, of, ameliorated on seashore: brom.
- sleep, aggravated after: lach.
- weather, every change aggravates: ars.
- — hot aggravates: bell.

**Awakened** every two or three hours with all complaints, especially of the throat or chest: kali c.

**Awkward**, lets things fall from hands, then laughs over it: apis.

**Back**, aching between scapula, unable to breathe: ferr. m.

— chilly, ameliorated by heat: spong.

— jerking in: calc. phos.

— lie on, must: acon., bry., nit. ac., nux v., phos., puls.

— lumbar region, red pimples on: rumex.

— — painful shocks on right side: calc. c.

— pain in, mornings on rising: calc. c., rhus t.

**Beer**, desire for: acon., bell., bry., nux v., rhus t., sulph., stram.

**Bed** feels too hard: arnica, bapt., sil.

— — — hot, must sit up a great deal: op.

— gropes about in, as if hunting for something: hell., op.

— jumps out of, constantly: stram.

— propped up in, must be: hell.

— sit up in, must: grind.

— slides down in: ant. t., apis, ars., carbo veg., hell., lach., nit. ac., phos., phos. ac., rhus t.

— sores, near right hip: hep. s., nux v.

**Bellows** murmur: ars.

**Blood**, taste of, though none is seen in sputum: rhus t.

**Body**, bruised all over, feels: arn.

— cold, feels: chel., sulph.

— constriction of any part or entire body: cact.

— cool, chest and face hot: arn.

— cyanotic: op.

— empty hollow feeling of: kali c.

— erratic pains shooting through entire: sang.

— hot: ferr. phos.; all over: ars.

— — limbs cool: ant. t.

— — upper, lower cold: arn.

— emaciated, lower dropsical: acet. ac.

— stitching all over the: kali c.

**Boils or carbuncles surrounded by small pustules:** hep. s., kali iod., lach., lyc., tub.

**Brain, congestion in:** bell., kali iod., hyperemia of: digit.

**Breath, must catch for:** caust., natr. m.

— cold: carbo veg., phos.

— fetid: kali bi., kreos., merc. v., tub.

— gasping for, with open mouth: hell.

— hot, feverish: bad., sulph.

— lost, ascending stairs: acet. ac.

— — at once on lying down: ars.

— — on falling asleep, till wakened by suffocation: carbo veg., lach.

— — on turning in bed, with great anxiety: carbo veg.

— — when talking: iod.

— offensive: carbo veg.; worse evenings: kali c.

— even to patient: sang.

— short: ferr., kali c., tub.

— — from constriction of lower chest: kreos.

— — before and during cough, normal after: lyc.

— — on going up the slightest ascent: calc. c.

— — when lying on back, ameliorated lying on side: alum.

— — during sleep and from every exertion: lyc.

— — when talking: spig.

— — on waking mornings: con.

— sour: sang.

**Breathe deep or to sigh, desire to:** lob.

— —, can only, when sitting upright: caust., lach.

— — — —, — standing: caust.

— — cannot: lyc., rhus t., verat. v.

— —, frequent desire to: acon., bry., ferr. iod., kreos., lob., merc. v., rumex.

— — — — but cannot on account of pain and constriction of chest: bry.

— — must constantly: lach.

— — — sit up to: ham., lach.

**Breathing abdomen, with, chiefly:** ant. t.

— absent, sounds of, are almost: hep. s., lyc., sulph.

— — in left lung: elaps.

— agonizing: elaps.

— aggravated when arms are brought close to body: psor.

— — asleep, on falling, or moving arms, lach.

— — on bending forward: spig.

— — after eating: lach.

— — lying on back: acet. ac., alum., ars., kali iod., natr. m., phos., puls. sil., spig., sulph.

— — — down: apis, ars., carbo veg., kali c., lach., lob., phos., puls., sang., senega, sil., spong., tub.

— — — on left side: apis, cann. ind., kali c., phos., puls.

- Breathing aggravated lying on right side: lyc., squil.
- side: ars., puls.
- with head low: apis, cact., carbo veg., china, hep. s., kali c., kali n., puls., rumex, spig., spong.
- evenings: bapt., at night: bell., kali brom., after midnight: dros.
- from least motion: bry., lyc., lach.
- covering mouth and nose: lach.
- on rising mornings: bell., calc. phos.
- in a room, warm: ant. t., apis, ars., carbo veg., iod., ipec., kali iod., kreos., lyc., puls., sulph., tub.
- lying, worse sitting evenings, must walk about: carbo veg.
- when talking: alum., lach., stann.
- wet weather, in: dulc.
- water, cold, on drinking: bry.
- on getting tired: alum.
- air, as if there were, imprisoned in epigastrium, causing great anxiety: rhus t.
- ameliorated in open air: apis, ars., bad., bell., bry., iod., puls.
- bending forward: lach.
- during the day: hep. s.
- while lying: calc. phos., psor.
- when lying on right or painful side: bry.
- anxious: camph., ferr., iod., nux v., rhus t., squil., sulph.
- prevented by copious, tenacious, thick mucus, tightly adhering: alum.; wakes him at night, kali c.
- asthmatic, evenings: alum.
- barking: ant. t.
- imperceptible: gels., iod., laur., tub.
- intensely bronchial: hyos.
- and short on right side of chest: iod.
- short: kali iod., sang., stann., sulph.
- with rattling of large bubbles: phos.
- slow, on sitting up mornings: lach.
- chest, left raised less than right: sulph.
- motion slight, chiefly abdominal: ant. t.
- crackling with inspiration: elaps.
- choking, gagging and vomiting, with, aggravated mornings: kali c.
- crackling with inspiration: elaps.
- croupy: spong.
- crowing: ant. t., stann.
- deep, on attempting, child cries: phos.
- impossible, must sit up in bed all night: ars., brom.
- desire for causes a sensation of lightness: stann.
- prevented by shooting pains: croc. h.

Breathing difficult, labored, distressing: acet. ac., bell., borax, bry., calc. phos., till 10 P.M.: camph., carbo veg., caust., chel., dulc., elaps., ferr., gels., ham., hell., kali bi., kali c., kreos., lach., lyc., op., phos., plb. m., psor., ran. b., sang., sepia, spig., squil., sulph., verat. a., zinc. m.

- aggravated gradually: benz. ac.; suddenly: crot. h.
- ascending stairs: ars. iod.
- ——— cannot speak, must often take a deep breath, which is always accompanied by an intense painful stitch in right side of chest from within outward: borax.
- from least motion: ars., bry., stann.
- ——— or descending: bell., lob.
- from tight clothing: stann.
- with tight cough from want of power in lungs, aggravated evenings: bapt.
- from constriction of chest: cact.
- from covering mouth or nose: lach.
- dust, as from inhaling: ipec.
- when lying on the right side, with heat in that side: sulph.
- as if lungs would not expand, or were pressed against the spine: laur.
- murmurs absent: hep. s.
- from pleuritic effusion, aggravated from least motion: ars., bry.
- from pressure on larynx or trachea: bell., ferr., lach.
- as if the air passages were full of smoke or sulphur fumes: brom., lyc.
- throws himself about in effort to breathe: lach.
- wakes him at night, lungs feel tight, cannot take a full breath, must open doors and windows and get face to the fresh air: bad.
- must open doors and windows: lach., sulph.
- great suffocation: phos.
- expiration, barking, ant. t.
- blowing: ant. t.
- difficult, cannot exhale: dros.
- easier than inspiration: alum, bry.
- interrupted; difficult: ars.
- long and deep: lob.; and slow: ant. t.
- ——— slow with epigastrium retracted: op.
- shorter than inspiration, ameliorated lying on right and painful side, but aggravated from least motion: bry.
- with a sharp, rough noise: ant. t.
- ——— sighing: cupr. m.
- slow and long: ant. t., op.
- inspiration difficult: acon., kali bi., kali c., psor.
- deep, ameliorates pain in stomach: lob.
- ——— causes stitches in chest: acon., bell., bry.
- ——— and quick: arn.



- Breathing, inspiration quick: ars.; shallow: lob.; slow: op.
- with fan-like motion of alæ nasi: amm. c., ant. t., ars., brom.,  
chel., iod., lyc., merc. iod. fl., phos., spong., sulph. ac., zinc. m.
- , fanned, desire to be: apis, bapt., carbo veg. very hard; china gently, plb. m., puls., sulph.
- feeble, difficult: china, con.
- forced: ars., iod.
- gasping: ant. t.
- well-nigh impossible and cough after each attempt: phos.
- loud, when lying on right side, ameliorated lying on left: sulph.
- snoring, with cold feeling in larynx aggravated evenings, ameliorated after shaving: brom.
- suppressed suddenly when half completed, attended by a half suppressed groan: phos.
- feeble, in right lung in front and in upper posterior part: ars. iod., gels., grind., laur.
- feverish, aggravated night and morning, ameliorated afternoon: sulph.
- gasping: ant. t., caust., laur.
- groaning: puls.
- hard, jerky, in apex of left lung: ars. iod.
- heavy: merc. v.
- hissing, hoarse: acet. ac.
- impeded by a feeling of constriction of throat: brom.
- — — stitches in chest: bry., squil.
- intermittent: gels., iod., laur., natr. m., op., tub.
- interrupted: iod., kreos., by cough: sulph.
- — so soon as he begins to doze, prevents sleep or he must be aroused: grind., lach., op.
- irregular: digit.
- loud: ferr.
- moaning: laur., stram.
- least motion aggravates: bry.
- with a sharp, rough noise: ant. t.
- nurse, child cannot, each attempt ends in crying: ant. t.
- obstructed, has to catch for breath: borax.
- oppressed: apis, camph., cann. ind., dulc., hep. s., kali bi., led., puls.
- — with raw, burning feeling in fauces: borax.
- suppressed, lying with head low: spong.
- suffocative: ferr.
- orthopnea: ant. t.
- painful: apis, lob., kali iod., ran. b., rhus t.
- panting: ant. t., ars., carbo an.
- rapid: ant. t., apis, ars. iod., bell., bry., caust., iod., ipec., kreos., lach., merc. v., phos., puls., sang., tub., verat. v.
- — arhythmical, like the action of a bellows: phos.; with red face in pneumonia: phos.

- Breathing rattling: camph., carbo an., laur., lyc., op., puls.  
 — in larynx and trachea; aggravated at night: alum., ant. t.  
 — short: ant. t., ars., bry., camph., carbo veg., caust., crot. h., china, ferr., ferr. iod., iod., ipec., merc. v., nitr. ac., phos., puls., ran. b., rhus t., sang., squil., stann., sulph.  
 — wheezing, aggravated bending head back or sitting up: hep. s.  
 — sighing: bry., camph., caust., digit., lycopus., phos., samb.  
 — slow: laur., op., psor.  
 — smothered sensation, aggravated lying, must sit up: ham.  
 — snoring: op., stann.  
 — sounds of absent: hep. s., sulph.  
 — — —, remain long in left apex: sang.  
 — spasmodic: apis.  
 — sponge in throat, as if through a: brom.  
 — stertorous: op.  
 — stitches in chest on breathing deep: borax, bry.  
 — with suffocation: apis., lach., phos., sil., sulph., aggravated at night: squil.  
 — suffocation, fear of: verat. a., verat. v.  
 — — frequent when sitting, as if larynx were constricted: caust.  
 — suffocative on swallowing with excoriating pains and anxiety: brom.  
 — — feeling often awakens him: grind., lach., op.; evenings: ipec.  
 — suspended when lying on the right side and beginning to doze, ameliorated by change of position: bad.  
 — trembling: ant. t.  
 — wheezing: ars., ars. iod., hep. s., kali c., kali s., lach., lyc., phos.  
 — — as from tightly adhering mucus in larynx, not removed by hawking or coughing: alum.  
 — — long, then profuse expectoration which ameliorates: lach.  
 — — on first lying down: ars. iod., hep. s.  
 — — with expiration: lyc.  
 — whistling: kali c., lyc., spig., squil.; fine in left clavicular region: sang.
- Bronchi, complaints begin in and extend to trachea: brom.  
 — burning and rawness in: iod.  
 — catarrh of: kreos., tereb.  
 — crawling in: kreos.  
 — rales in: sil.; in middle and lower: sang.  
 — rattling in: ant. t., brom., lach.  
 — raw, scraped feeling in: arn.  
 — suffocation, fears: ant. t., carbo v.
- Bronchial catarrh in children and old people: alum.; hep. s., kreos.; chronic; lob., dry; nitr. ac., phos. ac., spong., sulph., tereb.  
 — symptoms, with typhoid fever (dangerous): tereb.
- Bronchioles affected: ipec., laur.
- Bronchitis: carbo veg., ipec., kali sulph., lob., plb. m., puls., squil., stann., zinc. m.

- Bronchitis from getting wet or taking cold: op.  
 — frequent attacks with severe fever, aggravated evenings: phos.  
 — acute with profuse secretions: spong.  
 — — expectoration ceases: lob. (3d stage)  
 — eruptions, from repelled: hep. s.  
 — of children: ant. t., ferr. phos., ipec., kreos., during detention  
 — from damp cold air, with offensive night-sweats: dulc.  
 — with diseases of the liver: lyc.  
 — — pain in bronchi: nux v.; and rales in every part of chest: ars  
 — of old people: ant. t., dros., dulc., senega, verat. a.  
 — phthisis, degenerating into: alumen.  
 — chronic or laryngitis, returns every autumn and spring: pinus.  
 — capillary: chel., ipec., lach., verat. a., tereb.  
 — acute or chronic in scrofulous or tuberculous patients: hep. s.  
 — with diarrhea: natr. s.  
 — chronic: acet. ac., alumen., bell. with hollow cough; grind. after pneumonia; lach., lyc., nux v., pinus.  
 — — returns every spring and autumn; samb., senega., sil., sulph.: of large bronchi.
- Bronchophony: rhus t., extends to right scapula: lyc.
- Bronchopneumonia: amm. c., ant. t., digit., ferr. chronic; ferr. iod., ipec., nux v., phos., senega.
- Bruised feeling as if beaten: arn., kreos.
- Catarrh of mucous membranes, chronic: alum.; frequent attacks: dros.
- Catarrhal symptoms predominate over inflammatory: nux v.
- Cerebral congestion: bell., op.
- Chest, aching in, dull, sore to touch: calc. c., phos.
- — severe in infraclavicular region in a small spot in lung, later extending to scapula: dros.; extending to hips: carbo veg.
- adhesions in, with pain after pleuropneumonia: ran. b.
- as if no air in, could not breathe, aggravated mornings: kali c.
- air, as if withheld in chest when coughing or speaking and could not exhale: dros.
- anxiety in: calc. c.; after stool: caust.
- asthmatic feeling in: bapt.
- band or hoop as if tied around: sil.; with irresistible desire to cough: lob.
- bruised feeling in: arn., ferr., phos.; under manubrium: zinc. m.
- burning, shooting in, with cough: acon., ars., crot. h., kali brom., phos., senega., tereb., zinc. m.
- — followed by coldness of skin: acet. ac.
- — — and dryness: camph.
- — — deep in: lach.; before and during menses: zinc. m.
- — — sternum, under: led.; aggravated by cold: sab.
- — aggravated mornings and evenings: zinc. m.; aggravated lying on painless side: nux v.

- Chest burning in, as from glowing coals: carbo veg.; as from boiling water: acon.; as if too full of blood: sang.
- in middle of: dros.; craves water to relieve it: kreos.
- and coldness and sharp pain from front to back: carbo an.
- under manubrium, extending to nostrils: kali bi.
- — — extends to stomach: ant. t.
- — extends from below upward or from above downward: calc. phos.; from below upward: lob.
- catarrh chronic: squil.
- chilliness in: alum.; coldness evenings, fever at night: acet. ac.
- coldness or heat in: apis.
- congestion of: bell., calc. c., at night; ferr. phos. Nitr. ac., op., verat. v.; from suppressed hemorrhoids, face and one ear red: alum.
- constricted: apis., bell., hell., borax, bry., calc. phos., carbo an., elaps, kali bi., kali c., kreos., lyc., lycopus., phos., spig.
- with breathing difficult: cact., con., calc., phos., till 11 p.m.; cact. lower; lob. middle of.
- as if the lungs were pushed up to the throat: lach.
- — — by cramps, aggravated lying on back: lyc.
- — aggravated evenings in bed, as if lungs had no room to expand: natr. m.
- at night, ameliorated walking about: ferr.
- on walking or ascending: led.
- spasmodic with weakness after talking: hep. s.
- aggravated stooping or sitting bent, ameliorated by walking: alum.
- — — bending backward: caust., ameliorated lying: mang.
- cramps in, with red face, cannot speak: kali c.
- crawling in: coralorr., crepitation: kali iod.
- cutting in, knife like: bry., kali n., lyc.; aggravated by inspiration: con.
- — below mammæ in quick succession at rest or in motion: lachn.
- — — from within outward, both sides: calc. c., aggravated by inspiration: hell.
- — from midsternum to right scapula, ameliorated by inspiration: phos.
- darting, sharp pain in, hinders breathing: sepia.
- — from before backward through apex of right lung: bell.
- depressed in infraclavicular region: calc. c.
- dropsy of: sil.
- dryness in: ant. t., camph., puls., sep., stann.
- dull aching in, upper: ferr.; on percussion: phos.; worse in posterior part; ebullition in: mill.
- effusion in: senega;
- empyema or emphysema: sil.
- exhaling difficult: dros.

- Chest, talk, when beginning to, must take a deep breath, as chest feels empty: stann.
- exhausted feeling in: brom.
- expand, as if it could not: iod.
- flat: iod., tub.
- fullness in: acon., carbo veg., gels., lob., lyc., mill., sang.
- must inhale deep: lachn., due to pressure upward from heart disease: lach.
- gurgling in: phos.
- heat in: bry., calc. c., and in arms; calc. phos; op. legs cold.
- heaviness in, with anxiety: kreos.
- — hydrothorax: ars., bry., crot. h., hep. s., kali c., lyc., ran. b., sang., senega., psor., sulph.
- — — with sudden arrest of breathing, aggravated evenings on turning in bed, ameliorated sitting: sulph.
- intercostal spaces prominent, bulging: hep. s.
- — — sunken: kali c.
- itching in: iod., phos., puls., lancinating pain in: acon.
- feels too large: alum.
- and larynx, sharp, shooting pain in: phos.
- lying amel. symptoms: psor.
- motionless, fixed during respiration: hep. s.; narrow: lob.
- seems too narrow, throws shoulders back to overcome this and to get air: sulph.
- narrowed shoulders projecting: psor.
- oppressed: bapt., bell., borax, brom., with palpitation: con., dros., ameliorated by motion; ferr., ferr. iod., gels., ipec., kali c., kreos. with anxiety; merc. v., mill., nux v., op., phos., ran. b., rhus t., samb., senega: must sit up constantly, sticta.
- — as if lungs had no room to expand: natr. m., psor.
- — from both sides toward sternum, with difficult breathing and weak voice: caust.
- — — any effort or odors: phos. ac.; can not speak: sulph.
- — and constricted, ameliorated by throwing shoulders back: calc. c.
- — painless: ferr., unless from pressure, which causes burning and stitching: sang.
- pain in, constant: acal. acet. ac., dros. violent; lachn., nux v., psor. comes in fits; and great pressure: iod.
- — sharp, hinders breathing: sepia; during the day, carbo veg. in lower chest: kali c.
- — acute, after pleuro-pneumonia from pleuritic adhesions: ran. b.
- — severe, in last stages of tuberculosis or after maltreated syphilis: myrtus c.
- — sharp, shooting: phos.
- — as if something fell forward, when turning onto the right side: sulph.

- Chest pain under sternum: lob.; flying from place to place: ferr.  
 ——— can lie only on side: kreos.  
 ——— after drinking cold water: carbo veg., when talking: alum.  
 ——— wandering, aggravated by least covering, ameliorated by lying with head high: ferr.  
 ——— aggravated evenings: bell., aggravated mornings: squil.  
 ——— aggravated by motion: arn. and touch; bell.—of arms; bry., caust., hep. s., aggravated moving left arm, senega.  
 ——— at night: caust.  
 ——— by pressure: arn. and touch.; and bending backward: caust. kreos.  
 ——— must sit up and press both hands on chest for relief: borax.  
 ——— from front to back: acon.; to scapula: sulph. from upper to back: alumen.  
 ——— from hepatic region to back: calc. c.  
 ——— from under sternum to scapula: bell.  
 ——— from under sternum through to back and shoulder: kali bi.; extends upward: brom.  
 ——— in sharp thrusts, from sternum to spine, aggravated when sitting: con.  
 ——— lancinating, from midsternum to dorsal spine, ameliorated on rising: dulc.  
 ——— from sternum around chest to spine: acon.  
 ——— left as of knives thrust in and turned around, extending to shoulder, amel. from pressure with hands: sepia  
 ——— pressure in: acon., cact., calc. c., hep. s., phos., plb. m., puls.  
 ——— blood, as from violent rush of, to: china.  
 ——— from below upward: calc. phos.  
 ——— as if both sides were pressed inward: bell.  
 ——— from within outward: bry.  
 ——— middle to left clavicle: spig. under sternum: samb., sil.  
 ——— lower lung and diaphragm: iod.  
 ——— sternum, as of a stone: sil.  
 ——— from nipple to armpit: lob.  
 ——— aggravated by tight clothing: kali bi.; evenings in bed: sepia, by bending backward: caust.  
 ——— pricking in upper: caust.,—from back into chest: borax, cact.  
 ——— purring in: ant. t., ferr. phos.  
 ——— rales in: ant. t. loud; ipec., lach., squeaking; kali s., natr. s., plb. m., ran. b., sang., spong., sulph.  
 ——— but no expectoration: natr. m.  
 ——— rales in, ameliorated after expectoration: carbo an.  
 ——— on inspiration: nitr. ac.  
 ——— moist, all over, yet cough dry, fatiguing and unsatisfactory: digit.  
 ——— rash on: ipec.

- Chest rattling in: acon., brom., calc. phos., carbo veg. large bubbles;  
 ferr. phos., hep. s., kali bi., kali c., lyc., merc. v., nux v., nitr. ac.,  
 op., painless; phos. ac., sulph., verat. a.
- evenings after lying down, does not know how to lie: kali c.
- of large or fine bubbles in capillary bronchitis: ipec.
- suffocation threatened in children: ant. t.
- aggravated after expectoration: sulph.
- with expiration and on lying down: calc. c.
- lower chest, worse: senega.
- restlessness in, with heat, thirst and coryza: calc. c.
- roughness in, ameliorated lying on well side, nux v., puls.
- rawness in: ars., calc. c., with cough; psor., puls.
- and in larynx, causes cough: iod.
- in a spot deep in, as from coughing: spong.
- sounds of breathing absent: kali iod., sulph. in both lungs.
- upper, sounds of breathing faint: hep. s.
- scraping in: ferr.
- shocks, severe, painful: acon.
- shooting pain in: acon. phos.; from sternum to both sides and  
 axilla: kali n.
- smarting in, with cough: caust.
- in both clavicular regions: kali iod.
- sore in, as from ulceration after pneumonia: ran. b.
- soreness in: apis., bry., calc. c., kreos., nitr. ac., stann., zinc. m., in  
 infraclavicular region, calc. c., puls., sternum, soreness under:  
 led.
- aggravated coughing and sneezing: senega, sulph.
- and burning in, aggravated morning and evening: zinc. m.
- aggravated from coughing, sneezing, motion, pressure and lying  
 on side: senega.
- sticking, stitches in: acon., ant. t., bell., borax, bry., caust., dros.,  
 dulc., ferr., ferr. phos., hep. s., iod., kali bi., kali c., kali iod.,  
 kreos., lach., led., lob., merc. v., nux v., plb. m., psor., rhus t.  
 sabad., sang., senega., sil., stann., sulph., verat. a.
- below arms, extending to stomach: caust.
- at fifth or sixth rib, as if a slender knife were thrust in: dulc.
- deep in middle, fine, transient: kali iod.
- sides of: plb. m., sil., verat. a.
- sternum, down: squil.; under sternum: led. sil.; lower sternum  
 to scapula: hep. s., upward: brom.
- from midsternum around chest: nux v.
- upper anterior part on coughing or breathing: merc. v.
- aggravated from tight clothing: kali bi.
- lying on affected side and breathing deep: calc. c.
- from pressure only: sang.
- press, must, with both hands for relief: borax, dros.

- Chest sticking aggravated on breathing deep: bry., calc. c., from cold: sabad.; from coughing: lach., and sneezing: dros.
- — left near heart, aggravated in forenoon: kreos.
- — stitches in, from coughing or deep inspiration: ferr. phos., and in sides: squil.
- — upper part anterior on sneezing: merc. v., aggravated by coughing: bry., sulph., and inspiration: acon., kreos., in middle from least motion: bry., sulph.
- — when sitting bent, evenings talking, or taking a deep breath: rhus t.
- — violent ameliorated by motion: dros. near axilla aggravated by pressure.
- — sides to back aggravated by inspiration: sil.
- — stuffed to suffocation, aggravated by lying, must sit up: lach.
- — tension in upper: stann.
- — with desire to take a deep breath: calc. c., borax.
- — tickling in, hinders breathing: kali n., zinc. m.
- — tearing in: bry., calc. c., kali bi.
- — and stitches in, as of needles, and in muscles of abdomen: calc. c.
- — from ensiform cartilage to breast: kali iod.
- — extends to hips: carbo veg.
- — tightness in: calc. c., at night; chel. in upper aggravated by inspiration; dros. aggravated by speaking even a word, ameliorated by walking; kali bi., kali c., ran. b., sang., tereb.
- — touch, tender to: arn., calc. c., calc. phos., sang., senega.
- — trembling in, aggravated by motion: spig.
- — ulcerated feeling in: caust.; psor. under sternum.
- — walls sinking in: calc. c.
- — weak feeling in: brom., con., and spasmodic constriction after talking: hep. s.
- — weakness in, from any efforts or odors, can hardly breathe or talk: phos.
- — and empty feeling in, must take a deep breath on beginning to talk: stann.
- — weight or load on: acon., ars., elaps., kali bi., phos., senega., verat. v.
- — over lower lung and diaphragm: iod.
- — clothes press like a, on shoulders: con.
- — wheezing in: ars., and bruised pain in between scapulæ: kali bi.; must sit up: kali c., kali s., sulph.
- — whistling in: ant. t., kali bi., kali c., phos., ac., loud; nitr. ac., on inspiration.
- — left affected: acon., alum., ant. t., apis., arn., ars., bapt., benz. ac., borax, brom., bry., cact., calc. c., calc. phos., carbo veg., con., dros., dulc., ferr., hep., kali c., kali iod., kreos., lach., lachn., led., lob., lyc., merc. v., myrtus, natr. m., natr. s., nitr. as., phos., ran. b., rhus t., rumex, sabad., samb., sang., senega., sepia, sil., spig., spong., squil., stann., sulph., tub., zinc. m.



- Chest left aching in: apis, near midsternum: arn. tender to touch; ferr.,  
between clavicle and nipple: myrtus.
- beating in, in a small spot: calc. phos.
- bulged very much: hep.
- with dropsy: kali iod.
- burning in: ars., led., myrtus., phos., ran. b.
- heat in, aggravated lying on left or affected side: phos.
- and stinging in, extends upward near heart, above nipple, aggravated by deep inspiration and lying on back or left side: rumex.
- cutting in: natr. m., lachn. in afternoon; spig. piercing in from sternum to back.
- evenings on lying down, extends to stomach aggravated lying on right side: kali c.
- below clavicle, ameliorated by pressure: dulc.
- drawing in, on rising in bed, followed by knife-like stitches extending to clavicle and shoulder, where it remains, pains occur in shocks or jerks: stann.
- dullness in upper: lyc.
- in infraclavicular region and tender to touch, ars. iod., lach., sulph. between 5th and 6th rib.
- effusion in, pleuritic, pushing heart to the right side: kali iod., sulph.
- excoriated feeling in, aggravated lying on left side: phos.
- fullness in: nitr. ac.
- motionless and flattened: ars.
- oppressed: carbo veg., nitr. ac.
- pressure in between clavicle and nipple: spig.
- above nipple: lob., lyc., constant: myrtus, spong., and stitches; transient.
- on below clavicle: lob., lyc., spig., spong.
- pain in: kreos, lob., tub., zinc. m.
- knife-like and fine stitches: ran. b.
- in middle, on coughing: arn.
- as if lung moved in waves: dulc.
- near sixth rib on deep inspiration or bending to either side: benz. ac.
- as if a knife were thrust in and turned around extending to left shoulder, ameliorated from pressure with hands: sepia.
- dull, with every inspiration, ameliorated by rubbing: calc. c.
- lower side, must lean to the right to relieve it: lach.
- middle, in a small spot: carbo veg.
- sharp, extending to scapula: myrtus.
- shooting, at ninth or tenth rib: natr. s.
- with irresistible terror, cold sweat on whole body and driving him out of bed: stann.
- under scapula to right: kreos.

- Chest left, pain in piercing from sternum to back: spig.
- raised less than right in breathing: sulph.
  - rales in, fine, in center and upper: ant. t.
  - under short ribs on inspiration: merc. v.
  - rheumatism of: spig.
  - respiratory sounds absent in: elaps.
  - shooting pain in: natr. s.; through to back: sulph.; to shoulder: calc. phos.
  - soreness in: bapt.; from lifting: alum.; aggravated by talking: kali c.; aggravated from riding in a carriage: alum; below nipple: ran. b.
  - sunken, right like a barrel: hep. s.
  - stitches in: acon., apis., ars., borax, brom., bry., cact., calc. c., calc. phos., carbo veg., con., croc. h., kali c., kreos., led., lach., lyc., merc. v., myrtus, natr. m., nitr. ac., ran. b., samb., sang., sepia, spong., sulph.
  - near heart: kreos.
  - on inspiration: ars., borax; to scapula: brom.
  - tearing in from before backward: bry.
  - stitching, tearing below mammæ, prevents sleep and walking: carbo veg., under mammæ tender to touch; lach.
  - under mammæ, deep, into chest and, upward aggravated evenings: kali c.
  - from nipple through to scapula: rhus t.
  - extend to throat and submaxillary region: calc. c.
  - from without inward: lach; extends up into throat and left arm: brom.
  - extends to back, aggravated by deep breathing and coughing: kali c., extends to back: lyc.
  - under short ribs on inspiration: merc. v.
  - over heart to right chest, aggravated by inspiration: kreos.
  - in upper, through to scapula, aggravated by breathing, coughing, yawning or any motion: myrtus.
  - when lying on that side: samb.
  - tearing in below mamma, stitches from behind forward: bry., carbo veg., natr. m., ran. b., below nipple on deep inspiration.
  - tickling in: myrtus.
  - touch, sensitive to: arn., ran. b.
  - throbbing in: myrtus: zinc. m.
  - infraclavicular region through to scapula aggravated by inspiration: myrtus.
  - as if hot water trickled through bronchi: hep. s.
  - wheezing under short ribs on inspiration: merc. v.
  - ars., ars. iod., elaps, kali c., kali s., lach., lyc., phos.
  - a long time, then profuse expectoration: lach.
  - on first lying down: ars. iod.

- Chest right affected: alumen., ant. t., ars., ars. iod., bad., bell., borax, benz. ac., brom., bry., calc. c., calc. phos., carbo an., carbo veg., caust., con., dulc., elaps, hep. s., iod., kali c., kali bi., kali iod., kreos., led., lachn. lyc., natr. s., nitr. ac., nux v., phos., psor., rhus t., rumex, sepia, spig., spong., squil., stann., sulph., tereb., verat. v., zinc m.
- arched like a barrel, left, sunken: hep. s.
- boring, burning in under nipple aggravated by inspiration: spig.
- bronchial breathing in, strong: ant. t.
- burning in: bell., iod., rumex shooting.
- worse in intercostal spaces aggravated by pressure and lying on left side: phos.
- stitches in: ars., brom., carbo. an., sulph.
- crepitation in, under posterior: sulph.
- darting pain in, from before backward, through apex of right lung: bell.
- dropsy of, with sibilant rales: lach.
- lower posterior dull: tereb.
- effusion in pleura: kali iod., in tuberculosis: kali c.
- immovable: ant. t.
- pain in, under scapula, extending from the left: kreos.
- constant: lyc. and tender to touch: rhus t., verat. v.
- fixed or darting: ars., gripping, pinching: kali c.
- lancinating, severe: bad.
- at sixth rib, then in left at fourth and fifth, comes and goes, takes breath away almost with a deep breath, during the day: calc. phos.
- in shoulder and under clavicle on inhaling: alum.
- middle and lower: iod., extending to back: kali c.
- upper: bad.
- from before backward, at third and fourth ribs: calc. c.; aggravated afternoon and evening: bad.
- upper, on deep breathing: bad., psor.
- pain in upper on inhaling: alumen.; aggravated from motion: bad.
- aggravated from deep breathing, coughing, laughing and from motion: psor.
- in a circumscribed spot, aggravated by inspiration: kali bi.
- pressure in spong., squil.
- upper, extending to shoulder: carbo veg.
- rales of mucus in: zinc m., in upper and left center: ant. t.
- on inspiration: elaps.
- rattling in: stann.; aggravated by least motion and at night: bad.
- upper, aggravated lying on right and affected side: ant. t.
- after cough: sang.; aggravated night and morning: calc. c.; ameliorated breathing deep: hep. s.
- rawness in, must change position often: caust.
- lower, shocks in, violent: carbo veg.

- Chest right, shooting, burning in: rumex; on inspiration: calc. phos.
- — — aggravated on breathing deep, lying on painful side, speaking or turning in bed: nitr. ac., nux v.
- — — stitching in: alumen., ars., benz. ac., bell., borax, brom., bry., carbo veg., con., dulc., iod., kali c., kreos., lachn., lyc., natr. sulph., nitr. ac., psor., sepia, spig., spong., stann., sulph.
- — — : lyc. constant; and drawing: borax; in lower: carbo veg., kali c.; in upper: ars.
- — — sudden, on breathing deep aggravated: kali c. and from exertion and speaking: borax; followed by subdued sighing and painful, slow breathing: borax.
- — — from back to front on breathing deep: psor.
- — — in from within outward: bry.
- — — from below nipple to back: sil.
- — — deep, from inspiration: calc. c., kali c.
- — — and in left, aggravated by inspiration, spig.
- — — near third rib, on pressure extending to between scapulæ: dulc.
- — — through to back and to shoulder: bry.
- — — sudden, on raising arms and breathing deep; from within outward: borax.
- — — shooting to left in the afternoon and on going down stairs: alumen.
- — — violent, in upper extending to abdomen and back: nitr. ac.
- — — knife-like on breathing or lying on right side: stann.
- — — on coughing: bry., rhus t.
- — — on lying on right or painful side, ameliorated lying on left side: kali c.; aggravated by inspiration: kreos.
- — — between ribs, aggravated lying on right side and by motion: borax, aggravated by walking: brom.
- — — near nipple on inspiration when walking, not ameliorated by pressure: con.
- — — sunken, more so in clavicular region: iod.
- — — tearing in: carbo veg., iod.; under nipple aggravated by inspiration: spig.
- — — as of ulcers in: hep. s.
- Children desire to be carried: ant. t.
- fretful, irritable at night, screaming: kreos.
- and infants, for, often indicated: ferr. phos.
- — — nurse, cannot, for want of breath: ant. t.
- — — yawn, want to, but cannot, which causes them to cry: lyc.
- weak, nervous, wake with difficult breathing: kali bi. kali, brom.
- , willful with slow, smouldering fever: nux v.
- with incipient tuberculosis: tub.
- Chill, every attack begins with: puls.
- or shivering with the pains: acon., gels., puls.
- evenings over the back: stann.
- severe after exposure: verat. v.

Chill at eleven A.M. daily: bapt.

— with fever: lyc.; then fever, dry heat and difficult breathing: acon.

— followed by slowly increasing dyspnoea: ferr.

— frequent with gooseflesh: nit. ac., nux v.

— severe, lasting till afternoon, then intense heat lasting till evening with headache and thirst: sulph.

— shaking: kali iod.; fever and heat: kreos., sepia.

— hectic at ten a.m., fingertips numb: stann.

— — followed by hectic fever: sulph.

— and heat alternating: camp., hep. s., lach.

— and hot flushes alternate: sabad.

— violent, then dry heat and fever: iod.

— no sweat or thirst: ars.

— with desire to uncover: camph.

Chilliness: gels.; mornings: kali c.; aggravated mornings: tub.

— about noon, aggravated by eating, out of doors and by motion, ameliorated near a warm stove and on lying down: kali c.

— and sweat alternate: caust.

Chin and lips sore: iod.

Choking, aggravated mornings: kali c.

— for want of air: carbo veg.

— can hardly breathe: kali iod.; on lying down: kali bi.

— breathing, gagging, vomiting, aggravated mornings: kali c.

Circulation diminished in parts distant from the heart: camph.

— carotid artery pulsates violently: bell., phos.

Clavicle and shoulder, right, pain in, on inhaling: alumen.

Clergymen's sore throat: alum., argent. nit., arum tri., kali bi., lyc.

Climaxis after: lach., sang.

Cold very sensitive to: alumen.

— patient is always: calc. c., ferr., kali c., sepia, sil.

— from a sudden, while overheated, or the reverse: ran. b.

— takes, easily from least exposure: calc. c., ham., tub.

Collapse, pulmonary imminent: ant. t., carbo veg.

Conjunctiva injected, yellow: ant. iod.

Constipation: kreos., kali c., persistent, obstinate.

— and diarrhoea alternate: sang.

Constitution venous: sulph.

Convalescents are worse in open air: psor.

— improve slowly: sulph.

Convulsions threatened: bell.

Coryza fluent: con., tub., chronic.

Cramps come and go suddenly: alumen.

Croup frequent in scrofulous teething children: calc. c.

Cyanosis: ammon. carb., verat. alb.; from cardiac disease: lach.

Death, fear of: acon., ars., kali c.; thinks he will die: stann.

Decubitus: iod.

Delicate, sickly always: zinc. m.

Delirium: acet. ac., ars., bell., bry., cann. ind., chel., hep. s., hyos., iod.  
constant: kali iod., lach., lachn., lyc., rhus t., stann.

— at one to two a.m., wants to get out of bed and go out: lachn.

— in pieces, thinks he is, and tries to assemble them: bapt., phos.

— tremens: nitr. ac., nux v., phos. gesticulating mornings.

Desire for air, fresh, open: bapt., apis., carbo veg., china, iod., lyc., puls.,  
sulph.,—warm open air: ars.

— beer: acon., bry., caust., china, kali bi., lach., merc. v., nux v.,  
op., puls., rhus t., sabad., spig., stran., sulph.

— bitter drinks: acon., digit., natr. m., tereb.,—bitter food: natr. m.

— brandy: ars., hep. s., lach., nux v., op., sepia, sulph.

— refreshing things: caust., phos., phos. ac., puls., sang., verat.

— hot drinks: chel.,—for fruit and vegetables: alum.

— indigestible things: alum.

— great for cold water: ars.

Despair of recovery: lach.

Despondent, can't help crying: apis., lach.

Diaphragmitis: ran. b.

Diarrhea: acet. ac., alum., ant. t., chel., crot. h., elaps, ferr., hep. s., hyos.,  
kali c., kreos., lyc., merc. v., phos., plb. m., rhus t., rumex.,  
sulph., tub.

— bloody: merc. v.; tub. chronic, frequent; elaps, all day; chel. golden  
yellow; lyc. involuntary; ant. t. slimy; sulph. painless; kreos.  
watery; greenish; hyos. yellow; alum. white; urinating.

— alternating with constipation: sang.

— painful: kali c.

Digestion defective: alum., bad., calc. c., kreos., sil.

Discharges all offensive, breath, stool, urine, sweat: carbo veg. psor.

Dizzy on rising: acon., sulph.

Doors and windows, want open, from suffocation: bapt., carbo veg., lach.;  
after cold drinks: stram.

Drinks cold, desire for: ars., lyc.

— hasty: hep. s., iod.

— large quantities, which does not affect the stomach, nor relieve the  
thirst: acet. ac.

— little but often: ant. t., ars., bell., puls., sabad.

— much at night: tub.; much and often: bry., natr. m., verat.

— water greedily, but only in sips, for want of breath: phos.

Drinking water after cough causes nausea with pain in the stomach:  
ant. t.

Dropey: apis., ars., bell., bry., cact., calc. c., chel., china, hep. s., hyos.,  
iod., kali c., kali iod., lach., merc. v., natr. m., phos., plb. m., op.,  
puls., rhus t., samb., senega, sepia, squil., stran., sulph., verat.,  
zinc.

Drowsy: chel.; and irritable but cannot sleep: op.

- Drunkards: ars., hemoptysis; crot. h., gangrene or edema of lungs; iod. pneumonia with edema; kali brom., kali iod., laur. pleuritis; nitr. ac., nux v. pneumonia; op. suppuration of lungs.
- Dyspnea: acet. ac., camph., crot. h., kali brom. in children; ferr.  
 — increasing gradually; chel. ameliorated loosening clothing: kali c. aggravated from motion and drinking; kali iod. ameliorated lying quietly; kali bi., kali n., led.  
 — ameliorated lying on affected side, aggravated by least motion: ars.  
 — must get up to relieve it: iod.  
 — aggravated from drinking: lach.;—from drinking and motion: kali c.  
 — aggravated afternoon and after sleep: lach.  
 — lying, ameliorated sitting propped up in bed: rumex.  
 — ameliorated lying with head low: kali n.  
 — after relief from chronic headache: sepia.  
 — with palpitation and violent pulsations all over: kali c.
- Ear, bleeding from: bell.  
 — one cold and the other warm: chel.
- Ears flushed, roaring in: phos.  
 — inflammation of, inner meatus, profuse offensive pus, drum destroyed: sulph.  
 — red, mouth closed: phos.
- Eating, after, nausea, faintness and sleep: phos.—pain after: tub.
- Eggs, desire for: calc. c.
- Emaciation: acal., acet. ac., alumn., carbo veg., chel., china, dros., rapid; hep. s., kali c., kali iod., kreos., lach., lyc., phos., plb. m., samb., sang., sepia, sulph., tub.  
 — though eating well and feeling well: ars., ars. iod., iod., natr. m., phos.  
 — of upper, lower, dropsical: acet. ac.
- Emphysema: ars., camph., dros., lach., lob., phos., sil.
- Epigastrium, sensation as if air was imprisoned in, causing great anxiety: rhus t.,  
 — distended: ant. t., hep. s.  
 — empty, gone feeling in, or sinking in: stann.  
 — excoriated feeling in, extending upward: ars., caps.  
 — retracted: ant. t., rhus t.  
 — pain in, constant: lyc.—through to back: ran. b., cutting.  
 — pressure in: kali bi., kali c., lyc.  
 — sensitive to touch: ant. t.  
 — shooting pain in: phos.  
 — sore, extending upward: ars.
- Epiglottis, in constant motion to and fro: dros.
- Epistaxis: acon., bell., ferr., phos., mill.  
 — frequent in the young, growing too rapidly: calc. c.  
 — at night, followed by palpitation during the day: carbo veg.

Eructations, bitter: alum; empty, as if all food had turned to gas: iod.;  
foul: ant. t.

— of putrid gas, tasting like rotten eggs: kali c.

— tasting sour: alum.

Eruptions aggravated when getting warm in bed: alum., sulph.

— bleed and pain after scratching: alum.

— after scratching: ars., china, dulc., kali c., merc. v., nitr. ac.,  
psor., sulph.

— burn after scratching: ars., bell., bry., caust., dulc., hep. s., kreos.,  
lach., led., merc. v., psor., rhus t., senega, sepia, sill., squil.,  
samb., sulph.

— chronic for years, especially in the aged: alum.

— aggravated in winter: alum, petrol.

— bad effects from suppressed: dulc., sulph.

Evil forebodings: acon.

Exanthemata suppressed, followed by respiratory diseases: hep. s.

Exhaustion, great: sang.—aggravated by every exertion: spong.

— great, of body and mind: stann.—after menses: alum.

— can hardly speak: carbo an.

— can hardly stand: coccul.

Expiration distinct: sulph.

— sighing: cupr. m.

— every, ends with a hoarse, hacking cough: acon.

Extremities and face blue and cold: digit.

— cold: ars., bell., calc. phos., carbo veg., gels., verat. a.

— heavy as lead: stann.

— pain in: sulph.

— in lower: sang.

Exudation absorbed: ferr., ferr. phos.

— profuse: china.

Eyes, bag-like swelling under: apis.

— black, and hair: iod., eyes blue or brown, light flaxen hair: brom.

— bright, hair glossy: lyc.

— brilliant, pupils dilated: bell.

— closed, one: ant. t.

— both, conjunctiva injected: kali iod.

— contracted pupils: chel.

— dull or glaring: ant. t.

— inflamed: ant. t.

— lachrymation with red face and sneezing: bad.

— light: brom., calc. c., hep. s.

— pain in: kali bi., kali c., kreos., lach.

— prominent: ant. t.; pushed out, seem: lach.; staring: lyc.; sunken:  
hell., kali c.; glassy: lach., sang.; unsteady: ant. t.

— pupils contracted before dark: phos.

— and ears tearing, stitching in, always on same side: kali c.



Eyes, sclerotica yellow, and corners of mouth: rhus t.; corners of mouth and alæ nasi yellow: lyc.

— vision lost: phos.

Eyelids, edges covered with mucus and half closed: ant. t.

Face, anxious: iod., lyc.; in pneumonia: phos.

— and despairing: ant. iod.

— bloated: ant. t., ant. iod., kali iod., sang., stram.

— blotchy red: kali bi.

— blue: crot. h., digit., ipec., natr. m., kali iod.; bluish or bluish white: lyc.

— blushes easily: ferr.

— cadaverous: lach.

— chalky: caust.

— chin and lips sore: iod.

— cobwebs or fuzzy feeling on: baryt. c., brom., borax, graph., ran. s., samb.

— cold: ant. t.

— collapsed: crot. h., ferr.

— corners of mouth and alæ nasi yellow: lyc.

— dirty looking: crot. h.

— earthy: crot. h., iod., kali c., samb.

— expression dull: ferr.; stupid, bloated: bapt.

— flushed: verat. v.; flushed, dark, dusky red, almost purple: bapt.

— flushes of heat: phos.

— purple, wild expression of fear: bell.

— grayish yellow: kreos., greenish: kali c.

— haggard: rumex.

— hippocratic: carbo veg., ferr., kali c., phos.; nose pointed: carbo veg.

— livid: ant. t., verat. a.; nose pointed: phos.; moist: camph.

— muscles twitching: puls.

— prematurely old in children: acet. ac.

— pale: ant. t., ars., chel., china, crot. h., elaps, ferr., iod., ipec., kali c., lyc., phos., samb., sulph.—like alabaster: acet. ac.;—deathly: carbo veg.—but becomes red as the pain increases: ferr.—sickly: tub.; sunken: samb.; wrinkled deeply: lyc.

— purple: kali c. in pneumonia.—and expression of fear: bapt.

— puffed: lach.

— red: ant. t., apis, kali c., lyc.; bluish red: con.

— red, bright flush: sang.; dark red: chel.; worse after sleep: lach.

— deep when lying, becomes deathly pale on sitting up: acon.

— dusky, congested in pneumonia: phos.—flushed, hot: bell.

— flushed from embarrassment, emotion or exertion: ferr.

— the greater the pain, the more red the face becomes: ferr.

— with lachrymation and sneezing: bad.

— suffering expression: puls.

— sunken: acet. ac., carbo veg.; blue: chel., lyc.; pale: samb.

- Face stiff:** acet. ac., apis; stupid, swollen: ferr.; nose pointed: carbo veg.  
 — wrinkled: acet. ac., lyc.  
 — yellow: hep. s., lyc.; flushed, yellow: ant. iod.; chalky: caust.  
 — yellowish: ferr.; dirty, grayish yellow: lyc.  
 — cheek, circumscribed red spot on: kali c.  
 — — left, bright red: acet. ac.; and sunken: nux v.  
 — — red spot on one, often changes sides: lach.  
 — cheeks, circumscribed redness and burning, worse afternoon: samb.  
 — — hollow: sang.  
 — — hot: phos.  
 — — red: iod., lachn., rhus t., ran. b., sang., spig., sulph.  
 — — bright, red spot on: mang.  
 — — red, sunken: kali c., lyc., rhus t., tub.; and eyes sunken: kali c.;  
     and limbs livid: sang.  
 — — — chin and eyes sore: iod.  
 — — — withered, fontanelles open: calc. c.  
 — — — and one ear red: alum.  
 — and ears flushed: phos.  
 — and hands burning hot or very cold: sang.  
 — and head hot, body cool: arn.  
 — and limbs cold: sang.; and blue: digit.  
 — — — convulsive twitches in: chel.  
 — lip, upper drawn up: ant. t.  
 — mouth, corners of, cracked and sore: iod.  
 — forehead, heat in: croc. h.; — well rounded in front and laterally:  
     bell.  
**Faint, hungry at 10 A.M.:** kali c.—at 11 A.M.: sulph.  
**Fainting, frequent, face pale:** sulph.; from motion: verat. v.  
**Faintness, ameliorated by eating, aggravated in warm room:** iod.  
 — when sitting or from motion: ran. b.  
**Fanned, desire to be:** apis, bapt., carbo veg.; very hard: china; gently:  
     plb. m., puls., sulph.  
 — — — —, to prevent suffocation: kali n.  
**Fat, but pale, anemic, unhealthy:** calc. c.  
**Fauces, burning, raw:** borax.  
 — hawking and scraping to clear of mucus: kali c.  
 — and pharynx dark red: acon.—and uvula flabby and swollen:  
     alumen.  
**Fear, of crossing a street, of death, of excitement, of going into a crowd:**  
     acon.  
 — of being touched: ant. t., arn., bell., china.  
 — or fright, bad effects of: acon., op.  
**Feet burning hot, desire to uncover them:** cham., mag. c., med., puls.,  
     sang., sulph.  
**Feet, soles of, and palms of hands, burning hot:** ars., ferr., iod., sulph.  
 — cold, clammy, legs crooked: calc. c.  
 — one cold, the other warm: chel., lyc.

Feet soles of, burning: kali c.

—— minute vesicles on: kali c.

—— and hands cold, clammy and stinging: sulph.

—— soles and palms burning: ars., ferr., lach., sulph.

—— swollen: ferr.

Fever 1 to 2 A.M., lach.; in afternoon: samb.; dry heat: iod.; followed by sweat: bapt.; sweat mornings: kreos; with painful breathing: kali iod.

—— catarrhal, with pain in elbows, knees, chest, throat and stomach: myrtus.

—— constant, remits only from 3 to 4 P.M.: iod.

—— during, can bear only the lightest covers, even in winter, but can be covered after midnight and sleep well: coralor.

—— worse evenings: plb. m., puls., tub.

—— with palms of hands and soles of feet burning: sang.

—— returns every evening at 6 P.M. and lasts till daylight: con.

—— dry heat, no thirst: ign.

—— with pressing pain or heat: samb.

—— from 9 to 10 A.M. till midnight, no chill, no thirst, no perspiration: coralor.

—— continued: ant. iod.

—— worse during sleep: acon.

—— without thirst: acet. ac.

—— hectic: acet. ac., kreos., lyc., tub.; worse evenings: carbo veg.

—— with typhoid symptoms: carbo an.;—2 to 4 P.M.: sang.

—— high: ferr. phos., iod., merc. v., lach., rhus t., verat. v.

—— from 4 to 5 A.M.: stram.;—low: senega;—worse evenings: hell.;—at night: kali c.

Fingernails blue: carbo veg., kali iod., nux v.

Fingers swollen, stitching, tearing in: puls.

Flushes come and go suddenly: alumen.

Food, disgust for: hep. s.

—— least solid, gags her: bapt.

Forgets what he has to say, cannot make the exertion: sulph.

Gagging evenings and night: calc. c.

—— mornings: kali c.

Gastric and bilious symptoms: nitr. ac.

—— disturbances beginning with belching of putrid gas, odor of decayed eggs and diarrhea, aggravated mornings: kali c.

Girls, blonde, cheeks red, scrofulous: brom.

—— dark hair and eyes: iod.

—— nervous, mental excitement: bell.

Glands enlarged everywhere and indurated: tub.

—— not prone to suppurate, but hard and unyielding in blue-eyed, flaxen-haired children: brom.

—— soft on left side of neck, but large: tub.

Glands, enlarged; parotid, thyroid and submaxillary testes stony hard after diphtheria, measles, scarletina: brom., iod., carbo an.

— stony hard, the harder and the more symptoms are lacking, the more indicated: iod.

Goitre: bad., bell., brom., calc. c., con., hep., iod., kali iod., lach., lyc., natr. m., phos., sil., spong., tub.

Hands, palms of, and soles of feet, burning: ars., coralor.

— and feet cold, palms and soles burning: ferr., lach., sulph.

— icy cold: spig.—dry: lach.; and feet burning hot or very cold: sang.

— and feet cold: carbo veg., ferr., stram.—and clammy, stinging: sulph.

— palms of, hot: coralor, samb.—and burning: lyc.

— and soles of feet burning: ars., ferr., lach., sang., sulph.

— palms sweat profusely: sticta.

— trembling: elaps.

Head, congestion to, from suppression of hemorrhoids, face and ears red: alum.

— ferr.; hot, burning stupor: lyc.; hot: bell., kali iod.

— and face hot, body cool: arn.

— covers it with bedclothes: lach.

— large, abdomen bloated: calc. c.—large, forehead bulging: tub.

— pressure and heaviness in, skin dry: kali c.

— scalp, ringworm on: tub.—sweat on, muscles flabby: calc. c.

— sweat on, profuse: merc. v.

— warmth ascending to, sensation of: bell., melilot.

— burning: kali c.;—constant heat of: sulph.

— aching: nitr. ac., nux v.

— bursting frontal: bell.

— constricted: cact.

— dull pressure in: sticta.

— forehead aching: bell., ham.; dull: sang.; right and occiput aching: zinc. m.; severe: stram.

— — intense: acon.; forehead and vertex: chel.

— pain in, aggravated by motion and breathing: caust.

— pressure in, right side: sang.—of schoolgirls: calc. phos.

— tearing in: nux v.

— tightness: sang.

— throbbing: bell., sang.; in vertex: chel.

— vertigo: merc. v.

Heart, bellows murmur with first sound: ars., phos., psor.

— blood, uninterrupted flow of, through not beating: spig.

— cold feeling about: natr. m.

— constricted: cact.

— dilated: phos.

— endocarditis: phos.

— bruit heard at apex: tub.

— faint feeling about, with fever: sang.

- Heart, fullness about: carbo veg.
- gurgling in region of, worse lying: psor.
  - hand, as if squeezed by an iron hand: cact., iod., sulph.
  - inflammation of, with anxiousness: mill.
  - hypertrophy of, in the young from over exertion in gymnastics: brom.
  - intermits every third beat: natr. m.
  - irregular, weak: sang.—worse lying on left side: natr. m.—better lying on right side: lach.—worse lying on right side: alumen.
  - feels too large for its space: lach.
  - motion aggravates, feels as if it would stop if he moved: digit.
  - move, if he ceased to, it would stop: gels.; anemic murmur: iod.
  - pain and burning about: op., verat. v.
  - cutting about: calc. phos.
  - lacerated feeling: elaps.; piercing: mill.
  - prickling, violent: kali bi.
  - shooting across, interrupts breathing: calc. phos.
  - stitches through, to scapula: kali c.
  - in, with anxiety: lach., laur.
  - at apex, rhythmical with pulse at times: spig.
  - tearing in: mill.
  - palpitation of: brom.; violent, worse lying on right side: elaps., iod., kali c., lach.; worse lying on right side or drinking: psor., sil; due to anemia from malnutrition: stann., 4 to 5 P.M.
  - pressing outward, as if: lycopus.
  - in, must sit up or lie on right side: lach.
  - strong beat of: phos.
  - tightness and cold feeling at: kali bi.
  - throbbing extends to head: phos.
  - tumultuous action: verat. a.
  - turned over, sensation as if, and ceased to beat, then began again with increased force: lach.
  - valvular disease: brom.
  - wakes him at night from cold and tight feeling around it, better by rising: kali bi.
  - weak, dilated feeling: digit.
  - weak action: grind., lycopus.
- Heat burning, dry: ran. b.—without chill every 2 hours: sulph.
- deficient: alum.
  - dry: chel., kali bi.
  - evenings: ran. b.
  - from excitement: kali n.
  - flushes of: acon., lach., sulph.
  - of head: sulph.
  - internal: sang.; at night: kali carb.
  - vital, lack of: led., sil.; with desire to uncover: camph.

- Hectic fever: acet. ac., hep. s., iod., lach., plb. m., samb., silph., sulph.  
 — and chill at 10 A.M.: stann.  
 Heel-cord contracted: kali c.  
 Helminthiasis: spig.  
 Hepatization: iod.  
 Hepatic inflammation: kali c.  
 Hiccough: lyc.  
 Hydrothorax: ars., lyc., ran. b.; far advanced: kali c., senega.  
 Hyoid-bone, sore, to the right of: brom.  
 Hypochondria distended: ant. t.  
 — pain in left: borax, calc. phos.  
 — rumbling in: lyc.  
 — spleen, as if something pulled from region of, into chest, which  
     sinks back again with inhalation: borax  
 — stitches in, left: carbo veg.; tender to touch: lyc.  
 — — — right: kali c., phos.; tender to touch: lyc., merc. v.  
 — cannot lie on: merc. v.  
 Hypochondriacs with hemorrhoids: nitr. ac., nux v.  
 Incisors notched: tub.  
 Indigestion, intestinal inactivity: alum., ant. t., arn., camph., china,  
     kali c., nux v.  
 Infiltration absorbed: sulph.  
 Influenza neglected: sulph.  
 Injuries, pain long continued after: arn., rhus t.  
 Inspiration, sobbing as after a crying spell: led.  
 Intestinal abscess, mesenteric glands involved: phos.  
 Irritability great: bry.—cannot bear to be spoken to, touched or even  
     looked at: ant. t., iod., sil.  
 Jaw, lower, dropped: kali iod.  
 Lachrymation: brom.; with sneezing and red face: bad.  
 Lameness in right shoulder, extending to elbow-joint, worse lifting arm:  
     kreos.  
 Laryngeal catarrh: phos. ac.—and bronchial, chronic: kreos.  
 Laryngitis, acute or chronic, in scrofulous or tuberculous subjects: hep. s.,  
     acet. ac.; chronic: pinus; cough hollow: bell.; tubercular: mang.  
 — or bronchitis, chronic, returns every autumn and spring: pinus.  
 Larynx, burning in: ars., bell., kali iod.;—and tickling in: ferr.  
 — clear, frequent desire to: acon., alum., caust., iod., kali c., rumex.  
 — constricted: bell., carbo an., mang., phos.; at 7 P.M.: lycopus;  
     when talking: dros.  
 — crawling in: kreos.  
 — dry: ars., bell., dros., kali c., nux v., kreos., sepia.  
 — and air passages dry: caust.; with hoarseness and scraping: apis,  
     bad.  
 — dust in, sensation of: ars.  
 — foreign body, sensation of a, in: bell.  
 — edema of: apis.

Larynx, inflamed: bell.; and lung, phthisis pulm: kreos.

— itching in: cact.

— mucus in: dros., dulc., kali bi., kali c.; worse mornings, as if lined with: calc. c.; on waking: alum.

— — — tries to clear it, without relief: rumex.

— — — frequent, not raised by hawking or coughing: alum.

— pain in, causing cough: acon.

— severe pain in, on coughing: carbo veg.

— — — as from an ulcer: kali bi.

— — — shooting, and in chest: phos.

— — — worse bending the head back: alum., brom., lach.

— — — better bending the head back: ant. t.

— and vocal cords red and puffy, covered with grayish mucus: kali bi.

— rattling in, with danger of suffocation from mucus: brom.

— raw: calc. c., kali iod., mang.; on inspiration: acon.; with chills and rigors: lach.

— — extending to chest; causing cough: iod.

— — and trachea, as from ulceration: kali iod.

— rough: cal. c., carbo veg., mang.

— scraping in: con.—with chills or rigors: lach.

— stitching, dull, in, on left side, extending to ear on swallowing: mang.

— swollen: bell.—tender to pressure: arn., bell.

— tickling in: acon., arn., bell., bry., kali iod., psor., sepia.

— — — constant: dulc.; on inspiration: acon.; preventing sleep: dros.

— — — upper part, with every breath: ipec.; on inspiration: kali bi., lach.

— — — and in trachea, causing cough: psor.

— tender to touch: acon., apis., bapt., bell., con., iod., lach., phos.

— touching aggravates, suffocation: lach.

— and trachea tender to touch: bell., caust., lach., phos.

— whistling in, after lying down evenings: calc. c.

— or trachea, ulceration in: kali iod.

Laughs and sighs alternately: lach.

Legs cold: carbo veg.—and chest hot: op.

— crooked, feet cold and clammy: calc. c.

— one of them cut off, seems as if: stram.

— drawn up, lying on left side: lyc.

— edematous to above knees: samb.—and feet: acet. ac., digit.

Leucorrhœa, profuse, transparent, acrid, hanging down to heels, during the day only, better by cold bathing: alum.

— ferr., kreos.; chronic, alternating with cough: iod.

Lie, must, on back: acon.

— down, unable to, worse on right side: kali bi., iod.

Lies with head bent back as far as possible: ant. t., phos.

— with head high: spong.—better on right side: phos.

— on right side, immovable, with legs drawn up to chest: hep. s.

— on right side only: spig.

Lies still, only from exhaustion, better by motion: rhus t.

Light, great desire for, cannot sleep in the dark: stram.

Limbs, burning in: puls.—or cold: laur.

— cold: phos.

— — warmth aggravates: led.

— and face cold: sang.

— — — convulsive twitches in: chel.

— pain in: kali c., kali iod.

— paralysed, as if: kali iod.

— stitches in: puls.

— swollen: sulph.

— tremble: merc. v.

Lips and fingernails blue: kali iod., nux v.

— dry, brownish: hyos.—parched: lach.—and peeling: bry.

— dry, must moisten them constantly, drinking does not relieve: lach.

— — and tongue, with a sooty coating on them: phos.

— sores on: kali iod.

— and chin sore: iod.

— tongue ulcerated: kali iod.

— nose, cold sore on: iod.

Liquids, can swallow only, but has an aversion to them: sil.

Liver congested, pressure in: lyc.

— shooting in, with deep inspiration: calc. phos.

— stitches in, when breathing: calc. c.

Load, sensation of, on upper chest, both sides: ars.

Loquacity: acon., stram.

Lung (see chest), abscess formed: sepia; broken and discharging much pus: sulph.

— apex, pains in, fixed or darting: ars.

— catarrh of, after neglected cough: kreos.

— cold feeling in: brom., rhus tox., sulph.

— congested: ipec.

— consolidated: sulph:

— hepatized without cough, fever or any marked symptom: nitr. ac.

— much mucus in, fears suffocation: brom., natr. m., phos., senega, sulph.

— edema of: ant. t., ars., apis, bry., digit., kali c., kali iod., lach.

— pain in: lyc.—on taking a deep breath: bapt.

— paralysis threatened: ant. t., lach., lyc.

— rattling in, inflamed: natr. m.; on breathing or coughing: brom.

— sore at apex on side on which he lies: puls.

— right, lower part, severe stitches in: ham.

— — — suppuration beginning in: carbo an.

— tight feeling in: bapt.



- Lung, left (see chest, left) chiefly affected: acal., acon., bapt., bell., bry., calc. c., carbo veg., elaps., grind., lach., kali bi., kali c., kali iod., lyc., myrtus, natr. s., op., phos., rumex, sang., senega, sepia, spong., stram., sulph. (Sang. and senega, after bell. and bry. had failed.)
- air, impervious to, right affected later: lach.
  - breathing, no sound of: elaps.
  - congested, lower half: sulph.
  - cavity, large, in upper lobe: stann.
  - consolidated at base: grind.
  - crepitation in upper lobe: ferr., phos.
  - cutting in: acon.
  - darting pain in center: sepia;—deposit in apex: acal.
  - dullness in left apex: sulph.
  - hepatized: lach., myrtus.
  - — apex from front to back: lyc.
  - severe pain in, and in left hypochondria: calc. phos.
  - lower lobe affected: kali c., natr. s., puls.—and worse in damp weather: natr. s., stram.
  - — pain in, worse lying on left, better on right side: phos.
  - middle of, affected: sepia.
  - apex through to left scapula affected: kali bi., myrtus, sulph.
  - upper anterior lobe affected: myrtus, phos., sulph.
  - acute darting pain in, extending to right: calc. c.
  - upper, pain in, through to scapula: sulph.
  - pain in, constant: carbo veg.
  - soreness in: bapt.
  - stinging, stitching in: rumex.
  - stitches in, and abdomen, worse breathing deeply and lying on affected side: phos.
  - tuberculosis beginning in apex: spong.—and spreading to right: kali iod.
  - right (see chest right) chiefly affected: alum., ant. t., ars., bad., bapt., bell., calc. c., calc. phos., cann. ind., carbo an., chel., digit., elaps., gels., iod., kali bi., kali c., lyc., kali iod., phos., plb. m., sang., sepia, sulph., tub.
  - air, impervious to, after left: lach.
  - — extends to, from upper left: kali iod.
  - darting pain in, extending from left: calc. c.
  - abscess in: sepia.
  - burning in apex and upper third: bell., ars.
  - — base of, through to right scapula: kali bi.
  - — apex dull: ant. t., tub.
  - lower lobe affected: ars., chel., iod., lyc., merc. v., phos., sulph.
  - dull, upper half, lower bronchial breathing: digit.
  - — middle: tub.—upper: ars., calc. c.; anteriorly: merc. v.
  - bronchial breathing, crepitation in left: ant. t.

- Lung, right, leathery creaking in, over middle and lower third: iod.
- circumscribed gangrene: plb. m.
  - congested, lower part: sulph.
  - crepitation at third intercostal space: sil.
  - hepatized: ant. t., kali c., phos.—upper hepatized: chel.
  - inflamed to lower edge of right scapula: chel.
  - pain in: bapt., sepia—and apex dull: tub.
  - — — from nipple through to back: kali iod.
  - — — sharp, darting: ars.
  - — — from pleuritic adhesions, especially after a cavity has formed: carbo an.
  - — — darts from below upwards: bell.—sharp through to middle: sepia; worse breathing deeply: gels.
  - — — through upper to back: chel.—lower to back: kali c.
  - — — pressure in, through middle: sepia.
  - — — and sharp aching from under clavicle to scapula: borax.
  - — — apex, rales in: rumex—rattling in: kali bi.
  - — — shooting, stitching in, through to scapula: chel.
  - — — stitches in, drawing: borax; in apex: ars., bad., bell., mang.; in lower: merc. v.; near nipple: sang.
  - — — suppuration in: carbo an., plb. m.; apex and middle, in phthisis: calc. c.
- Lungs, both affected: acon., ars., bad., bell., camph., cann. ind., chel., china, crot. h., digit., dulc., elaps., ferr., iod., kali c., kali iod., kreos., lach., led., lyc., merc. v., nelilot., natr. m., nitr. ac., ap., phos., puls., sang., squil., sil., sulph., tereb., tub., zinc. m.
- abscess in: carbo veg.
  - sensation of a foreign body in, which he tries to remove by hawking or coughing: ferr.
  - burning in, as if a hot fluid would come into the mouth: acon.
  - catarrh of, deep-seated: dulc.
  - cavity in: sil.
  - congested: digit.
  - crackling in, with inspiration: elaps.
  - crepitation in both lower lobes: lyc., sepia, sulph.
  - deposit in: cann. ind.; in latter part of deposit and early part of absorption: phos.
  - dust in, sensation of: bell., iod.
  - emphysema of: ant. t., ars., bell., brom., camph., carbo veg., ipec., lach., lob., merc. v., natr. m., phos., senega, sepia., sulph., tereb.
  - engorged with blood: phos.
  - expand, sensation as if they would not: acon.
  - gangrene of: ars., china, crot. h.; in drunkards: kreos., phos.
  - glands at apex enlarged: tub.
  - hemorrhage from: acon., mill.
  - lobes, posterior, of both affected: ars.

Lungs, lobes, lower hepatized: camph., kali iod.;—both hepatized: sulph., tereb.

- hyperemia of: acon.
- infiltration extensive: lyc.
- inflamed: natr. m.—and larynx (phthisis pulmonalis): kreos.
- load, sensation of, on upper: ars.—on middle: phos.
- full of mucus: chel.
- edema of: ant. t., apis., ars., bry., iod., kali iod., natr. m., phos., rhus t., senega, sulph.—and gangrene, in drunkards: crot. h.
- pain darting through both; worse in left apex: sang.
- in, sharp, better bending forward and throwing the shoulders back: lach.
- paralysis of: ars., camph., lach., phos.
- rales and crepitation in: elaps., lach., phos.; posteriorly: tereb., tub.
- rattling in: ant. t., ipec.;—fine: lyc., natr. m.
- sensation as if sinking down: bad.
- smoke, as though full of: in pneumonia: ars., baryt. c., lyc.
- stitches in, from above downward: gels.
- suppuration of; or abscess in: carbo veg., lach., sepia, sulph., pula. in drunkards: op.
- stone-cutters, in: sil.
- rapid, from cavities: phos.; to prevent: sulph.
- in neglected cases of pneumonia, degenerating into tuberculosis: led.
- slow, with marked increase of fever: iod.
- tearing in lower part on coughing: nitr. ac.
- tied up in bundles, feel as if: digit.
- ulceration of: carbo veg., kali c., lach., op., phos., puls., sil., sulph.
- large vomica in: plb. m.
- weight or heaviness in: merc. v.
- wheezing in: squil.

**Lying** on abdomen ameliorates breathing, sleeps better: acet. ac., ars., bell., bry., calc. c., calc. phos., coloc., ign., phos., pula., rhus t., stann., stram.

- back aggravates breathing: acet. ac., alum., ars., kali iod., lyc., natr. m., phos., puls., sil., spig., sulph.
- ameliorates: acon., apis., bry., calc. c., carbo an., iod., kali c., nux v.
- left side aggravates: alum., apis., iod., kali iod., phos., plb. m., puls., spig.
- ameliorates: kali c., kreos.;—with legs drawn up: lyc.
- right side aggravates: cact., squil.
- ameliorates: alum.
- impossible: acon., ant. t., apis., ars., kali c., lach., lyc., merc. v., nux v., plb. m., senega, sepia, stann., sulph., tub.

**Mamma**, under left, stitches deep into chest and upward: kali c.

**Marasmus**: calc. c., iod., kreos.

Measles or pneumonia, after: kali c.

Menses delayed, scanty: phos.

— disappear suddenly: puls.

— early, too, too profuse and long lasting: calc. c.

— irregular: tub.

— late and scanty: kali c.

— pale and scanty: lach.

— return again and again, then become scanty or suppressed—amenorrhea, anemia, chlorosis: puls.

— return from the least excitement, thinks she is almost well, when they return again and again: calc. c., sulph.

— stop on lying down: cact.

— suppressed from fright: acon.

— watery or suppressed in women who blush easily: ferr.

Mental comprehension quick: brom.

Midnight, after, can be covered and sleep well: coralor.

Midsternum, pain through to back and shoulder from: kali bi.

— severe pressure in: phos.

Mild disposition: alum, puls.

Mind, agitation of, constant: tub.

— alarmed, not, though his case is desperate: arn., iod., op.

— answers slowly: sulph.

— anxiety: acon., alum, ant. t., bry., worse at midnight: elaps., kreos., phos., puls., spig., stann., sulph., zinc. m.

— prevents falling asleep: samb.

— apathy, a bad omen: phos.

— apprehension, worse from and averse to being alone: alum.

— crot. h., kali brom., kali c., lyc., mill., phos.

— brilliant, precocius: bell.

— comprehension slow: sulph.

— confused, unable and indisposed to think: bapt.

— confusion: bell., gels., melilot., rhus t.

— courage, lack of: stann.

— choking, fear of: chel.

— death, fear of: acon.; thinks he will die: lach.

— delirium, hallucinations: bell.

— despair of recovery: ant. t.

— despondent: bapt., kali c., kali iod., lyc., nitr. ac., tub.

— dull: sulph.

— excitable: alum—cannot fix it on anything: bapt.

— forgets what he has to say, thinks he cannot make the effort: sulph.

— home, thinks he is not, and wants to be with his family: op.

— homesick: lach., phos. ac.

— hopeless: bapt.

— indifferent: bapt., iod., op.

Mind irritable, cross: ant. t., ars., bell., bry., op., phos., tub., zinc. m.

— listless: stann.

— mild, gentle: alum., puls.

— near him, does not want anyone to come: ant. t., op.

— nervous: stann.

— peevish: nitr. ac.

— restless, but physically too lifeless to move: bapt.

— sad: stann.

— self-willed: calc. c.

— stupid: sulph.

— tearful: alum., puls., stann.

— thinks he is three persons, but cannot keep them together: bapt.

— timid: tub.

— touched, does not want to be, or even looked at: ant. t.

— violent, will strike and bite: bell.

Mouth, cankers in: kali c.

— closed, ears red: phos.

— corners cracked and sore: iod., merc. v.

— of, yellow: rhus tox.—and alæ nasi yellow: lyc.

— dry: bry., puls.—must constantly moisten it, drinking does not relieve: lach.

— lips and throat, lips peeling: bry.

— eruptions in corners of: merc. v.

— fear to open, on account of blood spitting: kreos.

— gums bleed easily: kali c.

— open, parched: ant. t.

— roof of, red: crot. h.

— — — white: ferr.

— throat, and, thick ropy mucus in, breath fetid: lyc.

Mucous membranes deranged: alum., bry.

— — dry: tereb.

— — pale, of mouth, lips, tongue and gums: ferr.; ulcerated: bapt.

Muscles flabby: calc. c., sil.

Nails blue: carbo veg., kali iod., nux v., sang., verat. a.

Nausea: ant. t., iod., ipec., kali bi., led., ran. b., rhus t., sang., sulph.

— comes and goes suddenly: alumen.

— with constipation: ant. t.

— with inclination to vomit: lyc.

— — retching and vomiting: ipec., verat. a.

— — vomiting mornings and from the odor of cooking: stann.

— — yawning: aran.

Neck, glands on left side swollen: tub.

— long and thin: iod.

— muscles, external, cramp in, on swallowing: zinc. m.

— — tender to touch and to tight clothing: lach.

Nervousness: arn., coralor., samb.

Night-sweats: acon., alum., ant. t., arn., ars., baryt. c., bell., bry., calc. c., camph., carbo. an., carbo. veg., caust., china, digit., dulc., ferr., hep. s., hell., ipec., kali bi., kali c., kreos., lach., laur., led., lyc., mang., merc. v., natr. m., natr. s., nitr. ac., nux v., phos., phos. ac., plb m., puls., rhus t., rumex, sab., samb., sang., senega, sepia, sil., stann., silph., spong., stann., stram., sulph., tub., verat., zinc. m.

— on chest and back: lyc.

— profuse, sudden attacks of: kreos.—drenching: sil.

— sleep, after first: lach.

— profuse drenching, but not very debilitating: acet. ac., china, ferr. phos., stann.

— fetid, offensive, staining the linen yellow, worse on thighs and feet, worse from slightest exertion: carbo an. (Bry., china, thuja, not so offensive.)

Nose, alæ, fan-like motion of: amm. c., ant. t., ars., brom., chel., iod., lyc., merc. iod. fl., phos., spong., sulph. ac., zinc. m.

— in pneumonia: amm. c., ant. t., ars., kreos., lyc., phos., sulph.

— and corners of mouth yellow: rhus t.

— sclerotica yellow: lyc.

— bleeding of (epistaxis): acon., amm. c., arn., ars., bell., bry., cact., calc. c., carbo an., carbo veg., caust., china, con., dros., dulc., ferr., hep. s., iod., ipec., kali c., kali iod., kreos., lach., led., lyc., merc. v., mill., natr. m., nitr. ac., nux v., phos., phos. ac., puls., rhus t., sab., sepia, sil., spong., squil., stann., stram., sulph., tereb., verat. a., zinc. m.

— blows constantly, but no discharge, dry coryza: sticta.

— cold-sore on, and on lips: iod.

— coryza fluent: merc. v.—with violent sneezing: phos.

— covering, or mouth, aggravates breathing: lach.

— dry: bry., merc. v., sticta; painfully—with sneezing: lach.

— and forehead feel stuffed, mucous membrane thickened: lach.

— mucus dropping from posterior nares: acon., hydras., spong.

— pinched: lyc.

— pointed, face hippocratic: carbo veg.

— pressure, dull, at root: sticta.

— sneezing, lachrymation and red face: bad.

— stopped up and coryza: caust.

— stuffed feeling in: lach.

— yellow, alæ and corners of mouth: rhus t.

— alæ and sclerotica: lyc.

Nostril left, bores it with finger till it bleeds: lach.

Nostrils black, dilated, sooty: ant. t., ars. iod.

— move violently: kreos.

Oesophagus constricted: alum.

Old people, asthma of: con.

Old people, bronchial catarrh: alum., kreos.

—— lobar pneumonia: senega.

—— pneumonia of: ant. t., camph., crot. h.; with pleuritis: digit., dros., dulc., ferr., iod., op., phos., senega, verat. a.

—— — and of children, catarrhal irritation: nux v.

—— women, hypochondriacs: con.

Oppression, violent at night, worse sitting stooped, better sitting erect or walking in the open air: alum.

Opisthotonos: kali brom.

Ovarian region, sensation as of weight in, worse after sleep: lach.

Pain, acute, darting: lycopus.

—— bruised, piercing, stinging, tearing, worse under left scapula: mill.

—— burning, stitching: sang.

—— comes and goes suddenly: bell., kali bi., lyc., nitr. ac.

—— cutting, violent: brom., bry.

—— darting: lycopus.

—— — sharp, shooting, ending in a vice-like grip: cact.

—— extending from chest to liver or the reverse: ran. b.

—— — upward from left lower rib: brom.

—— lancinating: acon., senega.

—— sensitive to, very, cannot endure it: arn.

—— shooting: cact., crot. h., mill.

—— spots, in small: kali bi.

—— stabbing, knife-like, worse from least motion, at night and in a warm room: bry.

—— stinging, worse under left scapula: mill.

—— stitching, (in a pus cavity): kali c.

—— — worse on left side: bry., kali c., sang.

—— tearing: mill.; worse at rest: rhus t.

—— wandering: kali bi., puls.

Palms sweaty: kali c.

Palpitation: ferr., ferr. phos., kali c., plb. m.

—— comes and goes suddenly: alumen.

—— during the day, followed by epistaxis at night: carbo veg.

—— aggravated when lying on the right side: alumen.—aggravated from least motion: lycopus.

—— violent: acon., ant. t., carbo veg., chel., china, ferr.

—— after pneumonia: kali c.

—— at night when lying, not during the day: mill.

Paralysis of lungs beginning: crot. h., carbo veg.

—— — — in old asthmatic people, of right lung: phos.

—— of vagi threatened: dulc.

Patients, chilly, corpulent: amm. c.

—— cold, delicate: led.

—— dark hair, lax fibre, inclined to obesity: kali c.

—— lean: ferr.

—— robust, lymphatic: bapt.

Patients old, breathing short before and during cough, better after: lyc.

— old, dry, withered: alum.

— old, pleuritic, heart weak, albuminuria, menses irregular: croc. h.

— psoric: psor., sulph.

— spare, thin, dry, scrofulous: alum.

— strong, plethoric: acon.

— young: abrot.

Pelvic organs constricted: cact.

Percussion dull over the entire back: stram.

— — and fever: cann. ind. causes it to disappear in a few hours or days.

— empty on right side of chest: iod.

Pharynx bluish with varicose veins: kali bi.

— coated gray or white: kali bi.

— red, dark, and fauces: acon.

— scraping in, with chills and rigors: lach.

Phthisis: dros., elaps., iod., lach., samb., psor., zinc. m.

— advanced, far: kali c., lyc.

— beginning of, in the: ferr., ferr. phos., kreos., lyc., sepia, sil., sulph.

— after pneumonia, acute: kali c., lyc.

— catarrhal, of the entire respiratory tract: silph.

— chronic, with abscess in lungs: sil.

— fibrous: acet. ac.

— florida (galloping): ferr. phos., led., puls., sang.

— hoarseness and rapid emaciation, with: dros.

— suppuration, with: puls.

— incipient, urine albuminous: apis, bapt., calc. phos., carbo veg.

— — rumex, tub.—after amenorrhea: sang.

— — fibrous with pleuritis: kali c.

— laryngeal: dros.,—with constant hacking cough: stann.

— — descends to the bronchi and ends in tubercular cheesy degeneration of the apices: caust.

— nodules of, tubercles with sacculated pus cavities are first detected after: kali c., and lyc. (they will often cure in later stages.)

— rheumatism, and, alternate: led.

— mucosa: caust., dulc.

— pituitosa: kali iod., stann.

— right upper and middle lung: calc. c., carbo veg.

— after whooping cough: kreos.—for years: tub.

Phthisical, pale: kali bi.

Pleura much thickened: senega.

Pleuritic stitches on left side: bry., kali c., sepia,—at 7th and 8th rib on right side: bad.

— — — chest, after chronic headache has suddenly ceased, with exudation: sepia; (in an old man where phos. had failed, sepia cured).

— — in melancholics: laur.



- Pleuritic stitches in neglected cases: sulph.  
 — shoot from midsternum around the chest: nux v., senega.
- Pleuritis: bell., bry., ferr., ferr. phos., squil.  
 — and complications of all degrees: kali c., kali iod., phos. in the last stage; ran. b., sabad., sang., sil., squil., verat. v.  
 — acute, plastic form: acon. followed by sulph.  
 — diaphragm, beginning in: bell.  
 — chronic: ars.; lingering: carbo an., sulph. (one, 30 years).  
 — beginning with hectic and typhoid symptoms: carbo an.; of drunkards: laur.  
 — effusion in right pleura: kali iod.  
 — exudation with: bry., camph., hep., natr. m., tereb.  
 — from least motion, worse: ars., bry.  
 — hectic fever, with, worse evenings: carbo veg.  
 — hydrothorax, with: crot. h., hep., sang., senega, psor., sulph.  
 — injuries, with: arn.; latent after inflammation has passed: senega.
- Pleuro-pneumonia: bell., bry., calc. c., china, kali iod., lach.; chronic: nitr., ran. b., sabad., sang.; catarrhal: senega; biliosa: squil.; fibrosa: sulph.  
 — extending over a large area: phos.  
 — pericarditis, with: ant. t.; rheumatic: dros.  
 — serofulous patients, tending to become chronic: dulc.  
 — tuberculous children: calc. c.
- Pneumogastric paralysis: digit., grind., lach.
- Pneumonia: bry., chel., ferr. iod., kali c., lyc., phos., ran. b., rhus t., sang., sulph., tereb., verat v., zinc. m.  
 — asthenic: benz. ac., rhus t., senega.  
 — cough continues after: kali c.  
 — rattling continues after, with cough and frothy sputum: ant. t.  
 — vital forces much reduced: grind.  
 — dry cough before: bry., crot. h.  
 — bleeding and bilious symptoms, with: china.  
 — Bright's disease, due to: phos. ac.  
 — bronchial symptoms, diarrhea and fever: crot. h.  
 — broncho: kali iod., puls., spong.; catarrhal: ant. t., hyos.  
 — cheesy: plb. m.  
 — congestive: gels.  
 — chronic: ars., dulc., hep. s., puls., rumex, sang.; in neglected cases going to suppuration: sil.  
 — congestion in the veins and fluid blood extravasated into lung tissue—not a real inflammation: phos.  
 — convalescence from, during: rhus t.  
 — croupous: bry., iod., kali iod.; bilateral: spong.  
 — remits every other day: china.  
 — drunkards, of: op., crot. h., iod., kali brom., nitr. ac.  
 — dullness under mammæ and near axilla: elaps.  
 — hemorrhages, after: china.

Pneumonia, heart, from weakness of dilated: digit.

- disease, due to: sang.
- heat and great thirst, with: kali n.
- hyperemia, due to, from relaxation of the blood vessels: ferr. phos.
- hypostatic in course of chronic affections: hyos.
- infantile or senile: ipec., phos.
- rattling during resolution: kali c.
- symptoms disguised by symptoms of cerebral congestion: op.
- intermittent: lob.; from taking cold during a fatiguing journey:

ars.

- left lung affected: calc. c.
- lower and middle lobes with cerebral symptoms: hyos.
- left lower lobe: kali c., natr. s., sepia., sulph.
- right side: lyc., rhus t., senega, stram.
- late stages, beginning suppuration: carbo an.
- localized: iod.
- lobar: croc. h., kali iod., phos.
- treated improperly: hell.
- measles, after: kali c.
- whooping cough, after: lach.
- suppuration, mild, affecting only a small area: hep. s.
- neglected cases: kali c., sepia.
- degenerating rapidly and terminating in phthisis: kali c.
- nervous: rhus t.
- old protracted cases: nitr. ac.
- parenchymatous: sulph.
- notha of old people: camph.
- — — and children, with catarrhal irritation: nitr. ac., nux v.
- senile: digit., ferr.; neglected: iod.
- young people of full habit: bell.
- prostration great, after recovery: brom.; recovery slow: psor.
- youths, in fast growing, or phthisis: phos.
- relapses of: rhus t.
- torpid, solidification slow: sulph.
- treated improperly: sulph.
- typhoid: baryt. c., benz. ac., hyos., lach., lachn., lyc., sang., sulph.
- pain, with sharp, gurgling, in ilio-cæcal region: phos.
- wet, from getting, when overheated: rhus t.
- wheezing in chest, with: kali s.
- whooping cough, after: arn., kreos.
- — — with: verat. a.

Pneumo-thorax: apis, ars.; after injuries: arn.

Potatoes disagree: alum., sepia.

Position, desire to change, often: acon., arn., ars., bapt., bell., chel., camph., ferr., hyos., lyc., merc. v., plb. m., puls., rhus t., sepia, sil., stram., sulph.

- Pressure unbearable, part on which he lies feel sore and bruised: *arn.*, *bapt.*
- Prostration, great: *bapt.*, *chel.*;—worse coughing: *china.*;—sudden: *crot.* *h.*, *iod.*, *kali c.*, *kreos.*, *ran. b.*, *samb.*, *sang.*, *senega*, *sulph.*, *tereb.*, *tub.*;—after every cough: *brom.*
- physically, too lifeless to move, mentally restless: *bapt.*
- from loss of vital fluids or emotion: *china*, *phos. ac.*
- Pulsations in all arteries when at rest: *kreos.*
- Pulse bounding, full: *acon.*, *bell.*, *dulc.*
- compressible: *ferr.*, *sang.*
- feeble: *carbo veg.*, *phos.*
- fluttering: *sepia.*
- frequent at night, slower by day: *dulc.*, *merc. v.*
- full: *acon.*, *ferr.*, *ferr. phos.*, *gels.*, *rhus t.*, *sang.*, *zinc. m.*
- and globular: *bell.*
- hard: *acon.*, *ant. t.*, *dulc.*, *kreos.*, *phos.*, *rhus t.*, *verat. v.*
- imperceptible, nearly: *camph.*, *kreos.*, *phos.*, *senega.*
- intermittent: *ant. t.*, *carbo veg.*, *digit.*, *kali iod.*, *kreos.*, *merc. v.*, *natr. m.*, *tereb.*, *verat. v.*
- irregular: *bell.*, *digit.*, *kali c.*, *kali iod.*, *merc. v.*, *natr. m.*, *sang.*, *tereb.*; worse lying on left side: *natr. m.*; worse lying on right side: *alumen.*
- quick, rapid: *acon.*, *ant. t.*, *chel.*, *ferr.*, *ferr. phos.*, *iod.*, *kali c.*, *kreos.*, *lach.*, *laur.*, *merc. v.*, *nit. ac.*, *phos.*, *puls.*, *ran. b.*
- — — evenings: *rhus t.*, *samb.*, *sang.*, *sulph.*, *verat. v.*, *zinc. m.*
- slow: *camph.*, *carbo veg.*, *digit.*, *dulc.*;—by day: *ferr.*, *gels.*, *kali c.*, *merc. v.*; slow by day, frequent at night: *ran. b.*; mornings, very slow: *verat. v.*
- slower than heart beat: *dulc.*
- small: *camph.*, *chel.*, *digit.*, *dulc.*, *hep. s.*, *kali c.*, *lach.*, *lachn.*, *natr. s.*, *phos.*, *puls.*, *sang.*, *senega.*
- — becoming smaller and smaller as pain in chest abates suddenly: *natr. s.*
- soft: *dulc.*, *ferr.*, *ferr. phos.*, *kreos.*, *laur.*, *sang.*; suppressible: *phos.*
- strong: *acon.*, *lach.*, *rhus t.*, *verat. v.*
- and tense at night, slower by day: *dulc.*
- thready: *digit.*, *phos.*
- — to finger, as if a thread were pulled rapidly through artery and not beating at all: *spig.*
- trembling: *kreos.*, *merc. v.*;—vibrating: *sang.*
- uncountable: *iod.*, *lach.*
- weak: *ant. t.*, *ferr.*, *kreos.*, *natr. s.*, *samb.*, *sang.*, *sulph.*
- wiry: *lachn.*, *phos.*, *senega.*
- Pupils contracted: *phos.*
- Reaction deficient: *sulph.*
- Rectum inactive: *alum.*
- Relapses after exposure: *kali n.*

- Resolution slow: ant. iod.
- Rested, wish he could get: apis.
- Restless: acon., apis., ars., hyos., iod., ipec., lyc., merc. v., rhus t.; with cough: calc. c.; intense: coralor.
- at night: rhus t., rumex, sulph.
- from suffocation: gels.
- tossing with anxiety: acon., ant. t.
- Rheumatic and gastric symptoms alternate, Spring and Autumn: kali bi.
- — gouty patients, worse from alcohol, exposure and warmth: led.
- Rheumatism and phthisis alternate: led.
- Ribs flat: tub.
- Rise, must, to breathe: kali iod.
- Rising, from lying, the red face becomes deathly pale, he becomes faint and dizzy, with aberration or loss of vision and unconsciousness: acon.
- Room, cool, desire for: apis., bry., lyc., merc. v., puls.
- Sacrum, lame, pains in: ant. t.
- Salivation: kali iod., merc. v.
- Scalp itches, child scratches head on waking: calc. c.
- Scapulæ, pain under both: gels.
- stitches under, to front of chest: merc. v.
- Scarlatina, suppression of, after: ipec.
- Scrofulosis pulmonum: iod.
- Septicemia, from absorption of pus in cavities: sil.
- Shaving aggravates: carbo an.;—ameliorates: brom.
- Shivering, sneezing: acon.
- Shuddering: acon., sulph.
- Shock, bad effects of, such as suppression of menses: acon.
- Shoulders, pain between: ferr., rhus t.
- clothes press on them like a weight: con.
- Shoulder joints, stitches or boring in: puls.
- — left, stitches in, and both sides of chest: caust.
- right, lameness in, extending to elbow joint, worse lifting arm: kreos.
- — pain in, on inhaling: alumen.
- — tearing in, worse moving arm: nitr. ac.
- Sick, thinks he is not: arn., iod.
- Side, right, most affected: ars., bad., bapt., lyc., kali c.; and tender to touch: lyc.
- Sighing: acon.;—involuntary: calc. phos.
- and laughing alternately: lach.
- Sit up, must constantly: crot. h., senega.; cannot lie down: verat. v.
- — — all night: kreos.;—bolstered up in bed: phos.
- — — a great deal, as the bed feels too hot: op.
- Skin bluish: carbo veg., iod.
- burning hot: ant. t., bapt., bell., carbo veg., puls., sulph.
- — — and dry: bell., phos., zinc. m.

- Skin burning hot and dry, moist only over chest and scrobiculum: ant. t.
- cadaverous: hep. s.
  - cold: acet. ac., carbo veg., elaps.
  - — and clammy: sil., sulph.;—cyanotic: ant. t.
  - delicate: brom., zinc. m.
  - dirty: tub.; dirty gray: iod.
  - diseases of, or exanthemata suppressed, followed by bronchial or lung diseases: hep. s.
  - dry: acet. ac., alumen., ferr., ferr. phos., iod., kali c., lach., lyc. phos., ran. b., spig.
  - — and rough from the cold: alumen.
  - dusky: tub.; fair, light: brom.
  - fine: zinc. m.
  - gray: iod.
  - greasy: tub.
  - hot: acet. ac., bell., ferr., ferr. phos., hep. s., iod., lyc., phos., spig.; in pneumonia: sulph.
  - livid: carbo an.
  - moist: ant. t., bell., merc. v., sulph.
  - mould, sensation as of, forming on it: sil.
  - pale: carbo veg., iod., ipec., sulph.
  - sticky on chest: ant. t.
  - tendency to suppurate great, even of the least wound: calc. c., cham., graph., iod., sil. —
  - tettery, dry: alumen.
  - thin, fair, delicate: brom.
  - turgescd: ran. b.
  - yellow: ant. t., bell.; and sclerotica yellow: chel.
  - — in pneumonia of right lung: ant. t.
- Sleep anxious, restless, with labored dreams: rhus t.
- starting during: alum., apis, ars., bell., caust., hyos., kali bi., kali c., lyc., op., phos., puls., sulph., tub.
  - choking in: elaps.
  - deep, child cannot be aroused: kali iod.
  - disturbed by screaming: kali bi.
  - during, delirium, vertigo and high fever: acon.
  - — dry, burning heat: samb.
  - — external muscles of body jerk: zinc. m.
  - — stupid, starting: ant. t.
  - — starting, tossing, restless: acon.
  - — eyes half open: verat. a.
  - cannot go to, because she feels scattered and cannot get the pieces together: bapt.
  - restless, prevented by dry heat: sulph.; waking often: samb.; waking often at night: tub.
  - sitting position, in a, must, for he coughs as soon as he lies down: pinus.

- Sleep, startled in, frightened, then cries: puls.
- sweat during: kali bi.
- talking in: acon., alum., ant. t., apis, arn., ars., bell., bry., cann. ind., kali bi., kali c., natr. m., merc. v., nux v., op., phos., puls., rhus t., sepia, sil., stram., sulph.
- wakes often with chills, gooseflesh and rigors: nitr. ac.
- Sleepless: chel., iod., kali bi., kali c., merc. v.;—till 3 A. M.: sang., samb., sepia.
- drowsy, but cannot sleep: bell.
- cannot lie down: sticta.
- sitting up: kali c.
- Sleeps better lying on abdomen: acet. ac.
- poorly: ferr.
- Smoke, sensation of, in trachea or larynx: ars.
- Sneezing: acon., kali c.; frequent: lyc.;—with pains in a limb: caps.
- with lachrymation and red face: bad.
- violent: kali c., kali iod.; loud: phos. ac.
- Sobbing, spasmodic: merc. v.
- somnolence: senega.
- Speech harsh, interrupted, short: ant. t.
- hasty: hep. s., iod.
- Speaking, even low, requires great effort: acon.; in whispers: puls.
- Spine, pressing pain in: calc. c.
- Spleen enlarged: tub.
- Sternum burning and pressure under: acon., carbo veg.; extending to shoulder: kali bi.
- pain from, to back or from shoulder to sternum: kali bi.
- pain shoots from center around chest: nitr. ac.
- pressure under: acon., carbo veg., crot. h., ferr. iod., phos., phos. ac.
- middle or lower part: bry.
- severe on turning over in bed: kreos.
- sensation of a hard body under, followed by hemoptysis: hep. s.
- sharp in lower part during the day: calc. phos.
- sticking under: kali bi.;—and in chest, better from pressure of hands: kreos.
- stinging under on deep pressure: borax.
- stitches under: ars.
- tearing under: phos.
- tickling under: iod.
- Stomach, burning in: acet. ac.;—and rawness in, better inhaling deep: lob.
- constriction, pressure and pain in, better by bending backward: caust.
- cutting from chest to: kali c.
- distended: kali c., lyc.
- faint feeling in: verat. v.
- pain shooting in: zinc. m.

Stomach, pain, spasmodic, in, and hypochondria: alum.

— pressure in, after eating: aran., iod., lyc.

— — — with cough: calc. c.

— — — — nausea after drinking milk or eating: samb.

— sinking feeling in: sulph.

Stone cutters, lung affections of: sil.

Stool, no ability to pass it, not even a soft stool: alum.

— adherent: alum.

— bloody: phos.

— brown: ferr.

— clayey: alum.

— constipated: bry., nux v., puls.

— delayed: iod.

— desire for, no: alum.

— — — — till there is a large accumulation: op.

— flatus, with much: natr. s.

— hard: alum.

— involuntary: phos.

— knotty: alum.

— light: chel.

— loose: iod., kali iod.; mornings: natr. s.; 1 P. M.: phos., stram.

— mucus, covered with: alum.

— mushy: verat. v.;—offensive: lach.;—foul: natr. s.

— no, since illness began: stram.

— pain, long lasting, after each: alum.

— popgun like: tub.

— profuse: stann.

— sago or frogspawn, like: aloe., caul., cina., dulc., phos.

— scanty: iod.

— soft: alum., verat. v.

— tallow or rice, with lumps like: phos.;—thin: chel., puls.

— unconscious: aloe., phos.,

— watery: chel., lyc.,

— yellow, golden: chel.

Strength failing steadily: helix; rapidly: senega.

Subsultus tendinum: puls., phos.

Suffocation: lyc.

— asleep, on falling: grind., hep. s., lach., op.

— sudden attacks of: bell.

— in the dark: stram.

— cold drinks, after, wants doors and windows open: stram.

— evenings: ipec.

— fear of, must sit up from shortness of breath: op.

— liquids put on the tongue, from: apis.

— lasting, long: cact., lach.

— larynx, from touching: lach.

— wakes him after a short sleep: lach.

Stool ameliorated after expectoration: ant. t.; must sit up after 2 A. M.  
Swallow, can only, liquids: bapt.;—but has an aversion to them: sil.

Swallowing and speaking painful: bapt.

Sweat after cough: ars., brom.;—with cough: ant. t., ars., bell., bry., calc.  
c., dros., merc. v., op., phos., puls., sepia, sil., sulph., spong., verat.

—chest, on, axilla, nose and hands: tub.

— — — left: puls.

—cold: ant. t., carbo veg., phos., spig., spong.; evenings: senega.

— — clammy, cadaverous, over entire body: sil.

— — — a sign of sudden collapse: phos.

— — face, on: verat. v.

— — forehead, on: acet. ac., sulph., verat. a.

—easy: ant. t., bry., calc. c., ferr., kali c., lyc., natr. m., sepia, sulph.

—hot moist, on forehead: acon.; on head: iod., merc. v.

—mornings, fever in afternoon: kreos.

—night, (night sweat): acon., alum., ant. t., arn., ars., baryta. c., bell.,  
bry., calc. c., camph., carbo an., carbo veg., caust., china, dulc.,  
ferr., hell., hep. s., ipec., kali bi., kali c., kreos., lach., laur., led.,  
lyc., mang., merc. v., natr. m., natr. s., nitr. ac., nux v., phos.,  
phos. ac., plb. m., puls., rhus t., rumex, sab., samb., sang., senega,  
sepia, silica, silph., spong., stann., stram., sulph., tub., verat.,  
zinc. m.

— — and morning, debilitating: merc. v.

— — during sleep: kali bi.

— — profuse, more, on chest: hep. s., iod.

— — very fetid and debilitating: carbo an.; offensive over entire body:  
kali c.

— — sleep, in first: helix, lach.

— — sour: psor.

— — and morning, on back, profuse, of musty odor, debilitating:  
stann.

— — — profuse: calc. phos., lach., op., puls., tub.

— — — hot when covered, and averse to being covered: acon.

— — debilitating: samb.

— — all over so soon as falls asleep: stram.

— — on waking, dry heat during sleep: samb.

— — except on legs, sudamina where he sweats: op.

—ameliorates: kali n., lach., rhus t.

— — does not: lyc., merc. v.

— — sleep, during: merc. v.

— — sour: croc. h., nitr. ac., psor.

— — viscid, cold: phos.

— — head, cold: verat. a.

— — clammy: ant. t.

Talk, on attempting to, face becomes red and eyes fill with tears: merc. v.

Talked to, wants to be: bry.

Taste, bitter: ars., bry., chin., lyc., nux v., kreos.; breath foul; rhus t.



Taste blood, of, yet none is seen in the sputa: bell., elaps., kali bi., ham.;  
on waking: rhus t.

— cold, flat, unpleasant: bry., carbo veg., nitr. ac., phos.

— foul, like pus: dros.

— metallic: kali bi.

— mouldy: led., puls.

— pappy, pasty: alum., bry., sulph.

— sour: alum., calc. c., kali bi.

— sulphur, like: ham.

Teeth decay early, incisors notched, grinds at night: tub.

— sordes on: lach.

— and temples, shooting pain in, with inhalations: calc. phos.

Testes, pressure in: zinc. m.

Thigh, small red pimples on: rumex.

Thirst: bry., hep. s., hyos., iod.; no appetite: kali iod.; constant: merc. v.

— great acet. ac., ars.; for cold water: kali n., lyc.; 4 P. M.: natr. m.;

nitr. ac., nux v., phos. ac., puls., rhus t., rumex; P. M.: samb;

insatiable: sang.; for cold water: stram.; during heat: sulp.

— cold drinks, for, constantly, day and night: merc. v.

— drinks large quantities, which do not affect the stomach nor relieve  
the thirst: acet. ac.

— drinks little: ferr. phos., lyc., puls.

— — but often: ant. t., ars., bell., china, puls.

— — much and often: bry.; mouth and lips dry, like peeling: natr. m.

— drinks only in sips, on account of want of breath: kali n.

— unquenchable: acet. ac., acon., iod.; mouth, lips and throat dry:  
lach.

— but water causes vomiting: ars., phos.

Thirstless: bry., coralor., kali c., samb., spig., stann.; in fever: acet. ac.

no appetite: op.; dry heat: ign.

Thorax perforated from suppuration over left nipple: sulph.

Throat, band, sensation of a, around, must loosen clothing: lach.

— blood, warm, rises up in, and flows from mouth: mill.

— burning in, no thirst: apis, calc. c.

— constricted and dry: acon., iod.;—pressure in: merc. v.; on right  
side, and soreness in: borax.

— child gasps with each cough: cepa.

— clear, desire to: acon., alum., caust., iod., kali c., rumex.; frequent:  
acon.

— constant hemming and hacking: iod., lyc.

— constricted: bell.;—with every word spoken, not when walking:  
dros.

— dry, raw and stinging: lach.

— dry: acon.; on waking: bell., sang.

— crawling in, when walking in open air, not on lying down or talk-  
ing: carbo veg.

— dry: kali iod., 5 a. m.; 2 to 3 a. m.: kali c.; comes and goes: puls.

Throat dry as in croup, aggravates suffocation after a few minutes sleep: lach.

— — also mouth and lips, lips peeling: bry.

— — in tuberculosis: calc. phos.

— feather, as of a, tickling in: amm. c., calc. c., dros., ign., iod.

— irritation in: kali iod.

— lump in, sensation of: acon., kali c.;—not relieved by hawking or swallowing: rumex;—better swallowing: kali bi.

— — — — only when hawking: kali c.;—as of mucus: lach.

— — — — worse when lying: ars., dros., sang., sepia.

— membrane, tough, sensation as of, moving in, but would not loosen: kali c.

— loose skin hanging in, sensation as of: acon.

— moist at night: sulph.

— mucus in: ferr. phos.;—thick, ropy, filled with: lyc.;—tough mornings and evenings: acon.

— posterior nares raw: acon.;—raw and dry, worse on swallowing, no thirst: stann.; extends to chest and causes hacking cough: iod.

— raw, scraped feeling: brom., kreos.

— rough: kali c., senega.

— roughness in, worse on motion, lying down, walking in open air or talking: carbo veg.

— — and dry, worse evenings and night, toward morning, and walking in open air: alum.

— scraping in, constant: caust.

— scratching in: acon., amm. c., baryt. c., kreos., natr. m., phos., psor., puls., sil.

— smoke or sulphur fumes in, sensation of: brom.

— splinter in, sensation of: hep. s., nitr. ac.

— tickling in, at night: iod., merc. v.

— tight clothing aggravates: kali ars., lach.

— larynx, and, tickling in, with cough: psor.

— larynx or bronchi, tickling in: kali c.

— pit, tickling in, constant: phos.

— sensation of a button in, moved by swallowing, causing suffocation: lach.

Thyroid, pain in: carbo veg.; painful to touch: alum.

Tired, always desires to rest: apis.

Tongue, brown: ant. t., bry., caust., hep. s., lyc., rhus t.

— — tip and edges red: lyc.

— clean: ran. b.

— dark, large ulcer in center: lyc.

— dirty yellow: ars.

— dry: ant. t., bapt., bry., hep. s., iod., kali iod., lach., lachn., lyc., phos., sulph.

— dry, also lips, with a sooty coating: phos.

Tongue dry, yellow in middle: ferr., hep. a.; moist on tip: bry., pula.  
sulph.

— flabby, thick: merc. v.

— furred: tub.

— grayish white: kali c.

— hair on, sensation of, at base: kali bi.;—on tip: sil.

— indented by teeth on edges: ant. t., ars., kali bi., kali iod., merc. v.,  
rhus t., sepia.

— mapped: ars., kali bi., lach., lyc., natr. m., nitr. ac., phos., phos. ac.

— red: apis., ars., bell., bry., elaps., gels., hyos., kali bi., lach., lyc., nux  
v., rhus t., stann., sulph., verat; red tip, base dark brown: lach.;  
red streak in centre: verat. v.

— — triangular tip: ant. t.; white, thick or thin: sulph.; coated brown  
or white: rhus t.

— scalded feeling: verat. v.

— strawberry-like: ant. t., bell., tub.

— swollen: ars., merc. v.

— trembles and catches in front teeth when attempting to protrude  
it: lach.

— white: ars.; thick, as if painted: ant. t.; thick or thin: bry., lyc.,  
puls., rhus t.

— — or brown, red triangular tip: ant. t., rhus t., sulph.

— white fur on: ars., bry., puls., rumex.

— — — tip and edges red: rumex.

— white coating, thin, papillæ red, elevated, red triangular tip: ant. t.

— yellow: bry., lachn.; yellowish brown: merc. v.; dirty yellow: ars.,  
iod.; thick yellow: chel.

— — and lips ulcerated: kali iod.

Tonsils enlarged: tub.

Tossing, anxious, restless: acon., ars., pula.

Touch, sensitive to: acon., apis, arn., bell., iod., lach., rhus t.

— — — least: china, chin. sulph.

Touched, fear of being: arn., bell., hep. a.

Trachea, bruised feeling in: zinc. m.

— burning in, after talking: ferr.

— — dry: ars.

— dry catarrh of: iod.

— dry scraping in: bad.

— — and sore, also chest: stann.;—dust or smoke in, sensation as of:  
ars.

— irritation, constant, in: acal.

— itching in: arn.

— mucus, profuse, in: dulc.

— pain in, on bending head back: lach.

— rattling in: ant. t., arn., phos., puls.

— soreness or stitches in: stann.

— stitches in, worse breathing or on pressure: zinc. m.

- Trachea, suffocation in, after every drop of liquid put on the tongue: *apis*.  
 — sulphur fumes in, worse in open air: *alum*.  
 — tickling in, severe: *arn.*, *cact.*, *iod.*, *lach.*; at bifurcation: *psor*.  
 — ulcerated, also larynx: *kali iod*.  
 Trachitis, acute or chronic, in scrofulous or tubercular patients: *hep. a*.  
 Trembling in entire body: *apis*; worse in pelvic region: *kali c*.  
 Tuberculosis: *acal.*, *hep. s.*, *lach*.  
 — advanced: *dros.*, *dulc.*, *iod.*,;—on right side: *carbo an*.  
 — incipient: *phos.*, *sang*.  
 — young, florid people and women who blush easily: *ferr*.  
 — tall, slender youths, growing too rapidly, chest weak: *phos*.  
 — suppuration progresses very slowly, without any marked increase of fever: *iod*.  
 — syphilis, after badly treated: *myrtus*.  
 Urine albuminous: *digit*.  
 — bloody: *elaps*.  
 — clear, dark red: *stram*.  
 — dark brown: *lyc*.  
 — with turbidity, brown sediment on standing: *rhus t*.  
 — diminished, changeable, dark, offensive: *sang*.  
 — involuntary, cannot delay, scalding: *apis*, *nux v.*, *rhus t*.  
 — red and scanty: *ant. t.*, *hep. s.*, *puls*.  
 — scanty: *digit.*, *iod.*, *sulph*.  
 — suppressed: *kali iod.*, *stram*.  
 — voided, only when at stool: *alum*.  
 — watery, profuse: *samb.*, *phos*.  
 Uterus and vagina, prolapsus of, worse during stool: *stann*.  
 Uvula elongated: *alum.*, *bapt*.  
 — swollen: *acon*.  
 — stitches in, as if it would break: *ham*.  
 — swollen, flabby, also fauces and pharynx: *alumen*.  
 Veins of throat distended: *acon*.  
 Vertebral column bent to the left: *puls.*; —to the right: *sulph*.  
 Vertigo on moving: *kali c.*; with dim vision: *ant. t.*; with loss of vision, all turns black before eyes: *acon.*, *ferr*.  
 Vocal cords puffy, covered with gray mucus: *kali bi*.  
 Voice, aphonia, loss of voice: *acon.*, *bapt.*, *bell.*; aggravated by talking: *carbo veg.*, *caust.*, *kali c.*, *kali iod.*, *kreos.*, *lach.*, *rhus t.*; ameliorated by talking: *senega*, *spong.*; sudden, complete, while talking: *tub*.  
 — — complete, worse mornings, till, after long coughing, it is relieved by a single, slight expectoration: *brom*.  
 — — from nervous paralysis, catarrhal or syphilitic: *merc. v*.  
 — — cannot speak clearly: *brom*.  
 — — speaking requires great effort: *dros*.  
 — — it takes whole strength to speak, weak after: *psor*.  
 — changing: *ars*.

Voice clear after an expectoration: brom., tub.

— cracked, toneless, can only speak in a deep base: dros., sepia, stann.

— feeble: carbo veg., op.

— hollow: dros., stann.

— husky: alum., brom., carbo veg., dros., stann.

— lisping: phos.

— lost: lyc.

— nasal: alumen., kali bi.

— resonance, without: dros.; worse mornings, better by hawking:  
calc. c., mang.

— rough: acon., alum., iod., stann.

— rough: acon., alum., iod., stann.

— shrill: alumen.

— soft: brom.

— thick: alumen., sepia.

— timbre, without metallic: sepia.

— toneless: iod.

— trembles: merc. v.

— varying, worse when talking: alumen.

— weak, can hardly speak: iod., lyc., phos.

— hoarseness: alumen., brom., carbo an., carbo veg., caust., dros., iod.,  
phos., stann.

— — better by coughing or hawking up mucus: stann.

— — air, in open, worse by talking: bell., bry.

— — chronic, persistent: dros.

— — coryza, with, and long after: mang.

— — worse mornings and in the open air: bry., calc. c.; during the  
day: acon.; afternoon and evening: alumen.

— — overheated, from being, acute or chronic: brom.

— — painless, can hardly speak: calc. c.; worse evenings: carbo veg.

— — rough, fails when exerting it, after bronchitis, croup or measles:  
carbo veg.

— — rawness, with: caust.; worse mornings, better by sneezing: kreos.

— — — talking, worse from: alum., bell.; especially in company:  
lach.; better from talking: rhus t.

— — overuse, from, as in public speakers: arn., arum tri., calc. c.

Vomiting: ipec., kreos., led., nux v.; A. M.: stann.; of pure blood: phos.

— after drinking the smallest quantity of water: ant. t.; at once: ars.

— — — when the water becomes warm in stomach: phos.

— cough, with, worse after eating or drinking, sour, worse, forenoon:  
kali c.

— food: ferr., tub.; food, then bile: sang.

— forenoon, all: elaps.

— greenish, bilious: camph.

— mucus: bell.; A. M., tenacious: sil.

— nausea and constipation, with: ant. t., verat. v.

Vomiting nausea and constipation mornings, and from the odor of cooking: ars., sepia, stann.

—stitches in, from left side to chest: alum.

Wakes suddenly with a start and heat at 2 A. M.: kali bi.

— at 2 or 3 A.M.: kali c.;—at 5 A.M. with dry throat and voice lost: kali iod.; at 5 A. M.: sulph.

Walking slowly always relieves, even though weakness compels rest: ferr.

Water, cold, great desire for, but is vomited at once after drinking: ars.

—vomited so soon as it becomes warm in the stomach: phos.

Weakness great: ant. t., kali c., kali iod., kreos., lyc., phos.

—strength failing: camph.; gradually: benz. ac.

—great, worse on going downstairs, must sit down often: borax; morning, when going down stairs or dressing: stann.

—after recovery: brom.

—drops into a chair when sitting down: stann.

—, not felt till attempt to move or sit up is made: ars.

—, can hardly speak: sil.; worse talking: ferr.

—sleep, from loss of: nux v.; voice, from use of: stann.

—symptoms have disappeared, after: ars.

Weather, cold, damp, very sensitive to: aran., ars., calc. c.

—change of, damp, cold or hot, aggravates: kali bi., sulph.

—hot, complains in: kali bi., puls.

—wind and cold aggravate: lycopus.

Weep, inclined to: hep. s., puls.

Weeps easily while stating her symptoms: kali c.

Windows, and doors, must open, and get face to the cold air: bapt., carbo v.

Winds, cold dry, aggravate: acon.

Women, anemic: puls.

Winter cough of old people, violent, fatiguing: kreos.

Wounds, small, bleed much: kreos., lach., phos.

Yawn, wants to, but cannot and cries on account of it: lyc.

Yawning, constant, with respiratory affections: brom.

—cough, after: op.

—frequent: bapt.

Young people, both sexes, growing too rapidly: iod.

## COUGH SYMPTOMS

Abdomen, cough seems to come from: dros.

—coughing causes bruised pain in: nux v.

—concussive pain in: kreos., dros.

—constriction of, painful: chel.

—cutting in, as from two knives from both sides toward each other, doubling her up: kali c.

—jarring in, with cough: kreos.

- Abdomen, lump in, sensation of, on right side, rolling over and over up to throat and back again, better from pressure with hands: kali c.
- pain in: ant. t., bell., bry., kali c., verat. a.
- — must hold abdomen with both hands for relief: phos.
- — — shakes with: sil.;—as if all would fall out: carbo an.
- soreness with cough: carbo an., caust., con., kreos., nux v., puls.
- Absent, cough is, or nearly so: ferr., kali iod., kreos., op.
- Acute, severe: ferr. phos., ipec., lob., rumex, sang., sepia, sticta.
- Afternoon, aggravation: alum., amm. c., ant. t., arn., ars., bad., bell., bry., calc. c., kali c., laur., lyc., nux v., phos., stann., sulph., zinc. m.
- Air, cold aggravates: acon., ars., baryt. c., brom., bry., carbo an., carbo veg., caust., dulc., hep. s., hyos., ipec., kali c., kali iod., lach., nux v., phos., phos. ac., rhus t., rumex, samb., senega, sepia, sil., squil., stram., sulph.
- — entering from warm room into, causes cough: acon., con., dulc., nux v., phos., sepia, squil.
- — to warm room or *vice versa*: acon., carbo veg., lach., nux v., rumex, sepia, verat. v.
- — ameliorates cough: bry., puls.
- damp, aggravates: ant. t., calc. c., carbo an., carbo veg., dulc., lach., nitr. ac., sulph., verat., zinc. m.
- draught of, aggravates: caust.; dry: samb.
- expelled with cough with a barking, blowing, bellowing sound: ant. t.
- gasps for, before cough: ant. t., bell.
- open, aggravates: acon., alum., ars., baryt. c., bry., calc. c., carbo veg., caust., con., dulc., ferr., ferr. phos., hep. s., ipec., kali bi., lach., lyc., nitr. ac., nux v., phos., phos. ac., rhus t., rumex, senega, sil., spig., stann., sulph.
- passages, burning in, with: caust.
- rattling, hissing sound in, with: led.
- warm, ameliorates cough: rumex, senega:—warm, moist aggravates: ham., ipec.
- Alternates with leucorrhea: iod.
- Annoying cough, in short, annoying spells: con.
- Anus, pain in, with: kali c., lach., sepia.
- Anxiety with cough: acon., bry.
- Arms, pain in, with cough: lach.
- or feet, exposure of, aggravates: hep. s.
- swinging to and fro ameliorates: rhus t.
- Arteries, throbbing in, with: calc. c.
- Asleep, falling, aggravates: lach.
- Atmosphere, any change in, aggravates cough and coryza: myrtus.
- Attacks hard, not ceasing until masses of offensive mucus are expectorated: carbo veg.
- sudden, with spitting of blood: kreos.
- Autumn and Spring aggravate: kreos.
- Awakened by cough: lach., sil.

Back, lying on, aggravates: ars., iod., lyc., nux v., phos., rhus t., sil, spong.

— pain in, with: bry., iod., kreos., puls., rumex, sil, spong.

Barking cough: bell., brom., calc. c., hep., kali bi.

Bed, lying in, aggravates: bry.; at night: iod.; evenings: sang., stann.

— turning in, aggravates: bry., kreos.

— getting warm in, aggravates: verat. a.;—warmth of, ameliorates: kali bi.

Bending head backward aggravates: bry., cup. m., hep. s., kali bi., lyc., psor., rumex, sil., spong.

— forward aggravates: baryta c., caust., chel., digit., ferr. phos., hep. s., kali c., laur., lyc., phos., senega, sil., spig., spong., verat.

Bends head backward with cough: ant. t., hep. s.

Blood coughed up daily at 4 P. M.: mill.

— taste of, before cough: elaps., ham., sulph.

Body, distant parts of, pain in, with: bry., elaps.

— any part of, getting cold causes cough: iod.

— cough shakes all muscles of: dros.

— stitches in, with cough: bry.

Brain, base of, as if it would burst with throbbing: carbo veg., ferr.

— shakes as if it were loose in head: carbo an.

— stitches in: bry.

Brandy aggravates: ferr.

Breakfast, worse before: senega; worse during: alum.; better after: alum.

Breath, catching for, with: bry., calc. c., hep. s.

— loss of, with cough: ipec., led.;—from talking: iod.

— offensive with: dros.

— short before cough: caust., sulph.

Breathing aggravates cough: ant. t., china, crot. h., cupr. m., lach., lyc., sulph.

— deep, aggravates cough, evenings and nights: lycopus.

— inhalation croupy, with cough: spong.

— deep with cough: brom., bry.

— interrupted, nearly suppressed, with cough: cupr. m.

— oppressed, with cough: acet. ac.

Bronchi, cough from irritation at bifurcation of: kali bi., lach., sang.

— from scraping in: bry.

— stitching in: kali c.

— lower, cough seems to come from: squil., verat. a.

— and larynx, crawling in, causes cough: kreos.

— much mucus seems to be rattling in, with cough, but none comes up: ant. t., puls.

Chest, bruised pain in, with cough, worse from pressure: arn.

— constricted, which holds the breath, nearly preventing breathing, or coughing with pain in sides, which must be supported with hands: dros.



- Chest crawling in, causes cough: brom., squil.
- cutting in: natr. m.
- dryness in: stann.
- excoriated feeling in: ars.
- fly to pieces, as if it would, with cough: ars., bry., merc. v., sulph., zinc. m.
- — — — chest and head would, with cough: bry., calc. c., kali bi., merc. v., natr. m., nux v., phos., phos. ac., rumex, sepia, sulph.
- hands, must support with, during: bry., dros., kreos., natr. m., phos.
- itching in, causes cough: calc. c., iod., phos., puls.
- jarring in, with: kreos.
- mucus, tight, adhering in, causes cough: caust.
- muscles of, stitches in, with cough: dros.
- oppressed feeling, during cough: ars., brom., calc. c., china, dros., ferr., iod., kali bi., lach., mill., phos., puls., rhus t., senega, stann., sticta, verat.
- pain in, during cough: acon., ant. t., arn.; left and middle: ars.; from epigastrium upward: bell., brom., bry., calc. c.; across chest: calc. phos.; in a small spot: camph., carbo an., carbo veg., caust., china, dros., ferr., ferr. iod., gels., iod., kali bi., kali c., kreos., lach., lachn., led., lyc., lycopus., mang., merc. v., natr. m.; with each cough: nitr. ac., nux v., phos., psor., puls., ran. b., rhus t., rumex, sab., samb., sang., sepia, sil., spig., spong., squil., stann., sulph., verat., zinc. m.
- rattling in, with cough: calc. c.; right upper, worse night and morning: hep.; better on breathing deep: sang. after cough.
- rawness in: acon., ars., calc. c., gels., lach.
- scraping in: nux v.
- shooting stitches in: acon., chel.
- left, pain in, with cough: arn.; in middle: crot. h., hep., merc. v., myrtus.
- right, pain in, with cough: borax, chel., ferr. phos., iod.; right side, then left: chel.
- sides, both, pain in: ant. t.
- smoke, as if full of: brom.
- soreness in, with cough: arn., ars.; from epigastrium upward: gels., nitr. ac., nux v.
- — — — in a small spot, as from an ulcer: calc. phos., kali bi.
- stabbing in, with cough: con.
- stinging in: natr. m.
- stitches in: acon., arn.; left: ars., borax, bry.; in sides: caust.; left: chel.; right: con., crot. h., dros., kali bi., kali c., kreos., lyc., merc. v., phos.; left: puls., rhus t.; right: rumex, sabad., samb., sepia, squil., stann., sulph.
- tearing in, through center: elaps.; and raw, worse when sitting bent: calc., natr. m., rhus t.

Chest tickling in: calc. c., iod., lach., merc. v., myrtus., squil.; in upper part: sang.

— water, cold, washing with, ameliorates: borax.

— — hot, sensation of, in left: hep. s.

— weakness in, with: calc., hep. s., phos. ac., psor., stann.

Children and old people coughing a long time before expectorating: dulc.

— cough frightens, and they cry in terror: iod., kali brom.

— — like old men: sulph.

Chills and heat after cough: kreos.

Choking with cough: amm. c., ant. t.; 3 to 5 A. M.: brom., bry.; with pleurisy: carbo veg., iod., kali bi., kali c.; 5 A. M.: lach.; aggravated at rest: samb.

Chronic cough: calc. phos.; with cold limbs: caust., led., plb. m., sang., tub.

Coffee aggravates cough: caust.

Cold air, cold eating or drinking, or getting cold ameliorates cough: iod.

— food or drink aggravates cough, warmth ameliorates: spong.

— aggravates cough: nux v.; cold drinks aggravate: sil.; cold food or drinks aggravate cough: verat. a.

— evenings aggravate cough: acet. ac.

Concussive cough: calc. c., lach., stann.;—from cardiac irritation: cact.

Constant, after midnight: ars., calc. c., crot. h., elaps., kali bi., kali c., kali iod., kreos., lach., mang., pinus; hacking: plb. m., rhus t., rumex., samb., sepia, spong., stann., sulph.; after closing eyes: zinc. m.

— irritation to cough: ferr.

— continues after pneumonia: sang.

— dry cough, wearing out physician and patient, without any intermission: hyos.

Continued, persistent cough: acon., bell., calc. c., carbo veg., dros., ipec., lyc.

Continuous cough: acon., bell., china, cupr., dros., hyos., ipec., lyc., lycopus., merc. v., phos. ac., puls., rhus t., rumex, sang., squil.

— cough, the more he coughs, the more he has to cough: acon., bell., ign., squil.

Convulsions with cough: calc. c.

Convulsive cough: cact., caps., nux v.

— — with each, and at no other time, a volume of fetid pungent air or gas is expelled from the lungs in pleuro-pneumonia: caps.

Cooking, odor of, causes cough: rumex.

— odors, strong cause cough: phos.

Coryza after each cough: con., kali iod., myrtus.

Cough, rattling in chest after each: sang.

— alternating with leucorrhœa: iod.

— — causes sneezing and sneezing causes cough: bad.

- Cough, child coughs like an old man: sulph.
- old people and children cough a long time before expectorating: dulo.
- croupy: acet. ac., bell., brom., hep. s., iod., kali bi., spong.
- Crying before cough: ant. t., arn., ars., bell., bry.
- during cough: ant. t., arn., ars., bad., bell., bry., china, hep. s., ipec., lyc., samb., sepia, sil., verat.
- after cough: arn., bell., hep. s.
- aggravates cough: ant. t., arn., bell., dros., hep. s., iod., lyc., phos., verat.
- Day-break, after midnight till day-break: nux v.
- Day, during the, cough is absent, or cough only during the day: dros., merc. v.
- — — — aggravated, with pain in abdomen: kali c.
- — — — ameliorates: squil.
- — — only: amm. c., dros., dulc., euphr., ferr., lach., merc. v.; or night only: nitr. ac., phos., rumex, sepia, thuja.
- and evening cough: con., nux v.
- hacking all day: tub.
- little or no cough during: caust., stann.
- loose: calc. c., lyc., stann., zinc. m.
- day and night: arn., ars. iod., bry., carbo veg.; aggravated: lach.; at night: lyc., plb. m., samb., sepia, stann.
- Deep cough: ars., bry., dros., kali iod., nux v., sepia, verat. a.
- — as if he could not cough deep enough to get under it to dislodge the mucus: caust., pinus.
- Dentition, during, wheezing: kreos.
- Desire to cough, constant: dros.
- Diarrhea, cough with: acet. ac.; all night: kali c.
- Difficult: op.
- Distressing: senega.
- after pneumonia: kali c.
- Dizzy, staggering with cough: led.
- Down, as from tickling in throat: phos. ac.
- Draughts aggravate: china.
- Dressing in morning aggravates: senega.
- Drinking aggravates: acon., ant. t., ars., dros., carbo veg., china, ferr., laur.
- ameliorates: caust., spong.
- coffee aggravates: caust.
- cold, aggravates: carbo veg., cupr. m., digit., nux v., sil., stann.
- warm, ameliorates: nux v., sil.
- water ameliorates: caust., spong.; aggravates: squil.
- or eating aggravates: bry., carbo veg., kali bi., kali c., laur., nux v., phos.
- — — cold aggravates: iod., verat. a.
- — — — ameliorates: spong.

Drinking cold or warm aggravates: phos.

Dry cough in the evening, worse and more fatiguing than the loose morning cough: squil.

— alum.; worse at night: apis., arn.; day or night: ars., bell., borax; in cachectic old people: brom., bry., cact., calc. c.; all night, loose during the day, but dry at first and on rising in the morning and in bed in the evening: calc. phos., cann. ind., caps., carbo an., carbo veg., caust., chel., con.; in phthisis: crot. h., dros., dulc., elaps., ham., hell.; worse at night: helix, hep. s.; after midnight: hyos., iod.; evenings till midnight: ipec., kali bi., kali brom., kali c.; ameliorated at night, with nightly diarrhea: kali iod.; exhausting, hard, racking, spasmodic: kreos.; hollow: lach.; hacking: lachn., laur., lob., lyc.; dry cough for years: mang., myrtus.; hollow: nux v.; hollow, dry, evenings: phos., pinus, plb. m., puls., rumex; hacking: samb.; dry at first: sang., senega; always dry: sepia, spig., spong., stann.; hollow: sulph., tub., verat. a., verat. v., zinc. m.

— constant, wearing out physician and patient: hyos.

Dust, as from: alumen., ars., brom., calc. c.; as if inhaling: ars.; as from dust in throat: chel.; in larynx: calc. c.; in lungs: hep. s.

Dyspnea with cough: acet. ac., ant. t.

Ears obstructed: chel.

Eating aggravates cough: caust., china, digit., iod., ipec.

— ameliorates: spong.

— only a little ameliorates cough: sil.

— causes cough: squil.

— during and after, cough is worse: calc. c.

— or drinking aggravates cough: bry., carbo veg., kali b., kali c., laur., nux v., phos.

— — — cold aggravates: hep. s., iod., verat. a.

— — — ameliorates: spong.

— — — warm aggravates: phos.

Effort, after greatest, cough is ineffectual: senega.

Emaciation with cough: ferr., chel., iod., lyc., nitr. ac., puls., sticta.

Ends with a sneeze: psor., senega, squil.

— with a whistle and begins with a wheeze: sang.

Epigastrium painful, as if beaten, from coughing: stann.

— soreness in, extending up to throat, with cough: ars.

— tickling in: lach.

Evenings, cough is worse: alum., apis, ars. iod., dros., laur., nux v.

— — — in bed: kreos., sepia, stann., tub.

— — — after lying down: bell.

— — — afternoon and evening: bad.

— — — evenings till midnight: carbo veg., caust., hep. s., rhus t., sil., stann., tub.

- Evenings, cough is worse during supper, with retching and vomiting:  
     carbo veg., caust.; and at night: lyc.; till morning: rhus t.;  
     with sputum: kali c.
- Exertion aggravates: ferr., kali bi., kali c., kreos., nux v., squil.
- Exhausting cough: chel., dros.
- Exhaustion after cough: kali c., phos., sulph.
- great, can hardly speak: ars.
- Expectoration aggravates: china, dig., led., nux v., sepia, sulph.
- ameliorates: apis., calc. c., carbo an., iod., kreos., lach., lob., sang.,  
     sepia, zinc. m.
- Expiration aggravates: caust., dros., kreos.; sighing: bry., cupr. m.
- Explosive, without expectoration: sil.
- Extremities cold: calc. phos.
- Eyes, after closing, constant cough: sulph.
- congested: bell.
- pain in: kali bi., kali c., kali iod., lach.
- sparks before, during cough: bell., kali c.
- tears in (lachrymation) with cough: acon., brom., calc. c., calc.  
     phos., carbo veg., chel., hep. s., ipec., kali c., kreos., merc. v.,  
     natr. m., op., puls., rhus t., sil., squil., sulph.
- water, sneezing during cough, child rubs eyes and nose: squil.
- Face bluish: acon., ars., bad., bell., carbo veg., dros., hyos., ipec., kali c.,  
     lach., nux v., op., samb., sang., sil., verat.
- eyes, and, congested: bell.
- head, and, glowing heat in: iod.
- dark: bad.
- red: chel.
- earthy: iod., kreos., natr. m., zinc. m.
- pale: ant. t., ars., bad., brom., carbo veg., digit., dros., dulc., ferr.,  
     ipec., lyc., merc. v., phos., puls., rhus t., sepia., sil., spong., stann.,  
     stram., sulph., verat., zinc. m.; pale and stiff: ipec.
- purple, bluish: kali c.
- red: acon., bell., bry., carbo veg., chel., dros., ferr., hyos., hep. s.,  
     kali c., lach., lyc., op., phos., sabad., samb., sang., sil., squil.,  
     stram., sulph.
- redness, circumscribed, on cheeks: phos., samb., sang.
- — — — with yellow complexion: lyc.
- sweat on: ant. t., dros., ign., ipec., kali c., sulph.; A. M.: puls.;  
     cold: verat.; cold on forehead: carbo veg., dros., ipec., verat.
- swollen, puffy: acon., apis., ars., bell., dros., hyos., ipec., kali c.;  
     swollen about the eyes: ferr., rhus t.; under eyes: phos.
- Fatiguing cough at night: hyos., kali brom., kreos., nux v., sang., spong.
- more pain with the loose, morning cough than the dry, evening  
     cough: squil.
- Fauces, dry, rough, scraping in: dros.; and tickling in: gels.
- Feather tickling in throat: calc. c., dros.; in larynx: dros., lyc., verat. a.
- Feeble cough: senega.

- Fever absent with cough in measles: spong.
- constant in the afternoon and at night: acet. ac., bapt.
- hectic: ferr., lach., nitr. ac., senega.
- Flank, stitching in right: borax.
- Flatus, loud discharge of, with cough: sulph., verat. a.
- Fluids, cough after loss of: china, ferr.
- Food, cough prevents taking: squil.
- drink, or, cold, aggravates cough: verat. a.
- Foot or arm, exposure of, causes cough: hep. s.
- Forcible cough: acon., alum., bry., con., hep. s., phos.
- Forehead, bursting pain in, with cough: bry., ipec., natr. m., sulph., verat.
- Fossa, suprasternal, irritation in: apis., bell., ign., iod., phos. ac., rumex, sil., squil.
- Frequent cough: ars. iod., bad., brom., phos.
- hacking: ant. t., cann. ind., lyc., merc. v., phos., sulph., verat. a. verat. v.
- Frightens children, so they cry out in terror: iod., kali brom.
- Gagging with cough: ant. t., apis., bry.; and vomiting of food: calc. c.; evenings or night: kali c.; persistent: lach.
- Gas, a volume of very putrid gas or air is expelled from the lungs with every convulsive cough, and at no other time in pleuro-pneumonia: caps.
- or air, very putrid, smelling like rotten eggs, is belched up, from, digestive disturbance: kali c.
- Girls, young, phthisical, cough in: dros., kali c.
- Hacking cough: alum., ant. t.; frequent hacks: arn., ars., ars. iod., bell., borax, bry., calc. c.; dry at night: cann. ind.; at night: con.; at night in short spells: dros., ferr. iod., iod., kali bi.; constant: kali c.; short in pleuritis: lach., lyc., natr. m., nux v., phos., rhus t., rumex, sang., senega, sepia, sil.; at night: stann., tub.
- at night, as soon as head touches the pillow, not at all during the day: dros., led., laur.
- Hemorrhoids, pain in, with each cough: ign., kali c., lach., nitr. ac.
- Hands, must press and hold abdomen with both hands to relieve pain when coughing: phos.
- pressure of, ameliorates pain on coughing: bry., kali c., kreos., phos., sulph., tub.
- — — on chest ameliorates cough: arn., borax, bry., dros., kreos., merc. v., natr. s., phos., sepia.
- — — on epigastrium: dros.
- Hard cough: acon., cann. ind., caps., carbo veg., kali c., lach., phos., sulph., verat., tub.
- Harrassing cough: sang.
- as soon as he lies down: pinus.
- tickling cough at night, as soon as head touches the pillow, not at all during the day: dros., led., laur.
- Hawking much, loosens mucus in trachea: bry., caust., kali bi.

- Head, bending the, backward, aggravates cough: bry., hep. s., kali bi., lyc., psor., rumex, sil., spong.
- — — forward, aggravates cough: baryt. c., caust., chel., digit., ferr., phos., hep. s., kali c., laur., lyc., phos., senega, sil., spig., spong., verat.
- bends backward with cough: ant. t., hep. s.
- brain as if loose in and shaking: carbo an.
- burst, as if it would, with cough: bry., merc. v., nux v., puls.
- confusion in: apis.
- chest, and, feel as if they would fly to pieces: bry., calc. c., kali bi., merc. v., natr. m., nux v., phos., phos. ac., rumex, sepia, sulph.
- face, and, glowing heat in: iod.
- hips, and in, pain: bell.
- hold, must: nux v., sulph.
- pain in: lach., natr. m., ran. b., rumex.
- presses hands to: bad.
- shocks in: ipec.
- Headache, frontal, with cough: calc. c., nux v., squil.
- Heated feeling after cough: digit., sang.
- Hernia, pain in, with cough: calc. c., carbo an., natr. m., nux v., sil., squil., sulph., verat. a.
- Hips, pain in: caust.; and in head: bell.
- Hissing and rattling in air-passages with cough: led.
- Hoarse cough: acet. ac., acon., ars. iod., bell., brom., calc. c., calc. phos., carbo an., dros., dulc., hep. s., iod., ipec., kali bi., merc. v., senega, spong.
- Hollow cough: acet. ac., bell., carbo veg., caust., chel., hep. s., iod., kali c., kali iod., kreos., led., myrtus, nux v., samb., sepia, sil., spig.; at night: stann., verat.
- Hours, every 2 or 3, a paroxysm: kali brom.
- Hypochondria, left, pain in: bell.
- must support with hands: dros.
- Impossible, cough is almost, on account of shortness of breath: sulph.
- — — while sitting evenings: alum.
- Incessant cough: cann. ind., stann., verat. v. (See constant cough).
- Ineffectual, cough is, after the greatest effort: senega.
- Influenza, after: lach.
- Inhaling, on: acet. ac., stann.
- Inspiration, after each attempt at: phos.
- croupous: spong.
- deep, causes cough: brom., bry., crot. h., dulc., kali bi.
- expiration, or, causes cough: caust.
- Irritable cough: ign., kali c., lach., laur., lyc., phos. ac., stann.
- Irritating substances, as salt, pepper, vinegar, cause cough: alum.
- cough: iod., pinus, senega, spong.
- Irritation to cough: constant: ferr.; in entire lung: iod.
- Larynx, burning in, with cough: acon., bell., phos., senega.

- Larynx**, crawling in: caust., con., dros., kreos.; below, evenings: senega.
- dryness in: bell., carbo an., con., dros., kali c., lach., laur., nux v., senega.
- dust in, as from: alum., bell., calc. c., con., dros., sulph.
- feather, as from, tickling in: dros., lyc.; or foreign body in: bell.
- hand, must involuntarily support with, during cough or on swallowing: cepa, dros.
- itching in: carbo veg.
- pain in: acon., calc. c.; as if torn: carbo veg., caust., kali bi., lach.
- mucus, much tough, in, which cannot be loosened: lach.
- — which cannot be removed by hawking or coughing, adhering tightly: arn.
- pressure on, causes cough: bell., crot. h., lach.
- rattling in, with cough: ant. t., brom.
- rawness in: acon., brom., bry., iod., lach., natr. m.; extending to chest: iod.
- scraping in: alumen., bell., brom., con., hep. s., laur., led., nitr. ac., nux v., puls., senega.
- scratching in: kreos., lach.
- smarting in: acon.; sore from coughing: bad., natr. m.; dry spot in: con., crot. h.
- sulphur fumes in, as from: aran., ars., calc. c.
- support, must, involuntarily, with hands on coughing or swallowing: cepa., dros.
- tickling in: acon., alumen., alum., arn.; constant: bad., bell., brom., cact., calc. c., caust.; on left upper side: chel., china, crot. h., dros., kali bi., kali c., lach., led., nitr. ac., nux v., rumex. sang.; on right side of: stann.
- tearing in, extending to chest: borax.
- tight feeling in: natr. m.
- touching, aggravates cough: ferr. phos.,
- — causes cough: bell., lach.
- sensation of vapor in, causes cough: bry.
- ulcerative pain in, with cough: kali bi.
- Laughing** causes or aggravates cough: ars., bry., chin., con., dros., dulc., kali bi., lach., mang., nitr. ac., phos., pinus., sil., stann., zinc. m.
- Left side of chest**, pain in, after right: chel.; stitches in: crot. h.
- Legs**, pain in, with cough: bell.
- Leucorrhea** alternates with cough: iod.
- Lie on right side**, unable to: merc. v.
- Lies down**, cough as soon as: dros., pinus.
- Limb**, pain in, one or the other, with cough: caps.
- Liver**, shocks or stitches in: natr. m.
- Loins**, pain in, with: kali bi.
- Long**, coughs long before he can raise anything: lach., psor.
- Loose cough**: ars. iod., bad., bry., chel., iod., dulc., kali bi., merc. v., nitr. ac., sang., sepia, sulph.



Loose as from a large collection of mucus, but no expectoration, or scanty: ant. t., puls.

— during the day: calc. c., sil.

— later, dry at first, with profuse yellow expectoration: calc., c.

— morning cough is more fatiguing than the dry evening cough: squil.

— midnight, after: calc. c.

— mornings: chel., stann., sulph.

— — till evenings: bad.

— rattling in: ant. t., brom., dulc., puls., verat. v.

— but no sputa: ant. t., dros., phos., puls.

Loss of fluids, from: ferr., china.

Loud cough: acon., kali bi.

Lung, left, stitches in: rumex.

Lungs, as from dust in, cough: hep. s.

Lying aggravates or excites cough: ant. t., apis, ars., bell., borax, bry., calc. c., caps., carbo veg., caust., con., dros., dulc., ferr., hyos., ign., iod., ipec., kali c., kreos., lach., laur., lyc., merc. cor., natr. m., nitr. ac., nux v., phos., phos. ac., pinus, puls., rhus t., rumex, sabad., sang., sepia, sil., stann., sulph., thuja, verat. v.

— down, on, coughs at once, must sit up to sleep: pinus.

— ameliorates cough: acon., bry., ferr., mang.; always: sepia, sulph., thuja, zinc. m.

— on abdomen ameliorates cough: alum., calc., phos., rhus t.

— on back aggravates cough: ars., iod., kali bi., natr. m., nux v., phos., rhus t., sil., spong.

— — ameliorates cough: acon., mang.

— in bed aggravates or excites cough: ant. t., ars., bry., cact., caust., dros., ferr., hep. s., ign., kreos., lach., natr. m., nux v., phos., puls., rhus t., samb., sang., sepia, squil.

— down at first aggravates cough: con., iod., phos., pinus, puls., rumex.

— with head low aggravates cough: china, hyos., puls., sang.

— — — ameliorates cough: samb., spong.

— on affected or painful side aggravates cough: acon., kali c., kreos., merc. v.

— — — — — ameliorates cough: bry., nux v.

— — left side aggravates: acon., ant. t., bry., china, crot. h., iod., ipec., lach., lyc., merc. v., phos., puls., rhus t., rumex, senega, sepia.

— — right side aggravates or excites cough: acon., carbo an., ipec., kali bi., merc. v., phos., spong., stann.

— — — — ameliorates cough: phos.

— — side aggravates cough, better on back: acon.

Man, old, child, coughs like a: sulph.

Manubrium, stitches under, with cough: merc. v.

Meals, cough after: ferr.

Measles, cough after: bry., calc. c.; chronic: camph., caust., chel., china, con., dros., dulc., gels., hep. s., hyos., ign., iod., kali c., nux v., puls., sticta, squil.

- Measles, hoarse, without fever: spong.
- Membrane, tough, as if a moved up and down in throat with cough:  
kali c.
- Menses cease with cough: ferr.; hollow: bell.
- Metallic, cough sounds: kali bi., iod., rumex, sang.
- Midnight after, worse: ant. t., ars., calc. c., dros., nux v.  
— at, worse: bell.; hollow: digit., hep. s.; moist: samb.  
— before, worse: carbo veg.  
— evening, and, moist, after dry: hep. s.  
— dry, before, after loose: calc. c.  
— soon after, on waking, tearing cough in old and withered people:  
alum.
- Moaning after cough: bell., lach.
- Moist cough: hep. s., merc., v.
- Mornings, worse: apis., con., digit., dros., hep. s., kali bi., kali c., kreos.,  
lyc., rumex, verat. a.  
— each day a long attack of coughing, ending in raising a little tough  
white mucus: alum.  
— evenings, and, worse: ars., carbo an., caust., kreos.; spasmodic:  
chel.; loose: stann., sulph.  
— on rising: alumen., borax, hep. s.; at 3 A.M.: kali c.; after dress-  
ing: ferr. phos.  
— loose cough more fatiguing than the dry evening cough: squil.  
— — and evenings dry: nux v.  
— serous sputa, with, and flocculi: hep. s.  
— spasmodic: kreos.; and sweat after: iod.
- Motion aggravates: bapt., brom.; from violent: bry.; from least: carbo  
veg.; from walking in open air: china, ferr., kreos., laur., lyc.;  
least: merc. v., senega, spong., sil.  
— ameliorates cough: phos.; or sitting up: carbo veg.
- Mouth and nose, bleeding from: dros., nux v.
- Much, must cough very much: tub.
- Mucus, rattling of much, but no expectoration: ant. t., puls., verat. a.
- Music aggravates cough: calc. c., kali c., kreos., phos. ac.
- Mustard, salt or pepper aggravates cough: alum.
- Nausea: ant. t., ars., bry., calc. c., dros., elaps., hep. s., iod., ipec., kali  
bi., kali c., lach., merc. v., natr. m., nitr. ac., nux v., phos. ac.,  
puls., sepia, squil., verat.  
— and vomiting of food: bry.; sour after eating: kali c.
- Nervous cough: crot. h., dros.; spasmodic: plb. m.
- Night and day: carbo veg., lyc.; continuous: samb., sang., sepia, sil.;  
loose: stann.  
— — morning with sore pain in chest: caust.  
— at, worse: acal.; dry: arn., ars., ars. iod., bry., calc. c.; dry, hacking:  
cupr. m., ferr., hell.; must sit up: lach.; and morning: lyc.,  
merc. v., op., pinus, plb. m., samb., spig., squil., stann., sulph.,  
verat. v.

Night, cough at: acon., bell., bry.;—dry, loose by day: calc. c.; night, only when lying on side: carbo. an.; choking during cough: carbo veg., dros.; tickling as soon as head touches the pillow, in paroxysms, 1 or 2 hours apart: hyos.; dry, fatiguing: kali c.; dry, spasmodic, with diarrhea: lyc.; suffocating: lycopus., merc. v.;—only, or day only: rumex.; on first lying down: sang.; dry: sang.

— with sweat: acet. ac.; profuse, exhausting: tub.

Nose stopped: kali iod.

— bleeding: acon., bell., bry., carbo an., carbo veg., dros., dulc., ferr., hyos., iod., ipec., kreos., led., merc. v., natr. m., nux v., phos., puls., rhus t., sepia, sil., spong., sulph.

— mouth, and, bleeding: dros.

Obstinate cough at night: apis.

Odors of cooking cause cough: rumex; strong odors: phos.

Old, cachectic people, cough of: borax.

— man, child coughs like an old man: sulph.

— men and children cough a long time before expectorating: dulc.

— — — cough of: dulc.

— — winter cough of, fatiguing, spasmodic, violent: kreos.

— withered people, cough of: alum., caust., ferr. phos.

Pain in distant parts of the body, and anxiety with cough: bry.

— violent, in one limb, with cough: caps.

Painful cough: bry., carbo veg., ferr. phos., kali c., puls., squil.

Palpitation with cough: arn., calc. c., kali bi., natr. m., puls., spong., stram., sulph.

Panting with cough: dulc., kali bi.

Paroxysmal cough: ant. t., ars. iod., bad., bry., carbo veg.; violent: caust.; with short breath: chel., con., dros.; one or two hours apart, at night: kali bi., kali c., kreos., merc. v.; in two paroxysms: pinus; every two hours: sang., sepia.

— single, cough: kali bi.; two coughs: stann.; three coughs: merc. v.

Pepper, mustard or salt, after: alum., crot. h.

Persistent cough: acon., bell., cact., cupr. m., dros., hyos., ipec., lyc., merc. v., rumex, sang., squil.

Pharynx, burning in: ars., caust., sulph.

— tickling in: ars., sil.

Phthisis pulmonalis, cough in: crot. h., con., laur., natr. m.

Piano playing aggravates the cough: calc. c.; every note seems to strike the larynx: kali c., kreos.

Pleuritis, cough in: bry.; stitches in pleura with cough: ferr. phos., laur.; with sneezing: nux v., squil., sulph.

Pneumonia after suppression of: sepia; cough permanent for years: sang.

— distressing cough after: kali c.

— dry cough before: crot. h.

Pregnancy, cough during: calc. c., con., ipec., phos., puls., sepia.

Press chest, must, with both hands for relief: bry.

Prostration, great: ars., iod.

Racking cough: ars., ars. iod., bapt., calc. c., carbo veg., caust., chel.;  
as in consumption: china, dulc., iod., lach., led., nux v., merc. v.,  
op., phos., puls., rhus t., senega, sil., squil, stann., sulph., verat.  
a., zinc. m.

Rales, loud, through chest: natr. s.

— rare in frequent cough: senega.

Rattling with cough: amm. c., ant. t., bell., bry., calc. c., caust., chel., con.,  
dulc., hep. s., ipec., kali bi., lyc., natr. m., nux v., puls., squil,  
sulph., verat. v.

— — — in trachea, as if much would be expectorated, but nothing  
comes up, cannot expectorate: alum., ant. t., puls., verat. a.

— after every cough: sang.

Rawness, pain and pressure in chest: calc. c.

Reading aggravates cough: kali bi.; loud: nux v.

Reclining aggravates cough: lach.

Rest aggravates cough: ars., dros., dulc., ferr., hyos., nux v., phos., phos.  
ac., puls., rhus t., sabad., samb., senega sepia, sil., stann., sulph.,  
zinc. m.

— ameliorates cough: lach., psor., senega.

Restless with cough: acon., ars., bapt., iod., lach., samb., sulph.

Retching with cough: bell., brom., carbo veg., china, dros.; and vomiting:  
hep. s., ipec., kali bi., kali c., kreos., lach., lyc., merc. v., natr.  
m., nux v., puls., sepia, squil, stann., sulph.

Rib, left, short tearing in: hell.

Ringling cough: apis, verat. a.

Rising mornings, cough on: borax, brom., bry., calc. c.; dry, day and  
evening in bed: hep. s., nitr. ac., nux v.; before rising: tub.

Room, warm, aggravates cough: arn., ars., brom., bry., dros., dulc., ipec.,  
laur., lyc., lycopus., puls., senega, spong., rumex, verat. a.

Rough cough: bell., brom., cann. ind., carbo an., carbo veg., dulc., hep.  
s., iod., ipec., nux v., sepia.

Salt, pepper, mustard or any irritating substance aggravates or excites  
cough: alum., croc. h.

Scarlatina, variola, measles, cough after: calc. c., con., hyos.

Scraping cough: ant. t., bell., dros., hep. s., kali c., kreos., merc. v., nitr.  
ac., nux v., puls., samb., sepia, spong., stann.

Screeching cough: sepia.

Severe cough: acal., ant. t., kreos., lach., lyc., rhus t., rumex, sang.,  
sepia, sil., stann., verat. v.; it shakes the whole frame: arn.,  
senega.

— shaking cough: ipec.

Sharp, cutting pain with cough: bry.

Shattering cough: rhus t., sil., stann.

- Short cough: acon., arn., ars., ars. iod., bad., bry., calc., carbo veg.; in short attacks: chel., ferr. iod.; short, hacking: iod., kali bi., kali c., lach.; with short breathing when sitting, lying or standing, worse on waking: laur., lob., lyc., phos., pinus, plb. m., puls., senega, sepia, stann., verat. v., zinc. m.
- Shoulder, as if dislocated, or would fly to pieces, better by pressure: rhus t.
- left, lying on, aggravates or excites cough: acon., bry., china, crot. h., ipec., lyc., merc. v., phos., puls., rhus t., rumex, senega, sepia.
- Side, lying on, aggravates: carbo an., kali c., kreos., lyc., merc. v., phos., puls., senega, sepia, stann., sulph.
- — — ameliorates, on back, aggravates: nux v.
- left, stitches in: crot. h., rumex.
- right, lying on, aggravates: acon., carbo an., ferr. phos., ipec., merc. v., spong., stann.
- — and flank, stitches in ameliorated by pressure: borax.
- — shooting stitches in: chel.; pain in: iod.
- — tickling in, worse lying on it: carbo an.
- — unable to lie on: merc. v.
- Singing aggravates cough: alum., dros., hyos., phos., rhus t., rumex, spong., stann.
- Single cough: kali bi.; after dinner: lob.
- Sit up, must, with cough: ars., bry.; at once: hell., hyos., kali bi., lycopus, natr. m., verat. v., zinc. m.
- — — and cough it out, then has rest: con.
- Sitting up or lying down aggravates: caust.
- — — — — ameliorates cough: lyc.
- or moving ameliorates cough: carbo veg.
- ameliorates cough: ant. t., natr. s., phos., puls., rhus t., sang.
- Sleep, aggravates cough: led., lach.
- awakened from, by cough: caust., kali c.
- disturbed by cough: alum., carbo veg., nux v., phos., rhus t., sang., spong., squil., zinc. m.
- during, without waking: acon., apis, arn., bell., calc. c., carbo an., hyos., kreos., lach., lyc., lycopus, merc. v., nitr. ac., phos., samb., sepia, sil., sulph., tub.; shaking patient: tub.
- waking from, cough on: acon., apis, bell., calc. c., carbo veg., caust., chel., china, crot. h., ferr., kali bi., kreos., lach., lachn., nux v., phos., phos. ac., psor., puls., rumex, sang., sepia, sil., spong., squil., sulph.
- — before cough: lyc.
- Sleeplessness with cough: ars., iod., kali c., kreos., nitr. ac., sulph., verat. v., zinc. m.
- sleep after each coughing spell: ign.
- Smoke, sensation of, in larynx or trachea, causes cough: ars., brom.; and in chest: kali bi.
- Sneezing during cough, in child, eyes water, rubs eyes and nose: squil.

- Sneezing excites cough: senega; and cough causes sneezing: bad.
- cough ends with: psor., senega, squil.
- during or with cough: alum., ant. t., bad., bell., bry., carbo an., carbo veg., china, con., hep. s., iod., kali c., kreos., lob., merc. v., nitr. ac., nux v., sepia, sil., squil.
- Sounds loose, as from a large accumulation of mucus, but no expectoration: ant. t., puls., verat.
- Spasmodic cough: acon., apis, ars., ars. iod., bad., brom., bell., bry., cact., calc. c., carbo veg., china., con., erot. h., cupr. m., dros., dulc., ferr., ferr. phos., hyos., iod., ipec., kali bi., kali c., kreos., lach., lob., lyc., natr. m., nitr. ac., nux v., op., phos., plb. m., psor., puls., rumex., rhus t., samb., sang., sepia, sil., spong., squil., sulph., verat. a., zinc. m.
- in hard spells, not ceasing till masses of offensive sputa are expectorated: carbo veg.
- short, hacking, at night: con.
- Spot, small, pain in, in chest: ferr. phos.
- Spring and Autumn, cough: kreos.
- Sputum, as soon as last sputum is ejected, he feels relief: dros.
- Staggering after cough: iod.
- Stands, each time he stands still during a walk he coughs: ign., rumex.
- Sternum, burning pressure under: carbo veg., ferr., hep. s.
- dust under, and in throat: chel.
- irritation under middle of: lycopus.
- itching under, from: kali bi.
- pain under, better by pressure of hands: bell., kreos., phos., chel.; at night: rumex.
- pressure on: apis.
- tickling under: con.; at bifurcation of bronchi: lach.
- pains shoot from middle of, through chest, pleuritis: nitr. ac., nux v.
- tearing under, causes cough: phos.
- tickling under: iod.
- Stomach, bruised pain in, with cough: nux v.
- pain in, with: bell., bry., calc. c., kali c., lob., lyc., natr. m.
- cough seems to come from: ant. t., bell., bry., lach., merc. v., puls., sepia.
- pressure in: calc. c., kali c., rumex.
- rawness in: kali c.
- swells, must loosen clothes: kreos.
- tickling in: lach., nitr. ac.
- Stools involuntary with cough: bell., phos., sulph., verat. a.
- Stooping causes cough: arn., caust., chel., hep., s., kali c., laur., lyc., phos., senega, sil., spig., spong., verat. a.
- Strangling cough: ipec., stann.
- Stretching and yawning after cough: sang.
- Sudden cough: alum., ant., t., ipec., kali c.
- Suffocating cough: brom., carbo an., ipec.; evenings: kali c.; at 5 A.M.: kali iod., lach., laur., op.

Sulphur fumes or vapor in larynx or trachea cause cough: ars., brom., bry., calc. c., carbo veg., china, ign., ipec., lach., lyc., puls.

— taste of, cough from: ham.

Summer, in, cough is worse: sang.

Suprasternal fossa, burning in: ars.

— — irritation in: apis.

— — tickling in: apis, bell., brom., caust., con., crot. h., ign., iod., kali bi., lach., natr. m., puls., rumex, sang., sil., squil.

Suppress cough, desire to: ars. iod., bad., kali c.

Swallowing, empty, aggravates cough: lyc.

Sweat with or after cough: ars., calc. c., iod.; mornings, profuse all over: op.; cold on forehead: pinus, verat. a.

Swinging arm to and fro ameliorates cough: rhus t.

Talking excites or aggravates cough: acon., alum., arn., ars., bell., bry., calc. c., carbo veg., caust., china, con., crot. h., cupr. m., digit., dulc., ferr., hep. s., hyos., ign., iod., ipec., kali bi., lach., mang., merc. v., nitr. ac., phos., pinus., psor., rhus t., rumex, sil., spong., squil., stann., sulph.

Tea aggravates: ferr., thuja.

Tearing loose, something seems to be, in chest, with: calc. c., nitr. ac. nux. v.

— dry at night: sulph.

— — pain in chest: elaps.; worse on bending forward: rhus. t.

Tears with cough: chel.; streaming down cheeks: natr. m.

Teasing cough: cann. ind.; frequent: kreos.

Tedious cough: tub.

Temples, pain in, with: lyc.

Terrible cough: lach.

Testes, pain in, with: natr. m., zinc. m.

Thinking of cough aggravates: baryt. c., nux v.

Thirst, absent, with: bry.

— with cough: calc. c.

Throat, child grasps, with each cough: acon., cepa.

— constricted: apis, bell., calc. c., verat.

— dryness in, causes cough: alum., amm. c., phos., puls., sang., stann., sulph.

— dust, in, as from: chel., ign.

— rattling in: kali bi.

— rawness in, extending to chest, causes cough: caust., iod.

— scraping in, causes constant cough, hacking, hawking and spitting: acon.

— scratching and scraping in, causes cough: acon., arn., kreos., psor.

— — — — cough from: acon., kreos.

— stinging in, causes cough: carbo veg., kali c., nitr. ac., nux v., phos.

— stitching in, causes cough: acon., alum., bry., hep. s., kali c., lach., lyc., nitr. ac., nux v., phos., sil.

— stretching the, causes cough, or aggravates: lyc.

- Throat, sulphur fumes in: ars., brom., bry., carbo veg., china, ign., ipec., lach., lyc., puls.
- sore, as of an ulcer in: lach.
- tickling in: acon., bapt., con., caust.; left side of, above larynx: ferr., hep. s., kali c., lach., nux v., psor.; on right side below larynx: stann.
- pit, pressing or touching, causes cough: ran. b., rumex.
- — tickling in: apis, brom., bell., caust., con., crot. h., ign., iod., kali bi., lach., natr. m., puls., rumex, sang., sil., squil., kreos., stann.
- Throbbing in arteries: calc. c.
- — brain, with cough: ferr.
- Tight cough: afternoon and evening: bad.
- Tobacco smoke aggravates: dros., ferr., hell., nux v.
- Tongue, from putting out only a little: lyc.
- Tormenting cough: ferr. phos., kreos., pinus.
- Touch, the slightest, aggravates: bell., china, lach.
- Time of cough: 1 to 3 A.M., with gasping: ars.
- 3 A.M.: bapt., kali c.
- 3 A.M., then every hour: kali c.
- 4 or 5 A.M.: kali c.
- 4 P.M. daily, blood is coughed up: mill.
- 4 to 5, or 8 P.M. aggravated: lyc.
- 6 A.M.: tub.
- 9 P.M. to 4 A.M.: apis.
- 10 or 11 P.M.: bell.; 11 P.M.: ant. t.
- 11 P.M. and 2 to 5 A.M.: rumex.
- Trachea, crawling in: sang.
- — and creeping in: carbo veg., caust.
- dry: alum., calc. phos.
- feather, tickling in, sensation of: calc. c.; violent on left side: caust.
- lump and tickling in: carbo veg.
- membrane, tough, seems to move up and down: kali c.
- mucus in: caust., squil.; must cough and hawk much to loosen it: bry.
- plug of mucus seems to move up and down: calc. c.
- rattling loud, as from a large collection of mucus, as if much would be expectorated, but only little comes up: ant. t., puls.
- scraping in: bry., stann.
- scratching in: lach.
- skin, loose, as if, hanging in: alum.
- sore streak down along, with every cough: caust.
- tearing in, at night: stann.
- tickling in: arn., brom., caust., ferr., iod., lach., led.; worse at night: lyc., kreos.; on right side below larynx: stann.
- from touching the: rumex.
- Uncovering or undressing causes cough: chel., hep. s., kali bi., nux v., rhus t., sil.



- Urine, involuntary discharge of, with cough: alum., apis, bell., bry., carbo an., caust., dulc., ferr. phos., hyos., ipec., kreos., lach., laur., natr. m., nitr. ac., phos., phos. ac., psor., puls., rhus t., rumex, sepia, spong., squil., sulph., verat. a., zinc. m.
- Uvula elongated: alum., bapt., con., hyos., natr. m.
- severe stitches in: ham.
- Vapor, irritating, in larynx: bry., crot. h.
- Variola, measles or scarlatina, cough after: calc. c.
- Vertex, stitching in, with cough: alum.
- Violent cough: alum., ant. t., ars. iod., bell., borax; hacking: bry., caust., chel.; for years: kali bi., led., lyc., nitr. ac.; from midnight till daybreak: nux v.; at night: op., samb., spig., stann.
- Vomiting with cough: alum., ant. t., arn., ars., ars. iod., bell., bry., calc. c., caps., carbo veg., china, con., cupr. m., dros., ferr., gels., hep. s., hyos., iod., ipec., kali bi., kali c., lach., lob., merc. v., mill., natr. m., nux v., phos., phos. ac., plb. m., puls., rhus t., sabad., sang., sepia, sil., sulph., thuja, verat. a.
- food, of: bry., ipec.; inclined to: kreos.
- pain, and great, with apparently much mucus in bronchi and trachea, little or none being expectorated: ant. t., puls.
- tough white or yellow mucus for weeks: dros., kreos.
- with or after, of food and sour mucus: kali c.
- — retching evenings: carbo veg.
- after meals: ferr.; of sweetish matter: calc. c.
- Vomiturition, retching with cough: ant. t., ars., bell., brom., carbo veg., caust., china, cupr. m., dros., dulc., hep. s., hyos., iod., ipec., kali bi., kali c., kreos., lyc., merc. v., natr. m., nux v., puls., senega, sepia, squil., stann., sulph., verat. a.
- Wakened by cough: acon., alum., apis, arn., ars., bell., calc. c., caust., con., dros., hep. s., kali c., hyos., lach., nitr. ac., nux v., op., phos., rhus t., sang., sepia, squil., sulph., zinc. m.
- Waking at 10 or 11 P.M. with three or four coughs at a time, which occur every five minutes: bell.
- on, cough: apis, bell., calc. c., carbo veg., caust., chel., china, crot. h., ferr., kali bi., kreos., lach., nitr. ac., nux v., phos., psor., puls., rhus t., rumex, sang., sepia, sil., spong., squil., sulph., thuja.
- — — is worse: mang.
- morning, in the, with cough and tearing pains, in old withered people: alum., caust., ferr. phos.
- Walking in open air aggravates cough: carbo veg.
- Warm air, going from, to cold aggravates cough: verat. v.
- — excites cough: ant. t., iod.
- — ameliorates cough: phos., rumex, senega.
- drinks aggravate cough: ant. t., caps., laur., stann.
- — ameliorate cough: ars., alum., lyc., nux v., rhus t., spong., verat. a.
- food ameliorates cough: spong.
- — excites cough: kali c., laur., puls.

- Warm room aggravates cough: arn., ars., brom., bry., dros., dulc., iod., ipec., laur., lyc., puls., senega, spong., verat.
- — going from, into cold air, aggravates or excites cough: carbo veg., nux v., rumex, sepia.
- — entering, from open air aggravates cough: acon., cupr. m., dulc., puls., sepia, sulph., verat. v.
- — going from, to open cold air or vice versa causes cough: acon., carbo veg., lach., nux v., rumex, sepia, verat. v.
- Warmth aggravates cough: arn., ars., brom., bry., dros., dulc., iod., ipec., laur., lyc., puls., senega, spong., verat. a.
- Washing chest in cold water ameliorates cough: borax.
- Water, cold, drinking, ameliorates cough: caust., cupr. m., op., sulph.
- Weakness, great: ars., ferr., iod., verat. a.; not noticed till attempt is made to rise or move: ars.
- Wearing, exhausting cough: stann.
- Weather, any sudden change of, as from warm days to cold nights aggravates: dulc., verat. a.
- warm, approach of, causes cough: kreos.
- wet aggravates cough: con., iod.
- Wet, getting, aggravates cough: dulc.
- Wheeze, begins with, and ends with a whistle: samb., sang.
- Wheezing and panting breathing wakes him, then he coughs, which compels him to sit up: kali bi.
- breathing with cough and frothy expectoration: ars.
- cough: acon., ant. t., bell., brom., carbo veg., china, con., cupr. m., dros., dulc., hep. s., hyos., ipec., iod., kali bi., kali c., kreos., lach., lyc., phos., puls., samb., sang., spong., verat.
- — excited by terrible tickling in larynx and trachea, worse on waking: kali bi.
- Whistling cough: acon., ars., brom., hep. s., iod., kali bi., kreos., laur., lyc., sang., senega, spong.
- Wind aggravates cough or causes it: lyc., lycopus., stram.
- walking against the wind aggravates: hep. s., stram.
- Wine ameliorates cough: borax.
- Winter cough of old people, very fatiguing, spasmodic, violent, worse at night: kreos.
- — returns every winter: psor.; lasting all winter: lach.
- Yawning after cough: op., sang.

---

EXPECTORATION

- Absent or scanty: apis, brom., bry., dros., ferr. phos., ipec.; though child's chest sounds full: nux v., senega, stann.
- Acrid: ars., caust., carbo veg., ferr., iod., kreos., lach., lyc., merc. v., nux v., phos., puls., rhus t., sil., verat. a.

- Adheres to vessel like glue: ant. t.
- Aggravates: china, digit., led., nux v., sepia, sulph.
- Albuminous: alumen., apis, calc. c., ipec., kali bi., phos., senega, sepia, silph., sil., stann.
- profuse in last stage of phthisis: silph.
- Ameliorates cough: acal., ant. t., apis, brom., calc. c., carbo an., iod., kreos., lach., lob., sang., sepia, zinc. m.
- hoarseness, after least: dros.
- Balls, like peas, of a carrion-like odor when crushed: hep. s.
- small, round, difficult to expectorate: squil.
- Batter, like, thin, flies to pieces when falling on paper or any hard, smooth surface: phos.
- Black: bell., china, kali bi., lyc., nux v., puls., rhus t.
- Blood or bloody: acet. ac., arn., ars., bell., bry., calc. c., carbo an., carbo veg., china, croc. h., dros., dulc., elaps., ferr., ham., hep. s., iod., ipec., kali bi., kali c., kreos., lach., lachn., laur., led., lyc., merc. v., mill., natr. m., nux v., phos., phos. ac., puls., rhus t., sang., sepia, sil., stann., sulph., zinc. m.
- black: arn., carbo veg., china, digit., dros., elaps., kali bi., kreos., nitr. ac., nux v., phos. ac., puls., zinc. m.
- bluish: arn., brom., carbo veg., ham., phos., puls.
- bright red: acal; clear, worse in the morning, a severe fit of dry coughing, followed by spitting of bright red blood in tuberculous subjects: acal.
- — — morning, in the: acon.; fluid: ars.; mixed with clots and mucus: arn.; clear, escapes with an easy attempt at vomiting: dros., dulc., ferr.; clear: ferr. phos.; fluid, fresh: iod.; with mucus: ipec.; with mucus and pus: kali bi.; coagulated: lyc., merc. v.; frequent and profuse, coughed up every 4 p.m.: mill.; frothy: nux v., phos. ac.; bright red fluid comes up with a slight cough, feels warm in the mouth, at times with mucus: phos.; worse lying down: sabad.
- brown: brom., bry., nitr. ac., phos., rhus t.
- clots, fine, blood sprinkled and dotted through and over the sputum in fine distinct clots: laur.
- clotted and pus with violent pain in chest, phthisis: dros.
- dark, semi-fluid: arn., carbo veg.; expelled with a hacking cough, coughed or hawked up: calc. c.
- — lumps, worse at night: acal.
- — — evenings, difficult to expectorate: kali c.
- dark, not coagulated: alumen., carbo veg.;—coagulated: brom.
- — brownish: phos. ac., puls.
- florid: acon., ferr. phos., ipec., mill., verat. v.
- fluid, thin: acon.
- foamy, bright red, bursts forth by hawking or coughing: arn., ars., bell., calc. c., carbo veg., dulc., ipec., led., mill., phos.

- Blood, frothy: ant. t., arn., led., phos. ac.; pale: sil.  
 — hardened: con.  
 — tasteless: dulc.  
 — offensive, mixed with clots: arn., ars., borax, bry., dulc., iod., lachn.,  
   nitr. ac., nux v., rhus t., stann., sulph.  
 — seems to come from the chest, at midnight, with throbbing head-  
   ache: led.  
 — streaked: acon., ant. t., arn., ars., bry., chel., ferr. phos., iod., kali  
   c., lyc., natr. m., op., phos., plb. m., sang.  
 — warm, bubbles up and flows from the mouth: mill.  
 Bloody: acal., acon., alum., arn., ars., bad., bell., borax, bry., cact., calc.  
   c., carbo an., carbo veg., china, croc. h., digit., dros., dulc.,  
   elaps., ferr., ham., hep. s., hyos., iod., ipec., kali bi., kali c.,  
   kreos., lach., lyc., mang., merc. v., natr. m., nitr. ac., nux v., op.,  
   phos. ac., phos., plb. m., rhus. t.; like brickdust, raised with  
   difficulty: sepia, sil., squil., stann., sulph., zinc. m.  
 — mucus: acal., acet. ac., alumen., ant. t.; long after coughing: apis,  
   aran., arn., ars., bell., brom., bry., cact., carbo veg., chel., con.,  
   croc. h., dros., dulc., elaps., ferr., ferr. iod., ferr. phos., gels.,  
   ham., hep. s., iod., ipec., kali bi., kali c., kali iod., kreos., lach.,  
   lachn., laur., led., lyc., merc. v., natr. m., nitr. ac., nux v., op.,  
   phos. ac., phos., plb. m., puls., rhus t., sabad., sang., sepia, sil.,  
   squil., stann., sulph., verat., zinc. m.  
 Blue: worse mornings: kali bi.  
 Bluish, transparent, jelly-like, enclosing a little black dust in center:  
   phos.  
 Brickdust, as if mixed with, raised only with straining and vomiting:  
   lach., rhus t.  
 Brown: acon., bry.; caps.: dirty brown and rusty; carbo an.: dark; carbo  
   veg., chel.: bloody; nitr. ac.: blood; nux v.: blood; phos.  
 — like liver: bry.  
 Clear: alum., natr. m.; cold: bry., cann. ind., lach., nitr. ac., merc. v.,  
   nux v., phos., rhus t., sulph.  
 Cough much, must, before expectorating: bry., dulc., lach.;—though  
   the chest seems full: mang., psor., sang.  
 Creamy: caust., squil.  
 Dark, or dark green: ars.; or greenish, green or dark brown: carbo an.  
 Day only: calc. c., sil., stann.; and mornings: acon.; loose during the  
   day: sulph.  
 Dirty brown or rusty: elaps.  
 Difficult to loosen: acon., alum.; great relief after: arn., ars., ars. iod.,  
   calc. c., cann. ind., china, con., helix, hep. s., iod., ipec., kali  
   bi., kali c., natr. m., nitr. ac., nux v., op., phos., rhus t., rumex,  
   sang.; small round balls, after severe coughing: senega, sepia,  
   squil.; adheres to the throat and is difficult to detach: stann.;  
   worse at night, impossible on account of shortness of breath:  
   sulph.

Difficult, relief after: ant. t., apis, brom., dros., lach., sang.;—after least: dros.

Dirty looking: calc. c.

— — like dust: kali bi., kali c., lyc., phos.

Easier on turning from left to right side and lying with head high: kali c.

— lying on abdomen: podo.

Easy: kali s.;—watery: kreos.

— and great relief after: apis, lach., sang.

Evenings till mornings, worse: ferr.

— without, mornings with copious sputum: ferr., sulph.

— worse: stann., before lying down.

Expectoration aggravates: digit., china, led., nux v., sepia., sulph.

Fetid: ars., calc. c., carbo veg., led., lyc., sil.

— flakes, tough: carbo an.

Flies forcibly from mouth and nose: bad., chel., kali c., phos.

— from mouth in hard, round, white masses, with slight coughing or hawking: kali c., phos.

— — — — lumps of mucus, when detached by coughing: chel.

Fluid: acon., calc. c.

Foamy, frothy: acon., ant. t., apis.; frothy, white, very characteristic: ars.; frothy masses, with yellow mucus: calc. c., con.; clear mucus: dros., ferr., hep. s., lach., lyc.; mornings: natr. m.; blood and mucus: nitr. ac., nux v., op.; bright red frothy blood: phos. ac.; serous: phos., sil., stann., verat. a.

Gelatinous: acon., bry.; calc. c.: gluey; iod.: gluey; kali bi.: viscid; phos.

Glairy: arn., stann., silph.

Granular: lyc.; sil.: offensive odor.

Gray: acon., ars. iod., calc. c., carbo an., chel., china, dros., ham., iod. kali bi., kali c., kreos., lach., lyc., mang., natr. m., nux v., phos., rhus t., senega, sepia, stann.

Grayish yellow: ars., chel., dulc., ferr. iod., lyc., nux v., rhus t., sepia, stann.

Green: arn., ars., cann. ind., carbo an.; carbo veg.: greenish yellow; ferr., ham.: greenish gray; kali c.: scabs; kali iod.: copious; kreos.: yellow pus; lach.: tough; led., lyc., mang., plb. m., puls., sepia, sil., stann.: offensive, sweetish.

Hemoptysis: (see blood, bloody) acal., acet. ac., bell., cact., chel., con., crot. h., elaps., ferr., ferr. iod., ferr. phos., helix., hep. s., hyos., iod., ign., ipec., kali bi., kreos., lach., led., lyc., lycopus., mang., mill., myrtus., nux v., op., phos. ac., phos., plb. m., rhus t., sang., sil., stann., sulph., tereb., verat. a., verat. v., zinc. m.

— alternating with epistaxis: ferr.

— purulent, bloody sputum: plb. m.

— rheumatism and coxalgia: led.

— blood black: crot. h., elaps; in bronchitis: ars.

- Hemoptysis, blood bright red: acal., acet. ac., acon., ars., ars. iod., bell., ferr., ferr. iod., ferr. phos., hyos., ipec., led., kali bi., mill.
- — — — every few hours, from cardiac irritation with convulsive cough: cact.
- blowing wind-instruments, from: rhus t.
- burning over the whole body, with: ars.
- bronchitis, burning in chest and stomach, in: ars.
- cough, with slight, hemming and hawking: acon., sil.
- — throbbing in carotids: ars., melilot.
- cheeks and forehead hot and burning: bell., melilot.
- cardiac irritation, from, blood bright red every few hours, with convulsive cough: cact.
- cough, without any: ham.; cough, after hard: zinc. m.
- dark, venous blood, raised with little effort, without any cough: ham., helix.
- drunkards, of: ars., nux v., phos. ac.
- evenings dark, clotted, mornings bright red: acal.
- epistaxis, with: kreos.
- exhausting: ars., ars. iod.
- exertion, after any: verat. a.
- expectoration, with copious: stann.
- face red, with: ars., bell., ferr.
- frothy, thick, painless, with mucus: op.
- headache, with beating: led.
- lung, right, with stitches in: mang.
- mornings bright red, evenings dark, clotted: acal.
- masturbation, after: crot. h.
- mornings on rising, or mornings and evenings, scanty, bright red, or dark first, then watery: ferr.
- mucus and blood: ars.
- periodic, with fever, blood and greenish yellow pus, and pain in chest, can lie only on one side: kreos.
- in tuberculosis: ferr., myrtus.
- Hemorrhage (see blood and bloody): acal., acet. ac.; acon.: with anxiety; alumen., aran., arn., crot. h., ferr., iod., ipec., kali iod., kreos., merc. v., mill., phos., phos. ac., puls., sang., sil., tereb.
- body, from all parts of the: acet. ac., alumen., aran., ipec., lach., nitr. ac., phos.
- dark: crot. h., kreos., puls.
- distress and restlessness before, and relief after: kali iod., kali n., tereb.
- injuries, after, blood dark: arn.
- exertion, the least, aggravates: ipec., iod.
- lungs, chiefly from: merc. v., phos. ac., phos.
- — nose or rectum, from: kali iod.
- profuse: kreos., phos., tub.

Hemorrhage, relief after: kali iod., kali n., tereb.

— teeth, after extraction of: alumen., arn., ipec., rhus t.

— vicarious, in consumptive girls: sang.

— vomiting with easy attempt at, blood bright red: ferr.

Hemorrhoids, from suppression of, by being chilled: alum., nitr. ac.,  
nux v., sulph.

Hair dark: iod.

— light: brom., calc., hep. s., sil.

Hands burning: natr. m.

— cold and numb, worse at night: zinc. m.

Hawking and spitting constantly: acon.

Hawked up: ant. t., ars., ars. iod., calc. c., caust., carbo an., con., dros.,  
ferr., hep. s., iod.; kali bi.: thick, clear, black mucus; kali c.,  
lach., laur., lyc., nux v.; phos.: gray, salty; phos. ac., plb. m.,  
rhus t., senega., sepia, stann.

— — more on exhaling strongly and scraping the throat: senega.

— — with burning soreness in larynx and left bronchus: rumex;  
constantly: lach.

Hawking or coughing mucus up relieves the hoarseness: stann.

— up mucus from the larynx, trachea and bronchi: kreos.

— — heavy mucus night and mornings: ars. iod., caust., kali bi., sil.;  
ichorous: ars.

— — mucus and thick clear blood: kali bi.

Impossible: iod.; with mucus rales: ipec.

Infrequent: acon., arn., bell.; only after coughing long: bry.

Jelly-like mucus: cact., laur.; transparent, with a little black dust in the  
center: phos.

Loose: ferr., lach.; rattling: lyc.; but no sputa: senega.

Loosen, difficult to: brom., con., iod.

Lumps, round, cherry red: acon.; small, white: borax; yellowish, round:  
bry.; hard, round, gray mucus: lach.; tough mucus: mang.;  
gray: plb. m., stann.

Measles, after: bry., calc. c., chel., china, con., cupr. m., dros., dulc.,  
hep. s., hyos., kali c., nux v., puls., squil.

Milky-looking: sepia, sil. (ars., carbo veg., ferr., puls., sulph.)

Midnight, after, and morning: led.

Morning and day worse: acon., borax, sepia.

— mucus, blood-streaked: ars.; —and clotted blood: ars. iod.

— with, evenings without: acon., alum., ant. t., apis, arn., ars., bell.,  
bry., calc. c., calc. phos., carbo an., carbo veg., caust., cupr. m.,  
digit., dros., ferr., hep. s., hyos., ipec., kali c., kreos., lach., led.,  
mang., natr. m., nitr. ac., nux v., phos. ac., phos., puls., rhus t.,  
senega, sepia, sil., spong., squil., stann., sulph., verat. a., zinc. m.

Mucus, tenacious, hard to loosen: ars.

— thin, watery, yellow: kali s.

Mucus tough, white: alum; frothy: ars.; yellow, difficult to loosen: brom.; transparent: dulc., ferr.; tenacious: ferr. iod.; ropy: kali bi.; tough, vomited mornings: plb. m., sabad., sang., senega, sil.; with much black blood: stann.

—viscid: acon., bad., hep. s., kali bi.

— white, bloodstreaked, mixed with clotted, brownish blood: acon.; yellowish white: bry.; threads of mucus: dros.; frothy pink: ferr. iod.; profuse reddish: kali bi., kali c., rhus t., sang., sepia, silph.; frothy: senega, squil., zinc. m.

— whitish and a little dark or purple blood: digit.

— yellow, frothy, mixed, spotted or enveloped with blood: ars.

Night, at: caust.; black blood: kreos.; tenacious: lach., sulph.; worse when lying: zinc, m.

— only: rhus t., staph.

Odor offensive, putrid: alum., ars., bell.; borax: mouldy; bry., calc.: putrid; carbo veg., caust., china, con., dros., ferr., hep. s., kreos., led., lyc., merc. v., nitr. ac., nux v., phos. ac., puls., rhus t., sang., senega, sepia, squil., stann., sulph.

Offensive, even to patient: sang.

Profuse: acon., alum, apis, ars., bry., cact., calc. c., carbo veg., chel., china; digit.: blood; dulc., hep. s., iod., ipec.: better mornings; kali bi., kali iod.: like soapsuds, green; kali s., kreos., lach.: hard; laur., lyc., merc. v., phos., plb. m., puls., sabad., samb., senega, sepia, sil., silph., spong.: aggravated when lying, better eating or drinking warm things; thick, reddish mucus; stann.: mornings; much in trachea: stram., sulph., tereb., tub., verat.

Prune juice or jelly-like, adheres like glue: phos.

Purulent: acal., arn., ars., ars. iod., calc. c.; carbo veg.: yellow; caust., con., digit., dros., ferr., hep. s., kali c.: mixed with blood and pus; kali iod., kreos., led., lyc., natr. s., phos., plb. m., sang., sil., silph., stann., stram., sulph., zinc. m.

Pus-like: calc. c.; dros.: bitter, offensive; dulc., ferr., kreos.: greenish-yellow, in large masses, followed by great prostration, can hardly speak; lyc., rhus t.: free, like thin pus, stained deep with blood; sepia: offensive, fetid; stann.: yellow-gray or yellow-green; verat. v.

Putrid odor: calc. c., con., cupr. m.; slime: ferr.; musty, fetid: ham., rhus t., sang., sil.

Rattling of mucus, but cannot raise any: ant. t., puls., verat. a.

Raise, cannot: ars. iod., kali c.

Relief, great, after: acal., ant. t., apis, brom., lach., sang.

— — — least: dros.

Ropy: alum., ipec., kali bi., merc. v., silph.

Rusty: acon., alum., ant. t., bry., iod., lyc., phos., rhus t., sang., squil.

Saliva bloody, ropy, watery, like spittle: merc. v.



Scanty: acon., alum., apis, arn., brom., bry., calc. c., chel., ferr., helix, hep. s., iod., kali bi., kali c., lach., led., lyc., mang., nux v., op., phos., pinus, puls., rhus t., rumex, samb., sang., sepia, sil., spong., stann., tub., zinc. m.

Sensation as if he could not get under it deep enough to loosen it: caust.

Sit up, must, at night to expectorate: ferr., phos.; aggravated after sleep: lach.

Slimy, glairy with black blood: arn., china; ferr.: putrid; iod., kali s., kreos., sepia, squil., stann.

Starch, like boiled: cact.

Sticky, watery, with coryza: lach.

Strangling: kali bi., sepia.

Stringy: ars., ars. iod., ferr., iod., kali bi., lach., lyc.; but separated easily: sang., silph.

Swallowed, must be, what has been loosened: ant. t., arn., caust., con., dros., kali c., lach., sepia, spong., zinc. m.

Syrup-like: carbo an.

Taste bitter: ars., bry.; mornings: verat. a.

— cheese, like old: china, kali c.

— cold: merc. v., nux v.

— greasy: sil.

— metallic: zinc. m.

Mouldy, leaves in mouth and throat a mouldy smell: borax.

— nauseous: ars., bry., calc. c., china, digit., dros., iod., ipec., kali c., merc. v., natr. m., nitr. ac., nux v., phos., puls., sabad., samb., sepia, sil., squil., stann., sulph., zinc. m.

— offensive: verat. a.

— — putrid: acon., alum., arn., ars., bell., bry., calc. c., carbo an., carbo veg., caust.; con.: like rotten eggs; cupr. m., dros., ferr., ham., iod., ipec., kali c., kreos., led., lyc., merv. v., nux v., phos., phos. ac., puls., rhus t., samb., sepia, sil.; stann.: repulsive; sulph., verat. a., zinc. m.

— salty: acon., alum., ant. t., ars., bell., calc. c., carbo veg., china, con., dros., hyos., iod., kali bi., lach., lyc., merc. v., phos., phos. ac., plb. m., samb., stann., sulph., verat. a.

— sour: ant. t., ars., bell., bry., carbo an., carbo veg., china, con., dros., ferr., hep. s., hyos., iod., ipec., kali c., lach., laur., lyc., merc. v., natr. m., nitr. ac., nux v., phos., phos. ac., plb. m., puls., rhus t., sepia., spong., stann., sulph., verat. a.

— sweet: acon., alum., ant. t., apis, ars., calc., china, digit., ferr., hep. s., iod., ipec., kali bi., kali c., kreos., laur., lycopus., lyc., merc. v., nux v., phos., plb. m., puls., rhus t., sabad., samb., sepia, squil., stann., sulph., zinc. m.

Tasteless: apis, calc. c., dulc., sulph.

Tenacious: alum., ars., bry., carbo veg., dulc., ferr., hep. s., iod., kali bi., lach., laur., lyc., merc. v., natr. m., nux v., phos., sabad., sang., senega, sepia, stann., verat. a., zinc. m.; at night: sulph.

- Thick: alum., ant. iod., ars., bad., calc. c., caust., ferr. iod., ham., kreos., lyc.; yellow: puls., sang., sil., silph., stann., tub.
- Thin: acon., ferr., kali s., puls., silph., sulph.
- Tough: ant. t., brom.; bry.: gelatinous, hard to detach; carbo an., carbo veg., dulc., iod., kali bi., kali c., lach., lyc., mang., nitr. ac., nux v., phos., sang., sil., verat.
- Transparent: apis, arn.; bluish, with a little black dust in center: phos.
- Tubercles: carbo veg., hep. s.; phos.: brown offensive; soft, fetid, the color of peas: mag. c.;—of sweetish, unpleasant taste: lycopus.
- Viscid: cact., like boiled starch; mang., merc. v., sil.
- Water, on falling in, it leaves a tail, like a meteor, of tough mucus after it: calc. c.
- if thrown in, it sinks to the bottom and spreads like a heavy sediment: sil.; floats in: silph.
- runs from the mouth: lach.
- Watery: kali s., silph., stram.
- White: ars., frothy; borax, brom.: yellowish; calc. c., caust., digit.: with a little dark or purple blood; kreos., phos. ac., puls., sang., sepia, stann., zinc. m.
- Yellow: ant. iod., bad., borax; brom.: white; bry.: yellowish-green; cact., calc. c., calc. phos., carbo veg., dros., ferr. iod., ham., hep. s., iod.; ipec.: lemon colored; kali bi.: yellowish-green; kali c., kali s., kreos., lach., lyc., mang., merc. v., natr. m., nux v., phos., puls., sabad., samb.; sang.: yellowish white; sil., stann.: yellow-gray or green; stram.: bloody; verat. a., zinc. m.
- brown or green: ars., frothy; pus, greenish: kreos.; thick yellow: ars.; thick white: kali c.

---

### AGGRAVATIONS

- Air, change of, from warm to cold or the reverse: acon., carbo veg., cepa, kali c., lach., nux v., phos., rumex, verat. v.
- — — aggravates catarrhal fever with pain in chest, elbow and knee, cough and coryza: myrtus.
- — — going from cold to warm: acon., bry., caust., cupr. m., dulc., puls., sepia, sulph., verat.
- — — warm to cold: carbo veg., con., phos.
- close, of room: natr. m.
- cold: alum.; ars.: except headache; ars. iod., bell., brom., calc. c., carbo an., carbo veg., caust., con., cupr. m., dros., dulc., hep. s., kali c., kreos., lob., nux v., phos., psor., rumex, sil., spong.
- — damp basements or cellars: aran., ars., calc. c., dros., dulc., natr. s.
- daught of: acon., bell., calc. c., carbo an., caust., china, hep. s., kali c., natr. m., phos., sepia, sil., sulph.
- Alone: ars., brom., calc. c., camph., con., elaps., kali c., lyc., phos., sil., stram., zinc. m.

Ascending: ars. iod., borax, calc. c., spong. (ars., baryt. c., bell., bry., caust., cupr. m., hep., merc. v., nux v., phos., rhus t., senega.)

Afternoon: lyc., puls., sepia.

Autumn: china, merc. v., nux v., rhus t., verat.

— warm days and cold, damp nights: dulc., merc. v.

Bad news: gels.

Bathing: caust., nitr. ac., rhus., sulph.

— in the sea: ars., rhus t., sepia.

Bed, turning in: kreos.

— warmth of: psor., sulph; but ameliorated from rest in bed: merc. v.

Brandy: ign.

Breakfast, during: alumen.

Breathing deep: borax, bry.

Bright, shining objects, looking at: bell., stram.

Butter: carbo veg.

Catarrh, suppressed: carbo veg.

Coffee: ars., caust., hep. s., ign., merc. v., nux v., puls., rhus t., sulph.

Commotion: spig.

Concussion: spig.

Dampness: calc. phos.; of cellars or basements: ars., dros., natr. s.

Darkness: stram., calc. c., carbo an., caust.

Day, during the: alum., bell., natr. m., nitr. ac., puls., rhus t., sang., sepia, sulph.

Days, alternate, on: aran., china, lyc., natr. m.

— hot and cool nights: acon., dulc., merc. v.

Dentition: kali c., kreos.

Descending: bell., borax, con., ferr., verat.

Drinking: ars., bell., dros., lach., natr. m., phos., psor., sepia, verat. a.

— cold things: acon., alum., ars., bell., calc. c., digit., elaps., camph., ign., lachn., lyc., natr. m., nux v., phos., rhus t., spig., spong., sulph.

— or eating cold things: lyc., sil.

— warm things: brom., bry., carbo veg., dros., hell., kali c., lach., merc. v., phos., phos. ac., puls.

Dust: bell., brom., carbo veg.

Eating, after: alum., arn., borax, bry., cact., calc. c., carbo an., carbo veg., caust., chel., china, con., hyos., ign., kali c., ran. b., rhus t., sepia, sil., sulph., zinc. m.

— cold food: ars., con., hell., hep. s., kali c., kreos., lyc., mang., merc. v., nux v., plb. m., phos., spig., stann., sulph.

— warm food: alum., baryt. c., bell., bry., calc. c., carbo veg., hell., kali bi., kali c., merc. v., phos., phos. ac., puls., sepia, sil.

— salt, sour or spiced food: borax, carbo veg., dros.

Emotion: china, ign., gels., phos., phos. ac.

Eruptions suppressed: dulc., sulph.

- Evenings: acon., alum., arn., bell., calc. c., carbo an., caust., dros., dulc., kali c., kreos., nitr. ac., phos., plb. m., puls., sang., senega, sepia, sil., stann., sulph., zinc.  
 v., natr. m., nux v., phos., puls., rhus t., sepia, sil., sulph.
- bed, in: acon., ars., calc. c., caust., hep., ign., kali c., iod., lyc., merc.
- before midnight: psor., phos., puls., rhus t.
- limbs and bones, pain in: kali iod.; intolerable at night: merc. v.,  
 Exanthemata suppressed: cupr. m., sulph.
- Excitement: calc. c., gels., spong.
- Exertion: bry., calc. phos.
- mental: bell., calc. c., ign., kali bi., lach., lyc., natr. m., nux v., puls., sepia, sil., sulph.
- — and physical: calc. c., natr. m.
- physical: arn., ars., ars. iod., bry., calc. c., carbo veg., caust., hell., kali bi., kali c., lyc., merc. v., natr. m., nux v., phos., phos. ac., puls., rhus t., sepia, sil., spig., sulph., verat., zinc. m.
- Expiration: ant. t., ars., bry., carbo veg., caust., chel., china, digit., dros., dulc., ign., iod., kreos., laur., led., mang., nux v., puls., rhus t., sabad., sepia, spig., spong., squil., stann. verat. a., zinc. m.
- Inspiration: acon., alum., arn., ars., baryt. c., borax, bry., camph., caps., carbo an., carbo veg., caust., chel., china, con., cupr., dros., dulc., hell., hyos., ign., iod., ipec., kali c., kreos., laur., led., lyc., nitr. ac., nux v., op., phos., puls., rhus t., senega, sepia, sil., spig., spong., squil., stann., sulph., verat. a.
- Eyes, turning the: spig.
- Fasting: ant. t., calc. c., china, ferr., iod., laur., phos., plb. m., puls., sabad., sepia, sulph.
- Fluids, vital, loss of: china, phos. ac.
- Food cold: ars., caust., con., kreos., hell., hep., kali c., kali iod., mang., merc. v., nux v., phos., spig., sulph.
- fat: ars., carbo veg., dros., ferr., hell., natr. m., nitr. ac., puls., sepia, spong., sulph.
- Foot sweat, suppressed: cup. m., sil., sulph.
- Fright: acon., op., verat. a.
- Fruits: ars., bry., borax, china, merc. v., puls., samb., sepia, verat.
- Hat, having on: iod., lyc.; hat, pressure of: carbo veg., nitr. ac., sil.
- Heat of summer or stove: bry., natr. m., puls. (apis, arn., calc. c., dros., iod., kali c., laur., led., lyc., puls., senega, sepia.)
- long continued, of summer or autumn: carbo veg.
- of stove: bry., natr. m.
- Inspiration, deep: bry., natr. m. (apis, camph., lach., nux v., puls.)
- Laughing: acon., alum., ant. t., bell., dros., dulc., hyos., ign., natr. m., phos., puls., stann., stram., sulph., verat.
- Light: bell., calc. c., hep. s., ign., lyc., merc., nux v., phos., phos. ac., puls., sang., sepia, sil., stram., sulph.

- Lying: ars., benz. ac., calc. c., carbo veg. caps., caust., con., dulc., ferr., hyos., ign., lyc., nux v., phos. ac., puls., rhus t., sabad., samb., sepia, sil., sulph.
- back: acet. ac., ars., caust., cupr. m., iod., nux v., phos., puls., rhus t., sepia, sil.
- bed, in: ars., borax, calc., caust., dros., ferr., ign., iod., kali c., led., lyc., mang., nux v., phos., puls., rhus t., sepia, sil., spig., verat.
- down: ant. t.; at night: bell., con., dros., hyos., natr. m., natr. s., nitr. ac., puls., rumex, sil., sulph.
- aggravates cough and breathing: ant. t., ars., ars. iod., dros., hep. s., ign., kreos., natr. m., rhus t., samb., sang., sepia, squil.
- with head low: ant. t., ars., china, hep. s., puls., spig., spong.
- side, on either: acon., ars., baryt. c., bry., calc. c., carbo an., china, con., ferr., hep. s., ign., kali c., kreos., lyc., merc. v., puls., sabad., senega, sil., stram., sulph.
- — on left: acon., arn., baryt. c., bell., calc. c., kali c., lyc., merc. v., natr. m., nux v., phos., puls., senega, sepia, sulph.
- — — or painless: natr. m., phos., sepia.
- — on right: ant. t., ars., borax, calc. c., carbo an., kali c., lyc., merc. v., nux v., senega, sepia, spig., spong., stann.
- — on affected right: ars., lyc., merc. v.
- — painful: acon., ars., baryt. c., bell., calc. c., china, dros., hep. s., ign., iod., kali bi., kali c., lyc., merc. v., nitr. ac., nux v., phos., phos. ac., puls., sabad., sil., spong.
- — painless: arn., bell., bry., calc. c., carbo veg., caust., chel., ign., kali c., lyc., nux v., puls., rhus t., phos., sepia, stann.
- — left or painless: natr. m., phos., puls.
- Meal, after a: acon., ant. t., arn., borax, bry., cact., calc. c., carbo an., carbo veg., caust., hyos., ign., kali c., lyc., natr. m., nitr. ac., nux v., phos., phos. ac., puls., ran. b., rhus t., sepia, sil., sulph., zinc. m.
- before a: ant. t., calc. c., chel., china, ferr., ign., iod., lach., laur., phos., plb. m., puls., rhus. t., sabad., sepia, sulph.
- Menses, before: kali c., verat. a.
- during: apis, arn., baryt. c., carbo an., caust., hep. s., hyos., kali c., lyc., merc. v., natr. m., nitr. ac., phos., puls., rhus t., sang., sepia, sil., sulph.
- suppression of: acon., baryt. c., calc., caust., con., cupr. m., dulc., ferr., kali c., lyc., natr. m., phos., puls., sabad., sepia, sil., sulph.
- Mercury, abuse of: ars., bell., calc. c., carbo veg., caust., china, cupr. m., dulc., hep., iod., lach., led., lyc., nitr. ac., phos. ac., op., puls., sang., sepia, sil., spig., sulph.
- Midnight, at: sulph.
- after: acon., ant. t., ars., bell., calc. c., carbo an., dros., dulc., ferr., kali c., mang., merc. v., nux v., rhus t., samb., squil., sulph.

**Midnight, before:** ant. t., arn., bell.; brom.: ameliorated after; bry., carbo veg., caust., hep. s., lach., led., lyc., mang., merc. v., phos., puls., rhus t., sabad., sang., spig., spong., stann.

**Milk:** alum., ars., brom., bry., calc. c., carbo veg., chel., china, con., cupr. m., kali c., lyc., natr. m., nitr. ac., nux v., phos., sepia, stram., sulph., zinc. m.

— dairy, working in, in hot weather: aran., ars., dros.

**Moon, decreasing:** dulc.

— full: alum., sulph.

— increasing: alum.

— new: alum., calc. c., caust., cupr., sepia, sil.

**Mornings:** acal., ant. t.; alum.: mental symptoms; bry., calc. c., caust., chel., china, con., cupr. m., digit., dros., dulc., ferr., hell., hep. s., ign., kali c., natr. m., nitr. ac., nux v., op., phos., phos. ac., rhus t., sepia, squil, stann., stram., sulph.

— after rising: alum., carbo veg., caust., ign.; kali bi.: tough mucus strangles him: kali c., kreos.

**Motion:** acon., apis, arn., ars., bapt., bell.; borax: downward; bry.: least; calc. c., calc. phos., camp., caps., carbo an., caust., chel., china, digit., elaps., hell., hep. s., ign., iod., ipec., kreos., laur., led.; lob.: least; merc. v.; natr. m.: rapid; nitr. ac., nux v., phos., plb. m., puls., ran. b., sang., sil., spig., squil, stann., sulph., verat. a.

— beginning of: bry., carbo veg., caust., con., cupr. m., ferr., lyc., phos., puls., rhus t., sabad., samb., sil.

**Music:** acon., calc. c., kali c., kreos., lyc., natr. s., nux v., phos., sepia, stann., zinc. m.

**Narcotics:** bell., digit., hyos., ign., lach., lyc., merc. v., nux v., op., puls., sepia.

**Night:** acon., apis, arn., ars. iod., bell., brom., bry., cact.; calc. c.: always; caps., carbo an., carbo veg., caust., china, con., cupr. m., digit., dros., dulc., ferr., hell., hep. s., hyos., ign., iod., kali c., kali c., lach., led., lyc., mang., merc. v., natr. m., nitr. ac., op., phos., plb. m., puls., ran. b., rhus. t., sabad., samb., sepia, sil., spig., spong., sulph.

**Noise:** arn., bell., cact., con., ign., kali bi., lyc., mang., nux v., phos. ac., sang., sepia, sil., spig., zinc. m.

**Odors of cooking:** ars., caust., colch., digit., eupat. per., ipec., phos. ac., rumex, sepia, sulph., stann., zinc. m.

— strong: acon., bell., china, ign., lyc., nux v., phos., sulph.

**Oysters:** lyc.

**Perspiration:** acon., ant. t., ars., bry., caust., china, ign., ipec., merc. v., nitr. ac., nux v., op., phos., puls., rhus t., sabad., sepia, stram., sulph., verat.

**Pork:** carbo veg., ipec., natr. m., puls., sepia.

- Position, must change, often, but it is painful and gives but little relief: caust., natr. s.
- Pressure: bell., brom., lach.; on well side: puls.
- Quinine: ferr.; carbo veg.: suppressed malaria; ipec., lach., natr. m., puls.
- Reading: natr. m., phos., psor.
- Rest: ant. t., arn.; ars.: in bed, but better by warmth of bed; dros., dulc., ferr.; kreos.: lying; kali c., kali iod., lyc., natr. s., op., phos. ac., puls., rhus t., samb., sabad., senega, sepia, sil., stann., sulph., zinc.
- Riding against a cold wind: acon., cough.
- Rising from bed: acon., apis, bell., bry., calc. c., caps., carbo veg., con., hep. s., ign., kali bi., lach., lyc., natr. m., nux v., phos., phos. ac., rhus t., samb., sil., spig., verat.
- from a chair: nitr. ac., spong.
- up in bed: acon., con.
- Rubbing: caps., caust., con., led., puls., sepia, sil.
- Salt food: carbo veg., dros., lyc.
- Seashore: natr. m., sulph.
- Sexual abuse: phos. ac., sepia.
- Shaking, from every: spig.
- Shaving, after: carbo an.
- Singing: dros., phos., stann.
- Sitting: alum., bry., con., digit., ferr., psor.
- Sleep, after: apis, lach., led., op., spong., stram.
- during and after: acon., apis, baryt. c., bell., bry., china, con., hep. s., hyos., ign., kali c., lach., led., lyc., merc. v., natr. m., op., phos., phos. ac., puls., rhus t., samb., sepia, sil., stram., sulph., zinc. m.
- Sleeps into the aggravation which wakes him: lach.
- Smoke: brom., sepia, spig.
- Sneezing: borax, carbo veg., dros., lyc., merc. v., nux v., phos. ac., puls., rhus t., sabad., sepia, sil., spig., sulph.
- Snow: calc. c., con., lyc., phos. ac., puls., sepia, sil., sulph.
- melting: calc. phos.
- Sour food: ars., bell., borax, brom., caust., china, dros., ferr., ferr. phos., kreos., lach., natr. n., nux v., phos., phos. ac., ran. b., sepia, sulph. sepia, sulph.
- Speaking, see talking: sil.
- Spices: nux v.
-

- Spring: bell., calc. c., carbo veg., led., lyc., natr. m., rhus t., verat.
- Standing: acon., bry., cup. m., china, ferr., mang., nitr. ac., phos., phos. ac., rhus t., sabad., samb., sepia, sulph., zinc. m.
- Stimulants: ars., bell., calc. c., carbo veg., chel., china, con., ign., lach., led., lyc., natr. m., nux v., op., puls., ran. b., rhus t., sil., spig., stram., verat., zinc. m.
- Stool, after, rectal pains: alumen., ars., calc. c., carbo veg., caust., china, kali c., lach., merc. v., nitr. ac., nux v., phos., sulph., verat.
- during: ars., calc. c., caps., carbo veg., china, dulc., ferr., hep. s., ign., merc. v., natr. m., nitr. ac., nux v., phos., puls., rhus t., sepia, spig., sulph., verat.
- Stooping: acon., alum., baryta c., bell., borax, bry., calc. c., caps., carbo veg., dros., hep. s., ipec., kali c., led., lyc., mang., merc. v., natr. m., phos., plb. m., puls., rhus t., senega, sepia, sil., spig., sulph., verat.
- Stretching out arms: lyc.
- — affected limb: alum., brom., bry., calc. c., china, hep. s., mang., sepia, sulph.
- Summer sun: bell., lach., natr. m., (bell., carbo veg., kali bi., puls.)
- Sun, heat of: bell., natr. m.
- Sunrise, after: nux v.
- before: rhus t.
- Swallowing, attempting to: stram.
- empty, saliva: bry., hep. s., lach., merc. v., natr. m., puls., rhus t.
- fluids: apis, bell., bry., hyos., ign., iod., lach., lyc., merc. v., phos., stram.
- food: alum., bapt., baryt. c., bry., dros., hep. s., iod., lach., nitr. ac., nux v., phos., phos. ac., rhus t., sepia, sil., sulph., zinc. m.
- Sweat suppressed: acon., dulc.
- Sweets: acon., calc. c., ign., merc. v., phos., sil., spig., spong., sulph., zinc. m.
- Talking: alum., arn., ars., bell., bry., calc. c., carbo veg., china, con., dros., dulc., ferr., hep. s., iod., kali c., lach., mang., natr. m., nux v., phos., phos. ac., psor., rhus t., sepia, sil., spig., squil., stann., sulph., verat.
- Temperature, change of, especially extremes: lach., nitr. ac.
- Thinking of the pains: bapt., baryta. c., gels., lach., phos., ran. b.
- Thunderstorm, before: gels., phos., psor., sepia;—and during: phos., psor.
- Time, 1 to 3 A.M., cough: ars.
- 2 to 4 A.M., chest, cough and throat: kali c.
- 2 to 5 A.M., chest symptoms: kali iod.
- 3 A.M., bapt.; cough and restlessness: kali c.
- 10 to 11 A.M.: natr. m.
- 10 to 12 A.M., cough: bell.
- 3 P.M.: bell.
- 4 to 8 P.M.: lyc.
- 9 P.M.: rhus t.
- 11 P.M.: bell.



Tobacco smoke: acon., gels., ign., spong.

Touch: acon., ant. t., arn., ars., bad., bapt., bell., borax, brom., bry., caps., carbo an., carbo veg.; china: least; cup. m., digit., dros., hell., hep. s.: parts affected; hyos., ign., kreos., led., lob., lyc., mang., merc., natr. m., nitr. ac., nux v., phos., phos. ac., ranb. b., rhus t., sepia, sil., spig., squil., stann., stram., sulph., verat.

Twilight: ars., calc. c., puls., sang.

Uncovering: acon., ars., baryta c.; bell.: head; con., hep. s., merc. v., nux v., rhus t., samb.; sil.: head; squil.

Undressing: ars., dros., hep. s., kali bi., nux v., puls., rhus t., spong.

Voice, using the: stann.

Waking, on: lach., led., nitr. ac.

Walking: arn., bell., brom., bry., calc. c., camph., carbo an., carbo veg., caust., chel., china, con., digit., dros., hell., hep. s., iod., ipec., led., nat. m., nitr. ac., nux v., phos., ran. b., sabad., sepia, spig., squil., sulph., verat.

Warmth: apis, arn., brom., bry., calc. c., cann. ind.; dros.: cough; iod., kali c., laur.; led.: though cold to touch and subjectively; lyc., merc. v., natr. m., puls., senega, sepia; sulph.: of bed.

Warm days and cold nights: dulc.

Warm food: baryta c., bell., bry., calc. c., carbo veg., hell., kali c., merc. v., phos., phos. ac., puls., sepia, sil.

— room: acon., alum., ant. t., apis, brom., bry., iod., lyc., puls., sang., senega, spong.

— getting, in the open air: bry., dulc., iod., lyc., puls., sabad., spig.

— room, entering from open air: acon., caust., dulc., phos., ran. b.

Washing affected parts: baryt. c.

— or working in water: bell., calc. c., carbo veg., china, elaps., lyc., merc. v., nitr. ac., puls., rhus t., sepia, spig., stann., sulph.

Water, cold, standing, washing or working in: calc. c., kreos., sulph.

Weather, change of: bry., calc. c., carbo veg.; dulc., kali bi.; merc. v.: sudden; nitr. ac., nux v., phos., rhus t., sil., sulph., verat.

— — — from cold to warm: natr. m.

— changeable: ars. iod., calc. phos., sulph.

— — in Spring: ant. t., kali c., natr. s.

— clear: acon., bry., caust., hep. s., nux v., sabad., spong.

— cloudy: bry., calc., china, dulc., mang., merc. v., natr. m., plb. m., rhus t., puls., sepia, sulph., verat.

— cold: ant. t., ars., ars. iod., caust., calc. phos., kreos., rhus t.

— — aggravates eruptions: alum., rhus t.

— excessively cold or warm: ipec., lach.

— damp: ant. t., aran., ars. iod., borax, carbo an., dros., dulc., gels., lach., lyc., merc. v., mang., natr. s., rhus t.; sepia: sultry; sulph., verat.

— — warm: bry., carbo veg., puls.; — or cold: kali bi.

— dry: caust., hep. s., ipec., nux v.

- Weather hot: bry., calc., puls.  
 — stormy: ars. iod., bad., psor., ran. b., rhus t.  
 Weeping: arn., bell., cup. m., dros.: cough; hep. s., stann., verat.  
 Wet, getting, causing cough: acon.  
 — — feet: apis, calc. c., caust., rhus t.  
 Wetting diseased parts: lyc.  
 Wind: ars., bell., calc. phos., caust., china, con.; cup. m.: cold; lach.,  
     lyc., nux v., phos. puls., sepia; sulph.: dry East.  
 — dry, cold, especially West: acon., bry., hep. s., spong.  
 — damp, raw, East: calc. c., carbo veg., caust., hep. s., nux v., spong.  
 — South or South-West: carbo veg.  
 — warm, moist South: ipec.  
 Wine: acon., alum., arn., ars., bell., borax, cact., calc. c., carbo an., carbo  
     veg., con., lach., lyc., natr. m., nux v., op., puls., ran. b., sabad.,  
     sil., zinc. m.  
 Winter: acon., alum., apis., ars., bry., camph., caust., dulc., hell., hep. s.,  
     kali c., nux v., puls., rhus t., sabad., sepia, sulph., verat.  
 Wrapping up: acon., borax, calc. c., ferr.; iod.: the head; lyc., spig., verat.  
 Writing: bry., calc. c., kali c., lyc., natr. m., nux v., sepia, sil., zinc.  
 Yawning: arn., borax, caust., chel., nux v., rhus t., phos., sabad.

---

 AMELIORATIONS

- Air cold: ars., headache; carbo veg., dros., iod., lach., lyc., phos.; on  
     head and face: puls., sulph.  
 — dry: calc. c., calc. phos.  
 — clear, hot or cold: natr. s.  
 — cool, great desire for: kali iod., kali s., sang.  
 — of mountains: natr. m., syph.  
 — open: acon., alum., ant. t., ars., ars. iod., baryt. c., brom., bry., cact.,  
     calc. c., camph., cann. ind., carbo an., carbo veg., chel., con.,  
     ferr. iod., gels., hell., hyos., iod., ipec., kali bi., kali iod., kreos.,  
     lach., lyc., mang., natr. m., natr. s., op., phos., phos. ac., puls.,  
     ran. b., rhus t., sabad., sang., senega, sepia, spig., spong., sulph.,  
     zinc. m.  
 — warm: calc. phos., camph., dros., kali c.  
 Alone: baryt. c., carbo an., con., ferr., ferr. phos., hep. s., ign., lyc., natr.  
     m., sepia, stann., sulph.  
 Ascending: con., ferr.  
 Attack, before an: psor.  
 Bathing: apis, cold.; ars., the head; natr. m.  
 Bed, after rising from: iod.  
 — becoming warm in: kali bi.  
 Bending double: bell., china, puls., squil.  
 Breakfast, after: alumen., calc. c., kali c.

Cold: ant. t., bry., dros., iod., led., lyc., merc. v., op., puls., senega, sulph.  
— food: phos.

— — or drink: bry., puls., sang., verat.

— getting: lyc.

Company, in: ant. t., apis, ars., bell., brom., bry., calc. c., calc. phos.,  
camph., carbo veg., caust., con., dros., elaps., gels., hep. s., hyos.,  
ign., kali c., lyc., nux v., phos., puls., sepia, stram., tub., verat.,  
zinc. m.

Constipated, being: calc. c.

Coughing up mucus, ameliorates hoarseness: stann.;—ameliorates pain:  
apis.

Covering up: psor., rhus t., sil.

Dark, in the : acon., baryt. c., bell., calc. c., china, con., dros., hep. s., ign.,  
lyc., merc. v., nux v., phos., phos. ac., puls., sepia, sil., sulph.

Descending: ars., bry., calc. c., cupr. m., nux v., senega, sepia, spong.,  
zinc. m.

Drinking cold: apis, bry., camph., caust., con., cupr. m., phos., puls., sepia.  
— — water, ameliorates cough: caust.

— or eating warm things ameliorates cough: sil.

— warm: alum., ars., lyc., nux v., rhus t., sil., spig., sulph., verat.

Eating, after: iod.;—eating warm things: spong.; eating or drinking  
cold things: puls.

Eruclatations: ant. t., bry., carbo veg., kali c., lyc., nitr. ac., nux v., sil.,  
sulph.

Evenings: alum., arn., chel., lyc., nux v.

Expectorating: ant. t., apis, brom., lach., sang.

— watery phlegm, asthma: lach.

— chest symptoms: zinc. m.

Fanned, when: apis, bapt.; carbo veg., very hard; china, gently; plb. m.,  
puls., sulph.

Fasting: natr. m.

Hawking up mucus ameliorates hoarseness: stann.

Heat, warmth: acon., ars., baryt. c., bell., borax, camph., caust., con.,  
dulc., hell., hep. s., hyos., ign., kali bi., kali c., lyc., mang., merc.  
v., nux v., ran. b., phos., rhus t., sabad., sil., sulph.

Holding chest when coughing: bry., kreos., natr. s., phos.

Leaning forward with elbows on knees or table: ars., kali c.

Light, bright: stram.

Limbs drawn up while lying on right side: sulph.

Lying down: alum., arn., bell., bry., calc. c., calc. phos., carbo an., cup.  
m., kali bi., merc. v., natr. m., nitr. ac., nux v., sang., squil.,  
verat.

— abdomen, on: acet. ac., alum., calc. c., phos., rhus t.

— — back, on: acon., especially cough; apis, bry., borax, calc. c., carbo  
an., ign., iod., kali c., lyc., natr. m., puls., stann.

— head high, with: ars., ars. iod., spig., spong.

— horizontally: arn., spong.

- Lying, side, right, on: ant. t., bry., kali c., natr. m., phos., spig.; with knees drawn up: sulph.; on left side with knees drawn up: lyc.
- — painful: arn., bell., bry., calc. c., carbo veg., caust., ign., kali c., lyc., nux v., puls., rhus t., sepia, stram., sulph.
- — painless: acon., arn., ars., bapt., baryt. c., bell., bry., caps., carbo an., carbo veg., caust., china, cupr. m., dros., hep. s., hyos., ign., iod., kali c., lach., led., lyc., mang., merc. v., natr. m., nitr. ac., nux v., phos. ac., puls., ran. b., rhus t., sabad., samb., sepia, sil., spong., stram., verat.
- Mesmerizing: phos.
- Moistening parts with cold water: apis.
- Motion: acon., ant. t., arn., ars., baryt. c., brom., calc. c., cupr. m., con., dros., dulc., ferr., kali c., kali iod., lach., lyc., natr. m., nux v., op., phos., phos. ac., puls., rhus t., sabad., samb., sang., senega, sepia, stann., sulph., verat.
- of affected part: arn., caps., china, con., dulc., ferr., led., merc. v., nux v., puls., rhus t., spig.
- slow: caps., con., ferr., puls., samb.
- Mouth, covering the, to exclude cold air: rumex.
- Perspiration: acon., bry., gels., hep. s., natr. m., psor., rhus t.
- Position, change of: apis; pains: ign., nux v., phos. ac., rhus t., zinc m.
- Pressure: arn., bell., borax, china, con., dulc., kali c., kali iod., mang., natr. m., phos., phos. ac., plb. m., puls., rhus t., stann.
- of hands, ameliorates pains in chest: kreos., phos., sepia, stann.
- — — on painful side: bry., borax, stann.
- hard: bell., china, ign., plb. m., rhus t., stann.
- Rest: acon., but not at night in bed; arn., baryt. c., bell., bry., camph., carbo an., chel., china, cupr. m., digit., hell., hep. s., ign., iod., ipec., kali c., laur., led., merc. v., nitr. ac., nux v., phos., ran. b., sabad., sil., spig., spong., squil., stram., sulph., verat.
- Riding in a carriage: ars., nitr. ac., phos.
- Room, cold: acon., apis, brom., iod., puls., sang.
- Rubbing: alum., arn., calc. c., dros., merc. v., phos., plb. m., sulph., zinc. m.
- Seashore: med.
- Shaving, after: brom.
- Sitting bent forward and shoulders thrown back: lach.
- — — with elbows on knees: ars., kali c.
- erect: ant. t., apis, ars., bell., lach., lyc., natr. m., natr. s.
- up in bed: ars. iod., samb.
- Sleep, after: ars., nux v., phos., sepia.
- Standing erect: alum., ars., bell., calc. c., iod., ipec., led., nux v., phos. ranb. b., squil.
- Summer, in: calc. phos., ferr.
- Swallowing: arn., caps., ign., kali bi., lach., led., spong.

Sweat, after: acon., ant. t., ars., bell., bry., chel., gels., hell., hep. s., hyos., ipec., led., lyc., natr. m., nitr. ac., nux v., op., psor., puls., rhus t., sil., samb., spong., stram., sulph., verat.

— during: ars., bry., calc. c., cupr. m., lyc., rhus t.

Thinking of ailments: camph.

Uncovering: acon., apis, borax, calc. c., ferr., iod., lyc., spig., verat.

— head: iod., lyc.

Urinating: zinc. m.

Walking: alum.; apis, pains; ars., caps., con., dros., dulc.; ferr., slow; ign., kali c.; kali iod., in the open air, it does not fatigue; lob., rapidly; lyc.; op., constantly; phos. ac.; puls., slowly; rhus t., sabad., samb.; sepia, rapidly; stann., sulph., verat.

Warm drinks: lyc.; warm food: lyc., rhus t.; warm room: bell., sil., psor.

Warmth: acon., alum., ars., ars. iod., bad., baryt. c., bell., brom., borax, camph., carbo an., caust., china, con., dros., dulc., hell., hep. s., hyos., ign., kali bi., kali c., kreos., lyc., mang., merc. v., nux v., phos., ran. b., rhus t., rumex., sabad., sepia, sil., stram., sulph.

Washing chest with cold water: borax.

Water, cold, drinking: apis, camph.; caust., cough.

— a swallow of, ameliorates cough, nausea and vomiting: cupr. m.

Weather, cold ameliorates eruptions: kali bi.

— damp, wet: acon., caust., hep. s., ipec., nux v., sabad., spong.

— dry, warm: calc. c.; mild: alum.

— warm, dry: calc. c., rhus t., sulph.

Wine: acon.

Working, while: merc. v.

Wrapping up: psor., rhus t.; sil., the head.

## CLINICAL CASES

### Illustrating the Use of the Repertory

CASE 1. Mrs. S.—Severe cough and involuntary discharge of urine with each cough. Had cough mixtures and old school treatment without avail.

After giving her nux v. and bry. to antidote the effects of the drugs taken, I obtained the following symptoms, the most characteristic being listed as No. 1:

1. Cough only during the day, not at all at night. See page 56.
2. Sputum profuse, thick mucus. See page 77.
3. Worse lying down. See page 62.
4. Worse on entering a warm room. See page 71.
5. Worse talking. See page 68.
6. Worse laughing. See page 61.
7. Involuntary discharge of urine with each cough. See page 70.

Symptom No. 1, listed on page 56, is characteristic of the following drugs: amm. c., dulc., euphr., ferr., lach., merc. v., nitr. ac., phos., rumex., sepia., thuja. Symptoms 2 to 7 are consulted in the repertory, and when any of the foregoing drugs is mentioned, the number of the symptom is entered against the name of the drug in the list, as follows:

Amm. c.  
Dros. 3, 4, 6  
Dulc. 2, 3, 4, 5, 6, 7  
Euphr.  
Ferr. 3, 5  
Lach. 2, 3, 5, 6, 7  
Merc. v. 2, 5  
Nitr. ac. 3, 5, 6, 7  
Phos. 2, 3, 5, 6, 7  
Rumex 3, 5, 7  
Sepia 2, 3, 4, 7  
Thuja

The remedy covering the most symptoms of the patient is the *similimum*.

Dulcamara, the only remedy having all the symptoms, was given in the 200 potency; two small powders cured completely, and permanently.

CASE 2. Pneumonia. Mrs. B., after exposure to a cold rain, had a severe chill followed by high fever, cough and restlessness, temp. 103. I gave her acon. 200, in aq., two teaspoonfuls every two to four hours. Quite some improvement followed but did not continue. On the third day I obtained the following symptoms:

1. Cough worse from cold air. See page 52.
2. Breathing difficult, distressing. See page 5.
3. Chest oppressed as from a weight pressing on it. See page 10.
4. Chest, burning in, with cough. See page 8.
5. Sweat with cough. See page 45.
6. Sputum, jelly-like, transparent, with a little black dust in center. See page 76.

Proceeding as in case 1, the result is as follows:  
Symptom No. 1, page 52.

Acon. 4  
Baryta. c. 5  
Brom. 3  
Bry. 2, 5  
Carbo an.  
Carbo veg.  
Caust. 2  
Dulc. 2  
Hep. s.  
Hyos.  
Ipec. 3  
Kali c. 2, 3  
Kali iod.  
Lach. 2  
Nux v. 3  
Phos. 2, 3, 4, 5, 6  
Phos. ac.  
Rhus t.  
Rumex  
Samb.  
Senega 4  
Sepia 2, 3, 5  
Sil. 5  
Squil. 2  
Stram.  
Sulph. 5

Phos., having every symptom, was given in the 200 potency in aq., two teaspoonfuls every two to three hours, which restored her to perfect health in four days.

Symptom 6 has often led me to give phos. when no other symptoms could be obtained, and it was always followed by very gratifying results to both patient and doctor, no other remedy being needed as a rule.

CASE 3. Pneumonia. Miss H., æt. 18 years, had been under treatment for over two weeks, getting steadily worse. Temp., 103½; pulse, 120; resp., 45. Tongue brown and dry; breathing, difficult, labored, with fan-like motion of alæ nasi; could not lie on the right and painful side. The abdomen and right side were very tender to touch; cough short, hacking, worse from the least motion; expectoration of frothy mucus with bright red, arterial blood, skin dry and hot; restlessness, delirium.

1. Fan-like motion of alæ nasi. See page 6, 35.
2. Tongue brown. See page 47.
3. Cough worse from motion. See page 63.
4. Sputum, bloody mucus. See page 72.
5. Breathing difficult. See page 5.
6. Abdomen tender to touch. See page 1.
7. Skin dry and hot. See page 42.
8. Worse lying on right side. See page 82.
9. Worse lying on painful side. See page 82.
10. Worse from touch. See page 86.

Proceeding as before, the result is:

Symptom No. 1, pp. 6, 35.

Ammon. c.

Ant. t. 2, 4, 8, 10

Ars. 4, 8, 9, 10

Brom. 3, 4, 10

Chel. 4, 5

Iod. 4, 7, 9

Lyc. 2, 3, 4, 5, 6, 7, 8, 9, 10

Merc. iod. fl.

Phos. 4, 5, 7, 9, 10

Spong. 3, 8, 9

Sulph. ac.

Zinc. m. 4

In this last case, lycopodium has the most symptoms: it was given in the 200 potency in aq. and cured the patient completely in five days.

CASE 4. (This is the case referred to in the preface.) Mr. H., æt. 73 years, after exposure to cold rain and sleet, had a severe chill, followed by fever. I was called soon after and gave acon. 3d in aqua. He seemed to improve somewhat, but soon pneumonia developed. I gave him bryonia and other remedies. Seeing no improvement and finally fearing my patient would not recover, I called in an old, experienced homœopath in consultation. He examined the patient, questioned him and also the family and elicited the following symptoms where I had failed to get any to aid me in the selection of the remedy, Homœopathy being something new to the family as well as to myself, this being in the first year of my practice.

1. Breathing labored, arrhythmical, like the action of a bellows.
2. Face dusky red.
3. Heart's action too regular, without the proper rythm, like the breathing.
4. Cough worse in the afternoon and from cold air.
5. Sputum, bloody mucus, profuse.
6. Worse lying on the left side.



The Doctor advised me to give the patient phosphorus 200, saying that the suffused, dusky redness of the face and the peculiar breathing of the patient had called this remedy to his mind on first seeing the patient, as these were characteristic symptoms of that remedy.

I now gave the patient phos. 200 in aqua., two teaspoonfuls every two to three hours. In less than twelve hours there was a marked improvement in the patient's condition and he recovered fully under this remedy in a few days, no other being needed.

CASE 5. Mr. A. Pneumonia. Temp., 103; resp., 40; pulse, 110; frequent cough, worse at night and from least motion; sputum white, blood streaked; mouth and lips, dry, drinking much at a time but not often; sharp, cutting, sticking pains in lower right side of chest; he feels better when perfectly quiet and the room is kept cool, and lying on the right, painful side.

Bryonia cured him in four days.

CASE 6. Mr. G. Pneumonia, affecting chiefly the lower lobe of the right lung. Temp., 102½; cough, loose and rattling, worse at night and from motion; sputum thick, yellow, bloody mucus; mouth, dry though full of saliva; desire for cool air; tongue coated white, is thick and flabby, showing the imprint of the teeth on the edges.

He perspires freely, but is not relieved. The right side of the chest and region of the liver are very tender to touch; he cannot lie on it.

Merc. viv. cured him in less than a week.

CASE 7. Mr. Fred. B., a blacksmith, had been sick for 12 days and treated by his wife with home remedies and lobelia in aq., but became worse. Temp., 104½; pulse, 120; resp., 45. Tearing and stitching pains in right side of chest; cough frequent, loose, with brownish, rust-colored sputum and clear, brownish blood; worse from cold and uncovering of even a hand; worse evenings till midnight, and mornings; profuse perspiration now and then, which relieves him somewhat. Tongue coated brown with a triangular, red tip.

Rhus tox. cured him in five days.

CASE 8. Phthisis pulm. Mrs. B., æt. 50 years, tall, slender, chest flat, ribs far apart, face pale, hollow cheeks, has been treated for consumption for at least 10 years by an allopath and always kept whiskey on hand, which she took as her doctor ordered, when she had a bad spell.

Her husband was taken very ill and, while attending him, she was prostrated herself. Unable to get symptoms of any value, I gave her nux v., bry., and finally phos. with only slight improvement, which, however, did not continue. After treating her thus for several weeks on the few symptoms I could obtain, her daughter told me her mother had an involuntary discharge of urine with each cough, even if she coughed just after urinating. This symptom she had been troubled with ever since she had taken to her bed, but did not want them to tell me of it. Explaining to her, then, that I must know all her symptoms,

no matter what they were, if she wanted to get well, I questioned her for a long time and finally obtained the following symptoms:

1. Cough caused by violent tickling in left side of throat just above larynx.
2. Cough worse before midnight.
3. Cough worse from drinking coffee.
4. Worse from cold and cold draughts.
5. Cough relieved by drinking cold water.
6. Involuntary discharge of urine with each cough.
7. Sputum profuse, thick, yellow.

I now gave her causticum 200 in aq., two teaspoonfuls every 1 to 3 hours. Improvement began the very next day and continued under this one remedy until a few weeks later, when she needed a few doses of pulsatilla. She regained her health completely and continued so to my knowledge for 12 years afterwards.

---

## INDEX

	Page
Preface .....	III
Remedies and their abbreviations.....	IV
Special hints .....	VII
Euthanasia .....	XII
REPERTORY	
General symptoms .....	1
Coughs .....	51
Expectorations .....	71
General aggravations .....	79
General ameliorations .....	87
Clinical cases .....	90























1

LANE MEDICAL LIBRARY

To avoid fine, this book should be returned on  
or before the date last stamped below.

--	--	--

X821 Lutze, F.H. 65689  
L97 Diseases of the  
1916 respiratory organs.

NAME

DATE DUE



